

TIROPRATICO®

380 ACP Load Data

90 Grain JHP	
Sectional Density:	.102
Diameter:	.355
Ballistic Coefficient:	.099
C.O.L.	.955

Powder	800fps	850fps	900fps	950fps	1000fps	1050fps
700-X	2.5gr.	2.6gr.	2.8gr.	2.9gr.	3.1gr.	3.3gr.
Red Dot	2.6gr.	2.8gr.	2.9gr.	3.1gr.	3.3gr.	
Bullseye	2.7gr.	3.0gr.	3.3gr.	3.5gr.	3.8gr.	
Green Dot	2.9gr.	3.1gr.	3.4gr.	3.6gr.	3.6gr.	
WIN 231	3.3gr.	3.5gr.	3.7gr.	3.8gr.	4.0gr.	
Herco	3.7gr.	4.0gr.	4.3gr.	4.7gr.		
Unique	3.8gr.	4.0gr.	4.3gr.	4.5gr.	4.8gr.	
HS-5	4.2gr.	4.5gr.	4.7gr.	5.0gr.		

100 Grain FMJ-RN	
Sectional Density:	.113
Diameter:	.355
Ballistic Coefficient:	.115

C.O.L.	.980
--------	------

Powder	750fps	800fps	850fps	900fps	950fps	1000fps
700-X	2.4gr.	2.5gr.	2.7gr.	2.8gr.	2.9gr.	3.1gr.
Red Dot	2.5gr.	2.7gr.	2.8gr.	3.0gr.		
Bullseye	2.6gr.	2.8gr.	3.0gr.	3.2gr.	3.4gr.	3.6gr.
WIN 231	2.8gr.	3.0gr.	3.2gr.	3.4gr.	3.5gr.	3.7gr.
Green Dot	2.8gr.	3.0gr.	3.2gr.	3.4gr.	3.6gr.	
Unique	3.4gr.	3.6gr.	3.9gr.	4.1gr.	4.4gr.	
Herco	3.5gr.	3.8gr.	4.0gr.	4.2gr.	4.4gr.	4.6gr.
HS-5	4.0gr.	4.2gr.	4.4gr.	4.6gr.	4.8gr.	5.0gr.

9mm Load Data

90 Grain Bullets: HP	
Sectional Density:	.102
Diameter:	.355
Ballistic Coefficient:	.099
C.O.L.	1.080

Powder	1150fps	1200fps	1250fps	1300fps	1350fps	
Red Dot	4.0gr.	4.3gr.	4.5gr.			
700-X	4.2gr.	4.4gr.	4.6gr.			
WIN WSL	4.2gr.	4.4gr.	4.6gr.	4.8gr.		
Bullseye	4.4gr.	4.7gr.	5.0gr.			
Unique	4.9gr.	5.1gr.	5.3gr.			
WIN 231	4.9gr.	5.1gr.	5.4gr.	5.7gr.		
AA #2	4.7gr.	5.0gr.	5.4gr.	5.7gr.	6.1gr.	
WIN WST	5.5gr.	6.0gr.				
AA #5	6.2gr.	6.5gr.	6.8gr.	7.2gr.		

HS-6	6.9gr.	7.2gr.	7.4gr.	7.7gr.		
AA #7	7.8gr.	8.3gr.	8.8gr.	9.3gr.		

100 Grain Bullets: FMJ-RN

Sectional Density:	.113
Diameter:	.355
Ballistic Coefficient:	.115
C.O.L.	1.105

Powder	1050fps	1100fps	1150fps	1200fps	1250fps	
Red Dot	3.8gr.	4.0gr.	4.2gr.	4.4gr.		
WIN WSL	3.9gr.	4.1gr.	4.3gr.	4.5gr.		
Bullseye		4.3gr.	4.6gr.	4.9gr.	5.2gr.	
AA #2		4.0gr.	4.6gr.	5.2gr.	5.8gr.	
Unique	4.6gr.	4.9gr.	5.1gr.	5.3gr.		
WIN 231	4.3gr.	4.6gr.	5.0gr.	5.3gr.		
WIN WST	5.2gr.	5.5gr.	5.9gr.	6.2gr.		
AA #5	5.8gr.	6.1gr.	6.4gr.	6.6gr.	6.9gr.	
HS-6		6.6gr.	6.9gr.	7.2gr.	7.5gr.	
AA #7	7.3gr.	7.7gr.	8.1gr.	8.4gr.	8.8gr.	

115 Grain Bullets: FMJ-RN

Sectional Density:	.130
Diameter:	.355
Ballistic Coefficient:	.140
C.O.L.	1.105

Powder	1050fps	1100fps	1150fps	1200fps	1250fps
--------	---------	---------	---------	---------	---------

Red Dot	3.7gr.	4.1gr.			
WIN WSL	4.0gr.	4.2gr.	4.4gr.		
Bullseye		4.5gr.	4.8gr.	5.1gr.	
WIN 231	4.5gr.	4.7gr.	5.1gr.	5.5gr.	
Unique	4.7gr.	4.9gr.	5.1gr.		
AA #2	4.7gr.	5.0gr.	5.2gr.	5.6gr.	5.9gr.
WIN WST	5.2gr.	5.4gr.	5.6gr.		
AA #5	5.6gr.	5.9gr.	6.2gr.	6.6gr.	
HS-6	6.3gr.	6.5gr.	6.9gr.		
AA #7	7.4gr.	7.9gr.	8.4gr.		

124 Grain Bullets: FMJ-RN	
Sectional Density:	.141
Diameter:	.355
Ballistic Coefficient:	.145
C.O.L.	1.150

Powder	1025fps	1050fps	1075fps	1100fps	1125fps	1150fps	1175fps	1200fps
Red Dot	3.8gr.	4.0gr.	4.2gr.					
WIN WSL	3.9gr.	4.0gr.	4.2gr.	4.3gr.	4.4gr.			
Bullseye	4.1gr.	4.2gr.	4.4gr.					
Unique	4.7gr.	4.8gr.	4.9gr.	5.0gr.	5.1gr.			
WIN 231		4.7gr.	4.9gr.	5.1gr.	5.3gr.			
AA #2	4.7gr.	4.8gr.	5.0gr.	5.1gr.	5.3gr.	5.4gr.	5.6gr.	5.7gr.
WIN WST	4.8gr.	5.0gr.	5.2gr.	5.4gr.				
AA #5	5.3gr.	5.5gr.	5.7gr.	5.9gr.	6.1gr.	6.2gr.		
HS-6	6.2gr.	6.3gr.	6.5gr.	6.6gr.	6.8gr.	6.9gr.		
AA #7	7.2gr.	7.5gr.	7.7gr.	8.0gr.				

147 Grain Bullets: FMJ-RN	
Sectional Density:	.167
Diameter:	.355
Ballistic Coefficient:	.212
C.O.L.	1.169

Powder	800fps	850fps	900fps	950fps	975fps	1000fps
WIN WSF	3.3gr.	3.6gr.	3.9gr.	4.2gr.		
AA #5	3.8gr.	4.1gr.	4.3gr.	4.6gr.		
HS-6		4.4gr.	4.7gr.	4.9gr.	5.1gr.	
AA #7	5.1gr.	5.5gr.	5.9gr.	6.2gr.	6.4gr.	6.6gr.

38 Super Load Data

90 Grain Bullets: HP	
Sectional Density:	.102
Diameter:	.355
Ballistic Coefficient:	.099
C.O.L.	1.220

Powder	1400fps	1450fps	1500fps	1550fps	1600fps
Unique	6.1gr.	6.4gr.			
Bullseye	5.6gr.	5.9gr.	6.2gr.	6.6gr.	
WIN 231	6.6gr.	6.8gr.	7.0gr.	7.2gr.	
AA #5	7.2gr.	7.4gr.	7.6gr.	7.9gr.	8.1gr.
AA #7	9.8gr.	10.3gr.	10.7gr.	11.1gr.	

110 Grain Bullets: HP	
Sectional Density:	.123
Diameter:	.357
Ballistic Coefficient:	.131
C.O.L.	1.210

Powder	1200fps	1250fps	1300fps	1350fps	1400fps	1450fps
Bullseye	5.0gr.	5.2gr.	5.5gr.	5.7gr.		
Unique	5.4gr.	5.7gr.	6.0gr.			
WIN 231	5.4gr.	5.7gr.	6.0gr.	6.3gr.<		

AA #5

6.3gr. 6.6gr. 6.8gr 7.0gr. 7.3gr.

HS-6 7.3gr. 7.6gr. 7.8gr. 8.1gr. 8.4gr.

115 Grain Bullets: FMJ-RN	
Sectional Density:	.129
Diameter:	.355
Ballistic Coefficient:	.140
C.O.L.	1.245

Powder	1100fps	1150fps	1200fps	1250fps	1300fps	1350fps
Bullseye		4.8gr.	5.1gr.	5.3gr.	5.6gr.	
WIN 231		5.3gr.	5.6gr.	5.9gr.	6.1gr.	
WIN WSF	5.2gr.	5.5gr.	5.7gr.	6.0gr.	6.3gr.	
AA #5	6.3gr.	6.6gr.	6.9gr.	7.3gr.	7.9gr.	
HS-6	6.5gr.	6.7gr.	7.0gr.	7.3gr.	7.6gr.	7.9gr.
AA #7	8.0gr.	8.3gr.	8.6gr.	8.9gr.	9.2gr.	9.6gr.

124-125 Grain Bullets: FMJ-RN	
Sectional Density:	.141
Diameter:	.355 -.357
Ballistic Coefficient:	.145
C.O.L.	1.260

Powder	1050fps	1100fps	1150fps	1200fps	1250fps	1300fps
Unique	4.9gr.	5.1gr.	5.3gr.	5.5gr.		
WIN 231	4.9gr.	5.1gr.	5.4gr.	5.7gr.		
AA #5	5.5gr.	5.7gr.	5.9gr.	6.2gr.	6.4gr.	
HS-6			7.0gr.	7.3gr.	7.6gr.	8.0gr.

140 Grain Bullets: HP	
Sectional Density:	.157
Diameter:	.357
Ballistic Coefficient:	.169
C.O.L.	1.210

Powder	950fps	1000fps	1050fps	1100fps	1150fps	1200fps	1250fps
Bullseye	3.9gr.	4.2gr.	4.5gr.	4.8gr.			
Unique	4.5gr.	4.7gr.	4.9gr.				
WIN 231		4.6gr.	5.0gr.	5.3gr.			
AA #5		5.2gr.	5.4gr.	5.7gr.	5.9gr.		
HS-6		6.2gr.	6.5gr.	6.8gr.	7.1gr.		
AA #7		7.3gr.	7.6gr.	7.9gr.	8.3gr.		
AA #9		9.0gr.	9.5gr.	9.9gr.	10.3gr.	10.8	11.2gr.

147 Grain Bullets: FMJ-RN	
Sectional Density:	.141
Diameter:	.355
Ballistic Coefficient:	.212
C.O.L.	1.260

Powder	950fps	1000fps	1050fps	1100fps	1150fps	1200fps
WIN WSF	4.4gr.	4.8gr.	5.2gr.			
HS-6	5.3gr.	5.9gr.	6.2gr.	6.5gr.		
AA #7	6.7gr.	7.1gr.	7.5gr.	7.8gr.	8.2gr.	
AA #9	8.7gr.	9.1gr.	9.6gr.	10.gr.		

160 Grain Bullets: FMJ-TC	
Sectional Density:	.179
Diameter:	.357
Ballistic Coefficient:	.181
C.O.L.	1.200

Powder	850fps	900fps	950fps	1000fps	1050fps	1100fps	1150fps
AA #5	4.4gr.	4.6gr.	4.8gr.	5.1gr.			
HS-6	5.1gr.	5.4gr.	5.7gr.	6.0gr.	6.3gr.		
AA #7			6.7gr.	7.1gr.	7.5gr.	7.9gr.	
AA #9				8.8gr.	9.2gr.	9.7gr.	10.1gr.

38 Special Load Data

110 Grain Bullets:HP	
Sectional Density:	.123
Diameter:	.357
Ballistic Coefficient:	.131
C.O.L.	1.455

Powder	800fps	850fps	900fps	950fps	1000fps	1050fps
Bullseye		4.1gr.	4.3gr.	4.6gr.	*4.9gr.	
Unique		4.6gr.	4.8gr.	5.1gr.	*5.3gr.	
Win 231		4.4gr.	4.7gr.	5.1gr.	*5.4gr.	
AA #2		4.5gr.	4.9gr.	*5.3gr.		
AA #5	5.8gr.	6.1gr.	6.5gr.	*6.8gr.	*7.1gr.	*7.5gr.
HS-6			6.3gr.	6.8gr.	*7.3gr.	

*** = +P Loads**

125 Grain Bullets: HP	
Sectional Density:	.140
Diameter:	.357
Ballistic Coefficient:	.151
C.O.L.	1.455

Powder	800fps	850fps	900fps	950fps
Bullseye	4.0gr.	*4.3gr.	*4.5gr.	
AA #2	4.2gr.	4.5gr.	4.8gr.	*5.1gr.
WIN 231	4.3gr.	4.6gr.	*5.0gr.	
Unique	4.5gr.	4.7gr.	*5.0gr.	
AA #5	5.9gr.	6.2gr.	*6.5gr.	*6.8gr.
HS-6	5.8gr.	6.3gr.	*6.7gr.	*7.2gr.

*** = +P Loads**

140 Grain Bullets: HP	
Sectional Density:	.157
Diameter:	.357
Ballistic Coefficient:	.169
C.O.L.	1.455

Powder	700fps	750fps	800fps	850fps	900fps	950fps
Bullseye		3.6gr.	3.9gr.	*4.2gr.		
AA #2	3.8gr.	4.0gr.	4.3gr.	*4.5gr.	*4.8gr.	
Unique	4.1gr.	4.3gr.	*4.5gr.	*4.8gr.		
WIN 231	3.9gr.	4.2gr.	4.4gr.	*4.7gr.	*4.9gr.	
AA #5		5.2gr.	5.5gr.	5.9gr.	*6.2gr.	*6.5gr.
HS-6		5.5gr.	5.8gr.	6.2gr.	*6.6gr.	*6.9gr.
AA #7	6.3gr.	6.6gr.	7.0gr.	7.3gr.	*7.7gr.	*8.1gr.

*** = +P Loads**

148 Grain Bullets: HBWCL	
Sectional Density:	.165
Diameter:	.358
Ballistic Coefficient:	.055
C.O.L.	1.165

Powder	800fps	850fps	900fps	950fps
Bullseye	3.0gr.	3.3gr.	3.5gr.	3.7gr.
WIN 231	3.2gr.	3.5gr.	3.7gr.	
Unique	3.3gr.	3.6gr.	3.8gr.	
AA #2	3.3gr.	3.6gr.	4.0gr.	
AA #5	4.5gr.	4.7gr.	4.9gr.	

158 Grain Bullets: HP	
Sectional Density:	.177
Diameter:	.357
Ballistic Coefficient:	.206
C.O.L.	1.455

Powder	700fps	750fps	800fps	850fps
Bullseye	3.5gr.	3.8gr.	*4.1gr.	
AA #2	4.0gr.	*4.2gr.	*4.4gr.	
WIN 231	3.8gr.	4.1gr.	*4.4gr.	*4.7gr.
Unique	3.9gr.	4.2gr.	*4.5gr.	*4.7gr.
AA #5	5.2gr.	5.5gr.	*5.7gr.	*6.0gr.
HS-6	5.4gr.	5.7gr.	*6.0gr.	*6.4gr.
AA #7	6.2gr.	6.6gr.	*7.0gr.	*7.3gr.

*** = +P Loads**

158 Grain Bullets:SWCL	
Sectional Density:	.176
Diameter:	.358
Ballistic Coefficient:	.135
C.O.L.	1.475

Powder	750fps	800fps	850fps	900fps
Bullseye	3.3gr.	3.6gr.		
AA #2	3.7gr.	3.9gr.		
WIN 231	3.6gr.	3.9gr.	4.2gr.	
Unique	3.9gr.	4.1gr.	4.2gr.	4.4gr.
AA #5	5.0gr.	5.2gr.	5.5gr.	
HS-6	5.1gr.	5.3gr.	5.6gr.	5.8gr.

357 Magnum Load data

110 Grain JHP	
Sectional Density:	.123
Diameter:	.357
Ballistic Coefficient:	.131
C.O.L.	1.590

Powder	1550fps	1600fps	1650fps	1700fps
HS-6	10.9gr.	11.3gr.	11.7gr.	12.2gr.
HS-7	12.1gr.	12.4gr.	12.7gr.	13.0gr.
AA #7	12.2gr.	12.9gr.	13.6gr.	14.4gr.

125 Grain JHP	
Sectional Density:	.140
Diameter:	.357
Ballistic Coefficient:	.151
C.O.L.	1.590

Powder	1450fps	1500fps	1550fps	1600fps	1650fps	1700fps	1750fps
HS-6	10.5gr.	10.9gr.	11.2gr.	11.6gr.			
HS-7	11.5gr.	11.9gr.	12.3gr.				
AA #7	11.6gr.	12.3gr.	13.0gr.				
2400	14.4gr.	15.0gr.	15.6gr.	16.3gr.			
AA #9			15.8gr.	16.5gr.	17.2gr.	17.9gr.	18.6gr.

140 Grain JHP	
Sectional Density:	.157
Diameter:	.357
Ballistic Coefficient:	.169
C.O.L.	1.590

Powder	1250fps	1300fps	1350fps	1400fps	1450fps	1500fps	1550fps	1600fps
HS-6	9.6gr.	9.8gr.	10.1gr.	10.3gr.	10.5gr.	10.8gr.		
HS-7	10.0gr.	10.4gr.	10.8gr.	11.2gr.	11.6gr.	12.0gr.		
AA #7		10.5gr.	11.0gr.	11.5gr.	12.0gr.	12.5gr.		
2400	10.1gr.	11.1gr.	12.1gr.	13.1gr.	14.0gr.			
AA #9		11.8gr.	12.6gr.	13.4gr.	14.1gr.	14.9gr.	15.7gr.	16.5gr.

158 Grain JHP	
Sectional Density:	.177
Diameter:	.357
Ballistic Coefficient:	.206
C.O.L.	1.590

Powder	1200fps	1250fps	1300fps	1350fps	1400fps	1450fps
HS-6	9.1gr.	9.4gr.	9.6gr.	9.9gr.		
HS-7	9.9gr.	10.3gr.	10.7gr.			
AA #7	9.8gr.	10.4gr.	11.0gr.			
2400	11.5gr.	12.0gr.	12.5gr.	13.0gr.	13.5gr.	
AA #9	12.0gr.	12.4gr.	12.9gr.	13.4gr.	13.8gr.	14.3gr.

160 Grain JHP	
Sectional Density:	.179
Diameter:	.357
Ballistic Coefficient:	.181
C.O.L.	1.159

Powder	1200fps	1250fps	1300fps	1350fps	1400fps	1450fps
HS-6	9.1gr.	9.4gr.	9.6gr.	9.9gr.		
HS-7	9.9gr.	10.3gr.	10.7gr.			
AA #7	9.8gr.	10.4gr.	11.0gr.			
2400	11.5gr.	12.0gr.	12.5gr.	13.0gr.	13.5gr.	
AA #9	12.0gr.	12.4gr.	12.9gr.	13.4gr.	13.8gr.	14.3gr.

NEW

10mm Load Data

55 Grain
HP:
Sectional Density: .138
Diameter: .400
Ballistic Coefficient: .137
C.O.L. 1.260

Powder	1050fps	1100fps	1150fps	1200fps	1250fps	1300fps	1350fps	1400fps
WIN 231	5.8gr.	6.1gr.	6.5gr.	6.9gr.				
Unique	6.6gr.	6.9gr.	7.3gr.	7.7gr.	8.0gr.			
AA #5	8.1gr.	8.4gr.	8.8gr.	9.2gr.	9.6gr.			
HS-6	8.4gr.	8.9gr.	9.3gr.	9.8gr.	10.2gr.	10.7gr.		
HS-7	9.1gr.	9.7gr.	10.2gr.	10.8gr.	11.3gr.	11.9gr.		

AA #7	9.7gr.	10.3gr.	10.9gr.	11.5gr.	12.1gr.	12.7gr.	13.3gr.	13.9gr.
-------	--------	---------	---------	---------	---------	---------	---------	---------

180 Grain

HP:

Sectional
Density: .152

Diameter: .400

Ballistic
Coefficient: .164

C.O.L. 1.260

Powder	900fps	950fps	1000fps	1050fps	1100fps	1150fps
--------	--------	--------	---------	---------	---------	---------

WIN 231	5.1gr.	5.4gr.	5.8gr.	6.1gr.
---------	--------	--------	--------	--------

Unique	5.5gr.	5.9gr.	6.2gr.	6.5gr.
--------	--------	--------	--------	--------

WIN WSF	5.4gr.	5.8gr.	6.2gr.	6.6gr.	6.9gr.	7.3gr.
---------	--------	--------	--------	--------	--------	--------

AA #5	6.3gr.	6.7gr.	7.0gr.	7.4gr.	7.7gr.	8.1gr.
-------	--------	--------	--------	--------	--------	--------

HS-6	7.3gr.	7.7gr.	8.1gr.	8.5gr.	8.9gr.
------	--------	--------	--------	--------	--------

HS-7	7.9gr.	8.4gr.	8.8gr.	9.3gr.	9.7gr.
------	--------	--------	--------	--------	--------

AA #7	8.6gr.	9.1gr.	9.5gr.	10.0gr.	10.5gr.	11.0gr.
-------	--------	--------	--------	---------	---------	---------

200 Grain

FMJ-FP

Sectional
Density: .179

Diameter: .400

Ballistic
Coefficient: .182

C.O.L. 1.260

Powder	850fps	900fps	950fps	1000fps	1050fps	1100fps	1150fps
--------	--------	--------	--------	---------	---------	---------	---------

WIN 231	4.4gr.	4.7gr.	5.0gr.	5.3gr.
---------	--------	--------	--------	--------

Unique	4.9gr.	5.2gr.	5.5gr.	5.9gr.
--------	--------	--------	--------	--------

AA #5	6.3gr.	6.7gr.	7.2gr.	7.6gr.	8.0gr.	8.4gr.
-------	--------	--------	--------	--------	--------	--------

HS-6	6.6gr.	7.0gr.	7.4gr.	7.8gr.	8.2gr.
------	--------	--------	--------	--------	--------

HS-7		7.8gr.	8.2gr.	8.7gr.	9.1gr.	9.5gr.
------	--	--------	--------	--------	--------	--------

AA #7		7.9gr.	8.4gr.	8.9gr.	9.5gr.	10.0gr.	10.5gr.
-------	--	--------	--------	--------	--------	---------	---------

40 Smith & Wesson Load Data

155 Grain Bullets: HP	
Sectional Density:	.138
Diameter:	.400
Ballistic Coefficient:	.137
C.O.L.	1.125

Powder	900fps	950fps	1000fps	1050fps	1100fps	1150fps
Bullseye	4.5gr.	4.9gr.	5.3gr.	5.6gr.	6.0gr.	
WIN231	4.9gr.	5.3gr.	5.6gr.	5.9gr.		
WIN WSF	5.8gr.	6.1gr.	6.5gr.	6.8gr.	7.2gr.	7.5gr.
AA #5	6.4gr.	6.8gr.	7.2gr.	7.5gr.	7.9gr.	
HS-6	7.1gr.	7.4gr.	7.8gr.	8.1gr.	8.4gr.	
AA #7	7.7gr.	8.4gr.	9.2gr.	9.9gr.		

180 Grain Bullets: HP	
Sectional Density:	.160
Diameter:	.400
Ballistic Coefficient:	.164
C.O.L.	1.125

Powder	800fps	850fps	900fps	950fps	1000fps
Bullseye	3.9gr.	4.3gr.	4.6gr.		
WIN 231	4.3gr.	4.7gr.	5.0gr.		
WIN WSF	4.8gr.	5.1gr.	5.5gr.	5.8gr.	6.2gr.
AA #5	5.7gr.	6.0gr.	6.3gr.	6.5gr.	

HS-6	6.0gr.	6.4gr.	6.7gr.	7.0gr.
AA #7		7.4gr.	8.1gr.	8.7gr.

200 Grain Bullets: FP	
Sectional Density:	.179
Diameter:	.400
Ballistic Coefficient:	.182
C.O.L.	1.125

Powder	700fps	750fps	800fps	850fps	900fps
Bullseye	3.4gr.	3.7gr.	4.0gr.	4.3gr.	
WIN WSF	4.0gr.	4.4gr.	4.7gr.	5.0gr.	5.4gr.
AA #5	4.7gr.	5.0gr.	5.3gr.	5.6gr.	6.0gr.
HS-6	5.1gr.	5.5gr.	5.9gr.	6.3gr.	
AA #7		6.8gr.	7.3gr.	7.8gr.	8.3gr.

45 ACP Load Data

185 Grain Bullets: HP	
Sectional Density:	.130
Diameter:	.451
Ballistic Coefficient:	.139
C.O.L.	1.230

Powder	750fps	800fps	850fps	900fps	950fps	1000fps
WIN WSL		4.8gr.	5.1gr.	5.4gr.	5.7gr.	
Bullseye	4.1gr.	4.6gr.	5.0gr.	5.4gr.		
AA #2	4.7gr.	5.1gr.	5.4gr.	5.7gr.		

WIN 231		5.4gr.	5.7gr.	6.0gr.	6.3gr.	
AA #5		7.0gr.	7.3gr.	7.5gr.	7.8gr.	8.1gr.
HS-6	7.8gr.	8.2gr.	8.5gr.	8.9gr.		
AA #7		9.4gr.	9.9gr.	10.3gr.	10.7gr.	11.2gr.

200 Grain Bullets: TC	
Sectional Density:	.140
Diameter:	.451
Ballistic Coefficient:	.115
C.O.L.	1.245

Powder	800fps	850fps	900fps	950fps	1000fps
WIN WST	4.4gr.	5.0gr.			
WIN WSL	4.5gr.	4.8gr.	5.1gr.		
WIN 231	5.3gr.	5.6gr.	5.9gr.	6.2gr.	
Unique	5.6gr.	5.9gr.	6.2gr.		
AA #5	6.9gr.	7.2gr.	7.5gr.	7.8gr.	8.1gr.
HS-6	7.3gr.	7.7gr.	8.2gr.	8.6gr.	
AA #7	9.5gr.	9.9gr.	10.3gr.	10.7gr.	11.1gr.

200 Grain Bullets: SWCL	
Sectional Density:	.140
Diameter:	.452
Ballistic Coefficient:	.070
C.O.L.	1.245

Powder	800fps	850fps	900fps	950fps	1000fps
WIN WST	4.6gr.	5.0gr.		gr.	

WIN WSL	4.7gr.	5.1gr.	5.5gr.		
WIN 231	5.3gr.	5.6gr.	5.9gr.	6.2gr.	
Unique	5.6gr.	5.9gr.	6.2gr.		
AA #5	6.9gr.	7.2gr.	7.5gr.	7.8gr.	8.1gr.
HS-6	7.3gr.	7.7gr.	8.2gr.	8.6gr.	
AA #7	9.5gr.	9.9gr.	10.3gr.	10.7gr.	11.1gr.

230 Grain Bullets: FMJ-RN	
Sectional Density:	.162
Diameter:	.451
Ballistic Coefficient:	.184
C.O.L.	1.250

Powder	700fps	750fps	800fps	850fps	900fps
WIN WSL	4.2gr.	4.5gr.	4.8gr.	5.1gr.	
AA #2	4.5gr.	4.8gr.	5.1gr.	5.4gr.	
AA #5	6.0gr.	6.2gr.	6.5gr.	6.8gr.	7.0gr.
HS-6		7.0gr.	7.4gr.	7.8gr.	8.3gr.
AA #7		8.6gr.	9.1gr.	9.6gr.	10.0gr.

230 Grain Bullets: RNL	
Sectional Density:	.162
Diameter:	.452
Ballistic Coefficient:	.207
C.O.L.	1.250

Powder	700fps	750fps	800fps	850fps	900fps
WIN WSL	4.2gr.	4.5gr.	4.8gr.	5.1gr.	

AA #2	4.5gr.	4.8gr.	5.1gr.	5.4gr.	
Unique		5.3gr.	5.6gr.	5.9gr.	6.2gr.
AA #5	6.0gr.	6.2gr.	6.5gr.	6.8gr.	7.0gr.
HS-6		7.0gr.	7.4gr.	7.8gr.	8.3gr.
AA #7		8.6gr.	9.1gr.	9.6gr.	10.0gr.

