



# TROPATICO



## ROTTWEILL

5,6x52R

5,6x57

5,6x57R

6,5 Carcano

6,5x52R

6,5x54 Manlicher Schonauer 8x56 Manlicher Schonauer

6,5x55 Mauser Svizzero

6,5x57

6,5x57R

6,5x58

6,5x65 RWS

6,5x68

6,5x68R

6,5x70R

7mm. Rem.Mag.

7,5 Ordinanza Svizzero  
(Pistol)

7,5x55 Ordinanza Svizzero

7,62x39 Kalashnikov

7,62x54R.

7,65x53 Mauser (Argentina)

7x57R

7x64

7x65R

7x72R

8mm. Rem.Mag.

8x57JR

8x57JRS

8x57JS

8x57R

8x57J

8x58R

8x60RS

8x60S

8x60

8x60R

8x64S

8x64

8x65RS

8x65R

# 5,6 X 52 R

*Kaliber :*            *5,6 mm ( .228'' Dia. )*

*Hülse :*                *RWS*



TMS	4,6g	RWS	
Patronenlänge 63,3 mm			
R 903	Gramm	Grain	Vo m/s
maximal	1,75	27,0	850
minimal	1,49	23,0	680

TMS	4,6g	RWS	
Patronenlänge 63,3 mm			
R 907	Gramm	Grain	Vo m/s
maximal	1,81	28,0	810
minimal	1,56	24,0	685

VMS	4,6g	RWS	
Patronenlänge 63,3 mm			
R 903	Gramm	Grain	Vo m/s
maximal	1,75	27,0	850
minimal	1,49	23,0	690

VMS	4,6g	RWS	
Patronenlänge 63,3 mm			
R 907	Gramm	Grain	Vo m/s
maximal	1,81	28,0	810
minimal	1,56	24,0	690

**5,6 X 57**

***Kaliber :***      ***5,6 mm ( .224'' Dia. )***

***Hülse :***        ***RWS***



TMS	3,0g	RWS	
Patronenlänge 65,0 mm			
R 910	Gramm	Grain	Vo m/s
maximal	1,49	23,0	1015
minimal	0,97	15,0	650

TMS	3,0g	RWS	
Patronenlänge 65,0 mm			
R 902	Gramm	Grain	Vo m/s
maximal	2,40	37,0	1040
minimal	2,20	34,0	850

MJ/SG	3,0g	RWS	
Patronenlänge 67,5 mm			
R 910	Gramm	Grain	Vo m/s
maximal	1,49	23,0	1020
minimal	0,97	15,0	650

MJ/SG	3,0g	RWS	
Patronenlänge 67,5 mm			
R 902	Gramm	Grain	Vo m/s
maximal	2,40	37,0	1040
minimal	2,20	34,0	850

TMS	3,2g	RWS	
Patronenlänge 67,0 mm			
R 907	Gramm	Grain	Vo m/s
maximal	2,79	43,0	1150
minimal	2,40	37,0	940

TMS	3,2g	RWS	
Patronenlänge 67,0 mm			
R 902	Gramm	Grain	Vo m/s
maximal	2,37	36,5	1070
minimal	2,30	35,5	950

VMS	3,2g	RWS	
Patronenlänge 67,0 mm			
R 907	Gramm	Grain	Vo m/s
maximal	2,79	43,0	1150
minimal	2,40	37,0	940

VMS	3,2g	RWS	
Patronenlänge 67,0 mm			
R 902	Gramm	Grain	Vo m/s
maximal	2,37	36,5	1065
minimal	2,30	35,5	950

TMS	3,6g	RWS	
Patronenlänge 66,5 mm			
R 907	Gramm	Grain	Vo m/s
maximal	2,66	41,0	1100
minimal	2,59	40,0	1050

TMS	3,6g	RWS	
Patronenlänge 66,5 mm			
R 905	Gramm	Grain	Vo m/s
maximal	3,05	47,0	1110
minimal	2,79	43,0	970

MJ/SG	3,6g	RWS	
Patronenlänge 67,5 mm			
R 907	Gramm	Grain	Vo m/s
maximal	2,66	41,0	1070
minimal	2,59	40,0	1030

MJ/SG	3,6g	RWS	
Patronenlänge 67,5 mm			
R 905	Gramm	Grain	Vo m/s
maximal	3,05	47,0	1040
minimal	2,85	44,0	960

TMS	4,1g	RWS	
Patronenlänge 68,5 mm			
R 907	Gramm	Grain	Vo m/s
maximal	2,59	40,0	1075
minimal	2,46	38,0	1005

TMS	4,1g	RWS	
Patronenlänge 68,5 mm			
R 905	Gramm	Grain	Vo m/s
maximal	2,85	44,0	1055
minimal	2,79	43,0	1015

VMS	4,8g	RWS	
Patronenlänge 67,7 mm			
R 907	Gramm	Grain	Vo m/s
maximal	2,53	39,0	990
minimal	2,20	34,0	890

VMS	4,8g	RWS	
Patronenlänge 67,7 mm			
R 905	Gramm	Grain	Vo m/s
maximal	2,79	43,0	1015
minimal	2,59	40,0	900

# 5,6 x 57 R

*Kaliber :* 5,6 mm ( .224'' Dia. )

*Hülse :* RWS



TMS	3,0g	RWS	
Patronenlänge 65,0 mm			
R 910	Gramm	Grain	V o m/s
maximal	1,49	23,0	980
minim al	0,91	14,0	640

TMS	3,0g	RWS	
Patronenlänge 65,0 mm			
R 902	Gramm	Grain	V o m/s
maximal	2,40	37,0	1100
minim al	2,20	34,0	880

TMS	3,2g	RWS	
Patronenlänge 67,0 mm			
R 907	Gramm	Grain	V o m/s
maximal	2,69	41,5	1160
minim al	2,40	37,0	960

TMS	3,2g	RWS	
Patronenlänge 67,0 mm			
R 905	Gramm	Grain	V o m/s
maximal	2,85	44,0	1070
minim al	2,79	43,0	1040

VMS	3,2g	RWS	
Patronenlänge 67,0 mm			
R 907	Gramm	Grain	V o m/s
maximal	2,69	41,5	1160
minim al	2,40	37,0	960

VMS	3,2g	RWS	
Patronenlänge 67,0 mm			
R 905	Gramm	Grain	V o m/s
maximal	2,85	44,0	1070
minim al	2,79	43,0	1040

TMS	4,1g	RWS	
Patronenlänge 68,5 mm			
R 907	Gramm	Grain	V o m/s
maximal	2,59	40,0	1085
minim al	2,46	38,0	1020

TMS	4,1g	RWS	
Patronenlänge 68,5 mm			
R 905	Gramm	Grain	V o m/s
maximal	2,92	45,0	1085
minim al	2,85	44,0	1055

VMS	4,8g	RWS	
Patronenlänge 67,7 mm			
R 907	Gramm	Grain	V o m/s
maximal	2,46	38,0	960
minim al	2,20	34,0	900

VMS	4,8g	RWS	
Patronenlänge 67,7 mm			
R 905	Gramm	Grain	V o m/s
maximal	2,69	41,5	970
minim al	2,59	40,0	940

# 6,5 mm Carcano

*Kaliber :* 6,5 mm ( .264'' Dia. )

*Hülse :* Norma





TMS	6,0g	RWS	
Patronenlänge 67,2 mm			
R 910	Gramm	Grain	V o m/s
maximal	2,01	31,0	755
minim al	1,88	29,0	700

TMS	6,0g	RWS	
Patronenlänge 67,2 mm			
R 903	Gramm	Grain	V o m/s
maximal	2,59	40,0	830
minim al	2,43	37,5	775

VMS	6,0g	RWS	
Patronenlänge 66,7 mm			
R 901	Gramm	Grain	V o m/s
maximal	2,01	31,0	750
minim al	1,88	29,0	700

VMS	6,0g	RWS	
Patronenlänge 66,7 mm			
R 903	Gramm	Grain	V o m/s
maximal	2,59	40,0	835
minim al	2,40	37,0	780

TMR	10,3g	RWS	
Patronenlänge 74,5 mm			
R 901	Gramm	Grain	V o m/s
maximal	1,75	27,0	580
minim al	1,62	25,0	530

TMS	10,3g	RWS	
Patronenlänge 74,5 mm			
R 903	Gramm	Grain	V o m/s
maximal	2,33	36,0	675
minim al	2,20	34,0	605

# 6,5 x 52 R



*Kaliber :* 6,5 mm ( .257' ' Dia. )

*Hülse :* umgeformt aus *RWS 5,6 x 52 R*

TMS	6,5 g	RWS	
Patronenlänge 67,6 mm			
R 901	Gramm	Grain	V o m/s
maximal	1,33	20,5	615
minim al	1,17	18,0	570

TMS	6,5 g	RWS	
Patronenlänge 67,6 mm			
R 903	Gramm	Grain	V o m/s
maximal	1,75	27,0	700
minim al	1,62	25,0	640

TMR	7,6 g	RWS	
Patronenlänge 65,5 mm			
R 901	Gramm	Grain	V o m/s
maximal	1,26	19,5	590
minim al	1,17	18,0	550

TMR	7,6 g	RWS	
Patronenlänge 65,5 mm			
R 903	Gramm	Grain	V o m/s
maximal	1,59	24,5	615
minim al	1,46	22,5	565

# 6,5 x 54 Mannlicher Schönauer

*Kaliber :* 6,5 mm ( .264'' Dia. )

*Hülse :* RWS



TMS	6,0g	RWS	
Patronenlänge 68,6 mm			
R 902	Gramm	Grain	V o m/s
maximal	2,59	40,0	850
minim al	2,49	38,0	780

TMS	6,0g	RWS	
Patronenlänge 68,6 mm			
R 907	Gramm	Grain	V o m/s
maximal	2,79	43,0	850
minim al	2,59	40,0	740

KS	8,2g	RWS	
Patronenlänge 71,0 mm			
R 902	Gramm	Grain	V o m/s
maximal	2,40	37,0	750
minim al	2,33	36,0	710

KS	8,2g	RWS	
Patronenlänge 71,0 mm			
R 907	Gramm	Grain	V o m/s
maximal	2,66	41,0	760
minim al	2,53	39,0	720

ST	9,0g	RWS	
Patronenlänge 72,5 mm			
R 902	Gramm	Grain	V o m/s
maximal	2,33	36,0	720
minim al	2,20	34,0	680

ST	9,0g	RWS	
Patronenlänge 72,5 mm			
R 907	Gramm	Grain	V o m/s
maximal	2,59	40,0	740
minim al	2,46	38,0	690

HMoH	10,0g	RWS	
Patronenlänge 76,8 mm			
R 902	Gramm	Grain	V o m/s
maximal	2,20	34,0	680
minim al	2,07	32,0	600

HMoH	10,0g	RWS	
Patronenlänge 76,8 mm			
R 907	Gramm	Grain	V o m/s
maximal	2,40	37,0	680
minim al	2,27	35,0	630

TMR	10,3g	RWS	
Patronenlänge 76,4 mm			
R 902	Gramm	Grain	V o m/s
maximal	2,24	34,5	670
minim al	2,14	33,0	620

TMR	10,3g	RWS	
Patronenlänge 76,4 mm			
R 907	Gramm	Grain	V o m/s
maximal	2,46	38,0	670
minim al	2,33	36,0	630

# 6,5 x 55 Schwedisch Mauser

*Kaliber :* 6,5 mm ( .264'' Dia. )

*Hülse :* RWS



TMS	6,0g	RWS	
Patronenlänge 69,3 mm			
R 903	Gramm	Grain	Vo m/s
maximal	2,92	45,0	950
minimal	2,59	40,0	850

TMS	6,0g	RWS	
Patronenlänge 69,3 mm			
R 904	Gramm	Grain	Vo m/s
maximal	3,24	50,0	960
minimal	3,05	47,0	870

VMS	6,0g	RWS	
Patronenlänge 69,3 mm			
R 901	Gramm	Grain	Vo m/s
maximal	2,40	37,0	940
minimal	2,14	33,0	850

VMS	6,0g	RWS	
Patronenlänge 69,3 mm			
R 903	Gramm	Grain	Vo m/s
maximal	2,92	45,0	945
minimal	2,59	40,0	845

SG	6,0g	RWS	
Patronenlänge 68,6 mm			
R 902	Gramm	Grain	Vo m/s
maximal	2,72	42,0	870
minimal	2,59	40,0	825

SG	6,0g	RWS	
Patronenlänge 68,6 mm			
R 907	Gramm	Grain	Vo m/s
maximal	3,05	47,0	905
minimal	2,88	44,5	870

KS	7,0g	RWS	
Patronenlänge 70,8 mm			
R 903	Gramm	Grain	Vo m/s
maximal	2,92	45,0	900
minimal	2,79	43,0	865

KS	7,0g	RWS	
Patronenlänge 70,8 mm			
R 904	Gramm	Grain	Vo m/s
maximal	3,11	48,0	900
minimal	3,01	46,5	870

KS	8,2g	RWS	
Patronenlänge 71,9 mm			
R 907	Gramm	Grain	Vo m/s
maximal	2,66	41,0	820
minimal	2,59	40,0	800

KS	8,2g	RWS	
Patronenlänge 71,9 mm			
R 905	Gramm	Grain	Vo m/s
maximal	3,11	48,0	835
minimal	2,95	45,5	800

ST	9,0g	RWS	
Patronenlänge 72,5 mm			
R 907	Gramm	Grain	Vo m/s
maximal	2,66	41,0	790
minimal	2,46	38,0	740

ST	9,0g	RWS	
Patronenlänge 72,5 mm			
R 905	Gramm	Grain	Vo m/s
maximal	3,11	48,0	825
minimal	2,85	44,0	750

HMoH	10,0g	RWS	
Patronenlänge 74,5 mm			
R 907	Gramm	Grain	Vo m/s
maximal	2,62	40,5	740
minimal	2,46	38,0	670

HMoH	10,0g	RWS	
Patronenlänge 74,5 mm			
R 905	Gramm	Grain	Vo m/s
maximal	3,01	46,5	770
minimal	2,85	44,0	715

TMR	10,3g	RWS	
Patronenlänge 77,3 mm			
R 907	Gramm	Grain	Vo m/s
maximal	2,59	40,0	730
minimal	2,46	38,0	670

TMR	10,3g	RWS	
Patronenlänge 77,3 mm			
R 905	Gramm	Grain	Vo m/s
maximal	3,05	47,0	770
minimal	2,85	44,0	710

**6,5 X 57**

**Kaliber :** *6,5 mm ( .264'' Dia. )*

**Hülse :** *RWS*





TMS	6,0g	RWS	
Patronenlänge 72,0 mm			
R. 903	Gramm	Grain	Vo m/s
maximal	2,98	46,0	970
minimal	2,85	44,0	880

TMS	6,0g	RWS	
Patronenlänge 72,0 mm			
R. 904	Gramm	Grain	Vo m/s
maximal	3,37	52,0	990
minimal	3,18	49,0	870

VMS	6,0g	RWS	
Patronenlänge 71,8 mm			
R. 903	Gramm	Grain	Vo m/s
maximal	2,95	45,5	950
minimal	2,82	43,5	850

VMS	6,0g	RWS	
Patronenlänge 71,8 mm			
R. 904	Gramm	Grain	Vo m/s
maximal	3,37	52,0	980
minimal	3,11	48,0	830

SG	6,0g	RWS	
Patronenlänge 70,0 mm			
R. 902	Gramm	Grain	Vo m/s
maximal	2,79	43,0	940
minimal	2,69	41,5	860

SG	6,0g	RWS	
Patronenlänge 70,0 mm			
R. 907	Gramm	Grain	Vo m/s
maximal	3,08	47,5	960
minimal	2,98	46,0	870

KS	7,0g	RWS	
Patronenlänge 71,8 mm			
R. 907	Gramm	Grain	Vo m/s
maximal	2,95	45,5	925
minimal	2,82	43,5	880

KS	7,0g	RWS	
Patronenlänge 71,8 mm			
R. 905	Gramm	Grain	Vo m/s
maximal	3,47	53,5	945
minimal	3,31	51,0	895

KS	8,2g	RWS	
Patronenlänge 72,9 mm			
R. 907	Gramm	Grain	Vo m/s
maximal	2,82	43,5	830
minimal	2,59	40,0	760

KS	8,2g	RWS	
Patronenlänge 72,9 mm			
R. 905	Gramm	Grain	Vo m/s
maximal	3,31	51,0	865
minimal	3,05	47,0	800

ST	9,0g	RWS	
Patronenlänge 72,5 mm			
R. 907	Gramm	Grain	Vo m/s
maximal	2,72	42,0	790
minimal	2,59	40,0	730

ST	9,0g	RWS	
Patronenlänge 72,5 mm			
R. 905	Gramm	Grain	Vo m/s
maximal	3,14	48,5	810
minimal	2,98	46,0	755

HMoH	10,0g	RWS	
Patronenlänge 77,8 mm			
R. 907	Gramm	Grain	Vo m/s
maximal	2,75	42,5	780
minimal	2,59	40,0	700

HMoH	10,0g	RWS	
Patronenlänge 77,8 mm			
R. 905	Gramm	Grain	Vo m/s
maximal	3,08	47,5	770
minimal	2,98	46,0	720

# 6,5 X 57 R

*Kaliber :*            *6,5 mm ( .264'' Dia. )*

*Hülse :*                *RWS*



TMS	6,0g	RWS	
Patronenlänge 72,0 mm			
R 903	Gramm	Grain	Vo m/s
maximal	2,88	44,5	920
minimal	2,72	42,0	870

TMS	6,0g	RWS	
Patronenlänge 72,0 mm			
R 904	Gramm	Grain	Vo m/s
maximal	3,31	51,0	955
minimal	3,18	49,0	885

SG	6,0g	RWS	
Patronenlänge 70,0 mm			
R 901	Gramm	Grain	Vo m/s
maximal	2,40	37,0	900
minimal	2,27	35,0	830

SG	6,0g	RWS	
Patronenlänge 70,0 mm			
R 903	Gramm	Grain	Vo m/s
maximal	2,92	45,0	920
minimal	2,82	43,5	880

SG	6,0g	RWS	
Patronenlänge 70,0 mm			
R 904	Gramm	Grain	Vo m/s
maximal	3,24	50,0	940
minimal	3,11	48,0	875

SG	6,0g	RWS	
Patronenlänge 70,0 mm			
R 907	Gramm	Grain	Vo m/s
maximal	2,98	46,0	935
minimal	2,85	44,0	890

KS	7,0g	RWS	
Patronenlänge 71,8 mm			
R 903	Gramm	Grain	Vo m/s
maximal	2,82	43,5	870
minimal	2,66	41,0	800

KS	7,0g	RWS	
Patronenlänge 71,8 mm			
R 905	Gramm	Grain	Vo m/s
maximal	3,27	50,5	870
minimal	3,18	49,0	820

KS	8,2g	RWS	
Patronenlänge 72,9 mm			
R 907	Gramm	Grain	Vo m/s
maximal	2,66	41,0	780
minimal	2,53	39,0	750

KS	8,2g	RWS	
Patronenlänge 72,9 mm			
R 905	Gramm	Grain	Vo m/s
maximal	3,05	47,0	780
minimal	2,92	45,0	740

ST	9,0g	RWS	
Patronenlänge 72,5 mm			
R 907	Gramm	Grain	Vo m/s
maximal	2,59	40,0	750
minimal	2,50	38,5	695

ST	9,0g	RWS	
Patronenlänge 72,5 mm			
R 905	Gramm	Grain	Vo m/s
maximal	2,98	46,0	750
minimal	2,85	44,0	705

HMoH	10,0g	RWS	
Patronenlänge 77,8 mm			
R 907	Gramm	Grain	Vo m/s
maximal	2,53	39,0	700
minimal	2,46	38,0	680

HMoH	10,0g	RWS	
Patronenlänge 77,8 mm			
R 904	Gramm	Grain	Vo m/s
maximal	2,82	43,5	740
minimal	2,72	42,0	710

TMR	10,3g	RWS	
Patronenlänge 78,8 mm			
R 907	Gramm	Grain	Vo m/s
maximal	2,53	39,0	700
minimal	2,46	38,0	670

TMR	10,3g	RWS	
Patronenlänge 78,8 mm			
R 905	Gramm	Grain	Vo m/s
maximal	2,98	46,0	725
minimal	2,95	45,5	700

**6,5 x 58 R**



*Kaliber :*            *6,5 mm ( .257' ' Dia. )*

*Hülse :*              *umgeformt aus RWS 9,3 x 72 R*

TMS	6,5g	RWS	
Patronenlänge 73,2 mm			
R 901	Gramm	Grain	V o m/s
maximal	1,56	24,0	715
minim al	1,43	22,0	680

TMS	6,5g	RWS	
Patronenlänge 73,2 mm			
R 903	Gramm	Grain	V o m/s
maximal	2,07	32,0	765
minim al	1,94	30,0	720

TMR	7,6g	RWS	
Patronenlänge 73,2 mm			
R 901	Gramm	Grain	V o m/s
maximal	1,49	23,0	635
minim al	1,36	21,0	600

TMR	7,6g	RWS	
Patronenlänge 73,2 mm			
R 903	Gramm	Grain	V o m/s
maximal	1,85	28,5	685
minim al	1,68	26,0	615

# 6,5 X 65 RWS

*Kaliber :*            *6,5 mm ( .264'' Dia. )*

*Hülse :*                *RWS*



TMS	6,0g	RWS	
Patronenlänge 79,5 mm			
R 907	Gramm	Grain	V o m/s
maximal	3,50	54,0	1065
minim al	3,24	50,0	955

TMS	6,0g	RWS	
Patronenlänge 79,5 mm			
R 905	Gramm	Grain	V o m/s
maximal	3,95	61,0	1070
minim al	3,76	58,0	940

SG	6,0g	RWS	
Patronenlänge 79,5 mm			
R 907	Gramm	Grain	V o m/s
maximal	3,47	53,5	1060
minim al	3,24	50,0	970

SG	6,0g	RWS	
Patronenlänge 79,5 mm			
R 905	Gramm	Grain	V o m/s
maximal	3,89	60,0	1060
minim al	3,69	57,0	950

VMS	6,0g	RWS	
Patronenlänge 79,5 mm			
R 907	Gramm	Grain	V o m/s
maximal	3,47	53,5	1065
minim al	3,24	50,0	970

VMS	6,0g	RWS	
Patronenlänge 79,5 mm			
R 905	Gramm	Grain	V o m/s
maximal	3,89	60,0	1065
minim al	3,76	58,0	955

KS	7,0g	RWS	
Patronenlänge 79,5 mm			
R 907	Gramm	Grain	V o m/s
maximal	3,30	51,0	1000
minim al	3,11	48,0	940

KS	7,0g	RWS	
Patronenlänge 79,5 mm			
R 905	Gramm	Grain	V o m/s
maximal	3,76	58,0	1000
minim al	3,50	54,0	945

KS	8,2g	RWS	
Patronenlänge 79,5 mm			
R 907	Gramm	Grain	V o m/s
maximal	3,18	49,0	930
minim al	2,98	46,0	870

KS	8,2g	RWS	
Patronenlänge 79,5 mm			
R 905	Gramm	Grain	V o m/s
maximal	3,50	54,0	930
minim al	3,30	51,0	850

ST	9,0g	RWS	
Patronenlänge 79,5 mm			
R 907	Gramm	Grain	V o m/s
maximal	3,05	47,0	865
minim al	2,85	44,0	820

ST	9,0g	RWS	
Patronenlänge 79,5 mm			
R 905	Gramm	Grain	V o m/s
maximal	3,37	52,0	860
minim al	3,18	49,0	810

TMR	10,3g	RWS	
Patronenlänge 81,5 mm			
R 907	Gramm	Grain	V o m/s
maximal	2,98	46,0	820
minim al	2,79	43,0	770

TMR	10,3g	RWS	
Patronenlänge 81,5 mm			
R 905	Gramm	Grain	V o m/s
maximal	3,37	52,0	885
minim al	3,18	49,0	790

# 6,5 X 68

*Kaliber :*            *6,5 mm ( .264'' Dia. )*

*Hülse :*                *RWS*





TMS	6,0g	RWS	
Patronenlänge 82,8 mm			
R 907	Gramm	Grain	Vo m/s
maximal	4,08	63,0	1070
minimal	3,86	59,5	1000

TMS	6,0g	RWS	
Patronenlänge 82,8 mm			
R 905	Gramm	Grain	Vo m/s
maximal	4,86	75,0	1150
minimal	4,60	71,0	1000

SG	6,0g	RWS	
Patronenlänge 82,3 mm			
R 901	Gramm	Grain	Vo m/s
maximal	2,98	46,0	900
minimal	2,79	43,0	860

SG	6,0g	RWS	
Patronenlänge 82,3 mm			
R 903	Gramm	Grain	Vo m/s
maximal	3,56	55,0	960
minimal	3,43	53,0	880

VMS	6,0g	RWS	
Patronenlänge 82,3 mm			
R 907	Gramm	Grain	Vo m/s
maximal	4,02	62,0	1050
minimal	3,82	59,0	1000

KS	7,0g	RWS	
Patronenlänge 82,4 mm			
R 905	Gramm	Grain	Vo m/s
maximal	4,50	69,5	1065
minimal	4,37	67,5	1020

KS	8,2g	RWS	
Patronenlänge 83,0 mm			
R 907	Gramm	Grain	Vo m/s
maximal	3,60	55,5	900
minimal	3,43	53,0	860

KS	8,2g	RWS	
Patronenlänge 83,0 mm			
R 905	Gramm	Grain	Vo m/s
maximal	4,41	68,0	980
minimal	4,15	64,0	900

ST	9,0g	RWS	
Patronenlänge 83,1 mm			
R 907	Gramm	Grain	Vo m/s
maximal	3,69	57,0	915
minimal	3,50	54,0	850

ST	9,0g	RWS	
Patronenlänge 83,1 mm			
R 905	Gramm	Grain	Vo m/s
maximal	3,30	50,9	840
minimal	3,10	47,8	780

TMR	10,3g	RWS	
Patronenlänge 81,5 mm			
R 907	Gramm	Grain	Vo m/s
maximal	2,90	44,8	780
minimal	2,75	42,4	715

TMR	10,3g	RWS	
Patronenlänge 81,5 mm			
R 905	Gramm	Grain	Vo m/s
maximal	3,35	51,7	805
minimal	3,20	49,4	750

# 6,5 X 68 R

*Kaliber :*            *6,5 mm ( .264'' Dia. )*

*Hülse :*              *RWS*



TMS	6,0g	RWS	
Patronenlänge 82,8 mm			
R 907	Gramm	Grain	V o m/s
maximal	3,89	60,0	1040
minim al	3,69	57,0	980

TMS	6,0g	RWS	
Patronenlänge 82,8 mm			
R 905	Gramm	Grain	V o m/s
maximal	4,54	70,0	1070
minim al	4,41	68,0	1020

SG	6,0g	RWS	
Patronenlänge 82,3 mm			
R 901	Gramm	Grain	V o m/s
maximal	2,98	46,0	900
minim al	2,79	43,0	830

SG	6,0g	RWS	
Patronenlänge 82,3 mm			
R 903	Gramm	Grain	V o m/s
maximal	3,56	55,0	950
minim al	3,43	53,0	870

VMS	6,0g	RWS	
Patronenlänge 81,7 mm			
R 901	Gramm	Grain	V o m/s
maximal	2,98	46,0	900
minim al	2,79	43,0	830

VMS	6,0g	RWS	
Patronenlänge 81,7 mm			
R 903	Gramm	Grain	V o m/s
maximal	3,56	55,0	950
minim al	3,43	53,0	870

KS	7,0g	RWS	
Patronenlänge 82,4 mm			
R 907	Gramm	Grain	V o m/s
maximal	3,76	58,0	975
minim al	3,50	54,0	920

KS	7,0g	RWS	
Patronenlänge 82,4 mm			
R 905	Gramm	Grain	V o m/s
maximal	4,41	68,0	1000
minim al	4,31	66,5	960

KS	8,2g	RWS	
Patronenlänge 83,0 mm			
R 907	Gramm	Grain	V o m/s
maximal	3,50	54,0	915
minim al	3,31	51,0	860

KS	8,2g	RWS	
Patronenlänge 83,0 mm			
R 905	Gramm	Grain	V o m/s
maximal	4,08	63,0	915
minim al	3,89	60,0	869

ST	9,0g	RWS	
Patronenlänge 83,1 mm			
R 907	Gramm	Grain	V o m/s
maximal	3,37	52,0	915
minim al	3,24	50,0	780

ST	9,0g	RWS	
Patronenlänge 83,1 mm			
R 905	Gramm	Grain	V o m/s
maximal	3,95	61,0	845
minim al	3,82	59,0	750

# 6,5 X 70 R

*Kaliber :* 6,5 mm ( .257' ' Dia. )

*Hülse :* RWS (Berdan)



TMS	6,5 g	Hornady	
Patronenlänge 86,3 mm			
R 901	Gramm	Grain	V o m/s
maximal	1,62	25,0	700
minimal	1,49	23,0	640

TMS	6,5 g	Hornady	
Patronenlänge 86,3 mm			
	Gramm	Grain	V o m/s
maximal			
minimal			

TMR	7,6 g	Hornady	
Patronenlänge 85,2 mm			
R 901	Gramm	Grain	V o m/s
maximal	1,49	23,0	645
minimal	1,36	21,0	605

TMR	7,6 g	Hornady	
Patronenlänge 85,2 mm			
R 903	Gramm	Grain	V o m/s
maximal	1,85	28,5	685
minimal	1,75	27,0	640

# 7 mm Remington Magnum

*Kaliber :*            *7 mm ( .284'' Dia. )*

*Hülse :*              *RWS*



KS	8,0g	RWS	
Patronenlänge 78,0 mm			
R 907	Gramm	Grain	Vo m/s
maximal	4,02	62,0	980
minimal	3,89	60,0	950

KS	8,0g	RWS	
Patronenlänge 78,0 mm			
R 905	Gramm	Grain	Vo m/s
maximal	4,60	71,0	1020
minimal	4,44	68,5	950

SG	9,0g	RWS	
Patronenlänge 79,0 mm			
R 907	Gramm	Grain	Vo m/s
maximal	3,89	60,0	925
minimal	3,69	57,0	875

SG	9,0g	RWS	
Patronenlänge 79,0 mm			
R 905	Gramm	Grain	Vo m/s
maximal	4,37	67,5	925
minimal	4,28	66,0	880

DK	10,0g	RWS	
Patronenlänge 77,5 mm			
R 907	Gramm	Grain	Vo m/s
maximal	3,73	57,5	900
minimal	3,56	55,0	855

DK	10,0g	RWS	
Patronenlänge 77,5 mm			
R 905	Gramm	Grain	Vo m/s
maximal	4,28	66,0	920
minimal	4,15	64,0	870

KS	10,5g	RWS	
Patronenlänge 79,0 mm			
R 907	Gramm	Grain	Vo m/s
maximal	3,73	57,5	865
minimal	3,63	56,0	820

KS	10,5g	RWS	
Patronenlänge 79,0 mm			
R 905	Gramm	Grain	Vo m/s
maximal	4,28	66,0	920
minimal	4,15	64,0	875

HMK	11,2g	RWS	
Patronenlänge 81,0 mm			
R 907	Gramm	Grain	Vo m/s
maximal	3,63	56,0	850
minimal	3,43	43,0	805

HMK	11,2g	RWS	
Patronenlänge 81,0 mm			
R 905	Gramm	Grain	Vo m/s
maximal	4,34	67,0	890
minimal	4,15	64,0	855


TIG	11,5g	RWS	
Patronenlänge 78,0 mm			
R 907	Gramm	Grain	Vo m/s
maximal	3,69	57,0	850
minimal	3,56	55,0	830

TIG	11,5g	RWS	
Patronenlänge 78,0 mm			
R 905	Gramm	Grain	Vo m/s
maximal	4,15	64,0	875
minimal	3,99	61,5	850

# 7,5 mm Schweizer Ordnonanz

*Kaliber :* .32 ( .313'' Dia. )

*Hülse :* *Fiocchi*





BR	5,7g	H&N	
Patronenlänge 29,5 mm			
P 805	Gramm	Grain	V o m/s
maximal	0,190	2,9	305
mirimal	0,180	2,8	295

BR	5,7g	H&N	
Patronenlänge 29,5 mm			
P 804	Gramm	Grain	V o m/s
maximal	0,270	4,2	300
mirimal	0,265	4,1	280

BR	6,3g	H&N	
Patronenlänge 30,5 mm			
P 805	Gramm	Grain	V o m/s
maximal	0,190	2,9	335
mirimal	0,180	2,8	305

BR	6,3g	H&N	
Patronenlänge 30,5 mm			
P 804	Gramm	Grain	V o m/s
maximal	0,270	4,2	310
mirimal	0,265	4,1	290

WC	6,5g	Geco	
Patronenlänge 27,4 mm			
P 805	Gramm	Grain	V o m/s
maximal	0,150	2,3	220
mirimal	0,135	2,1	195

WC	6,5g	Geco	
Patronenlänge 27,4 mm			
P 804	Gramm	Grain	V o m/s
maximal	0,220	3,4	180
mirimal	0,205	3,2	150

# 7,5 x 55 Schweizer Ordnonanz

*Kaliber :* .30 ( .307-308'' Dia. )

*Hülse :* RWS



TMR	7,1 g	RWS	
Patronenlänge 65,0 mm			
R 901	Gramm	Grain	V o m/s
maximal	2,92	45,0	950
minim al	2,79	43,0	850

TMR	7,1 g	RWS	
Patronenlänge 65,0 mm			
R 903	Gramm	Grain	V o m/s
maximal	3,43	53,0	960
minim al	3,24	50,0	870

SG	9,5 g	RWS	
Patronenlänge 70,5 mm			
R 903	Gramm	Grain	V o m/s
maximal	3,18	49,0	850
minim al	3,05	47,0	790

SG	9,5 g	RWS	
Patronenlänge 70,5 mm			
R 904	Gramm	Grain	V o m/s
maximal	3,53	54,5	860
minim al	3.40	52,5	810

KS	9,7 g	RWS	
Patronenlänge 70,2 mm			
R 903	Gramm	Grain	V o m/s
maximal	3,11	48,0	845
minim al	2,98	46,0	790

KS	9,7 g	RWS	
Patronenlänge 70,2 mm			
R 904	Gramm	Grain	V o m/s
maximal	3,56	55,0	870
minim al	3,43	53,0	820

MS	10,9 g	Sierra	
Patronenlänge 72,5 mm			
R 903	Gramm	Grain	V o m/s
maximal	2,93	45,0	770
minim al	2,79	43,0	720

MS	10,9 g	Sierra	
Patronenlänge 72,5 mm			
R 904	Gramm	Grain	V o m/s
maximal	3,31	51,0	770
minim al	3,18	49,0	715

# 7,62 x 39 Kalashnikov

*Kaliber :* 7,62/7,86 ( .309 '' Dia. )

*Hülse :* Lapua



TMS	8,0g	Sako	
Patronenlänge 55,2 mm			
R 910	Gramm	Grain	Vo m/s
maximal	1,05	16,2	650
minimal	1,00	15,4	625

TMS	8,0g	Sako	
Patronenlänge 55,2 mm			
R 902	Gramm	Grain	Vo m/s
maximal	1,85	28,5	755
minimal	1,65	25,5	670

VMS	8,0g	Sako	
Patronenlänge 55,4 mm			
R 910	Gramm	Grain	Vo m/s
maximal	1,05	16,2	655
minimal	1,00	15,4	640

VMS	8,0g	Sako	
Patronenlänge 55,4 mm			
R 902	Gramm	Grain	Vo m/s
maximal	1,85	28,5	760
minimal	1,65	25,5	690

SG	9,5g	RWS	
Patronenlänge 55,4 mm			
R 901	Gramm	Grain	Vo m/s
maximal	1,65	25,5	675
minimal	1,25	19,3	540

SG	9,5g	RWS	
Patronenlänge 55,4 mm			
R 902	Gramm	Grain	Vo m/s
maximal	1,80	27,8	700
minimal	1,43	22,1	570

# 7,62 x 54 R

*Kaliber:* 7,62/7,87 ( .309'' Dia. )

*Hülse:* Norma 7,62 russ.



TMR	7,1 g	RWS	
Patronenlänge 64,0 mm			
R 901	Gramm	Grain	V o m/s
maximal	3,01	46,5	945
minim al	2,79	43,0	880

TMR	7,1 g	RWS	
Patronenlänge 64,0 mm			
R 903	Gramm	Grain	V o m/s
maximal	3,50	54,0	940
minim al	3,37	52,0	910

SG	9,5 g	RWS	
Patronenlänge 70,0 mm			
R 902	Gramm	Grain	V o m/s
maximal	2,92	45,0	830
minim al	2,72	42,0	790

SG	9,5 g	RWS	
Patronenlänge 70,0 mm			
R 907	Gramm	Grain	V o m/s
maximal	3,24	50,0	830
minim al	3,11	48,0	795

ST	11,7 g	RWS	
Patronenlänge 72,5 mm			
R 902	Gramm	Grain	V o m/s
maximal	2,79	43,0	750
minim al	2,59	40,0	715

ST	11,7 g	RWS	
Patronenlänge 72,5 mm			
R 907	Gramm	Grain	V o m/s
maximal	3,08	47,5	750
minim al	2,92	45,0	715

# 7,65 x 53 Mauser (argentinisch)

*Kaliber :* .303 ( .312'' Dia. )

*Hülse :* RWS





TMS	9,7 g	Hornady	
Patronenlänge 72,9 mm			
R 902	Gramm	Grain	V o m/s
maximal	2,72	42,0	800
minimal	2,59	40,0	750

TMS	9,7 g	Hornady	
Patronenlänge 72,9 mm			
R 907	Gramm	Grain	V o m/s
maximal	2,92	45,0	815
minimal	2,79	43,0	760

TMR	11,3 g	Hornady	
Patronenlänge 71,6 mm			
R 902	Gramm	Grain	V o m/s
maximal	2,46	38,0	730
minimal	2,33	36,0	700

TMR	11,3 g	Hornady	
Patronenlänge 71,6 mm			
R 907	Gramm	Grain	V o m/s
maximal	2,92	45,0	770
minimal	2,79	43,0	720

# 7 mm-08 Remington

*Kaliber :*            *7 mm .284'' Dia.*

*Hülse :*              *R-P*



7 mm TNT HP 110 Grain Speer

Vith. Gramm Grain Mzl.  
N 140 Vel.

maximal 46,0 3137

minimal 42,0 2855

7 mm TNT HP 110 Grain Speer

Re 15 Gramm Grain Mzl.  
Vel.

maximal 48,0 3238

minimal 44,0 2930

7 mm Spitz-SP 120 Grain Speer

Vith. Gramm Grain Mzl.  
N 140 Vel.

maximal 44,0 3029

minimal 40,0 2801

7 mm Spitz-SP 120 Grain Speer

IMR Gramm Grain Mzl.  
4895 Vel.

maximal 42,0 2925

minimal 38,0 2677

7 mm Spitz-SP 130 Grain Speer

IMR Gramm Grain Mzl.  
4064 Vel.

maximal 45,0 3065

minimal 41,0 2835

7 mm Spitz-SP 130 Grain Speer

H 4895 Gramm Grain Mzl.  
Vel.

maximal 39,0 2753

minimal 35,0 2505

**7 X 57**

**Kaliber :** *7 mm ( .284'' Dia. )*

**Hülse :** *RWS*



TMS	5,1g	RWS	
Patronenlänge 67,7 mm			
R. 901	Gramm	Grain	Vo m/s
maximal	2,92	45,0	1030
minimal	2,66	41,0	930

TMS	5,1g	RWS	
Patronenlänge 67,7 mm			
R. 903	Gramm	Grain	Vo m/s
maximal	3,37	52,0	1050
minimal	3,24	50,0	970

KS	8,0g	RWS	
Patronenlänge 72,0 mm			
R. 902	Gramm	Grain	Vo m/s
maximal	2,79	43,0	870
minimal	2,59	40,0	815

KS	8,0g	RWS	
Patronenlänge 72,0 mm			
R. 907	Gramm	Grain	Vo m/s
maximal	3,18	49,0	880
minimal	3,05	47,0	830

SG	9,0g	RWS	
Patronenlänge 75,0 mm			
R. 902	Gramm	Grain	Vo m/s
maximal	2,72	42,0	795
minimal	2,59	40,0	765

SG	9,0g	RWS	
Patronenlänge 75,0 mm			
R. 907	Gramm	Grain	Vo m/s
maximal	2,98	46,0	820
minimal	2,85	44,0	785

DK	10,0g	RWS	
Patronenlänge 74,0 mm			
R. 902	Gramm	Grain	Vo m/s
maximal	2,92	45,0	780
minimal	2,79	43,0	740

DK	10,0g	RWS	
Patronenlänge 74,0 mm			
R. 905	Gramm	Grain	Vo m/s
maximal	3,30	51,0	780
minimal	3,21	49,5	740

KS	10,5g	RWS	
Patronenlänge 76,0 mm			
R. 903	Gramm	Grain	Vo m/s
maximal	2,66	41,0	765
minimal	2,53	39,0	700

KS	10,5g	RWS	
Patronenlänge 76,0 mm			
R. 904	Gramm	Grain	Vo m/s
maximal	3,18	49,0	790
minimal	3,05	47,0	700

ST	10,0g	RWS	
Patronenlänge 77,0 mm			
R. 903	Gramm	Grain	Vo m/s
maximal	2,85	44,0	780
minimal	2,69	41,5	750

ST	10,0g	RWS	
Patronenlänge 77,0 mm			
R. 905	Gramm	Grain	Vo m/s
maximal	3,30	51,0	790
minimal	3,21	49,5	735

HMK	11,2g	RWS	
Patronenlänge 78,0 mm			
R. 907	Gramm	Grain	Vo m/s
maximal	2,85	44,0	785
minimal	2,72	42,0	700

HMK	11,2g	RWS	
Patronenlänge 78,0 mm			
R. 905	Gramm	Grain	Vo m/s
maximal	3,30	51,0	775
minimal	3,18	49,0	705

TIG	11,5g	RWS	
Patronenlänge 75,0 mm			
R. 907	Gramm	Grain	Vo m/s
maximal	2,85	44,0	765
minimal	2,72	42,0	710

TIG	11,5g	RWS	
Patronenlänge 75,0 mm			
R. 905	Gramm	Grain	Vo m/s
maximal	3,34	51,5	765
minimal	3,24	50,0	700

**7 X 57 R**

**Kaliber :** *7 mm ( .284'' Dia. )*

**Hülse :** *RWS*



KS	8,0g	RWS	
Patronenlänge 72,0 mm			
R 902	Gramm	Grain	Vo m/s
maximal	2,72	42,0	810
minimal	2,66	41,0	795

KS	8,0g	RWS	
Patronenlänge 72,0 mm			
R 904	Gramm	Grain	Vo m/s
maximal	3,05	47,0	850
minimal	2,95	45,5	820

SG	9,0g	RWS	
Patronenlänge 75,0 mm			
R 902	Gramm	Grain	Vo m/s
maximal	2,59	40,0	765
minimal	2,46	38,0	710

SG	9,0g	RWS	
Patronenlänge 75,0 mm			
R 907	Gramm	Grain	Vo m/s
maximal	2,82	43,5	765
minimal	2,69	41,5	725

DK	10,0g	RWS	
Patronenlänge 74,0 mm			
R 903	Gramm	Grain	Vo m/s
maximal	2,66	41,0	740
minimal	2,53	39,0	700

DK	10,0g	RWS	
Patronenlänge 74,0 mm			
R 904	Gramm	Grain	Vo m/s
maximal	2,98	46,0	750
minimal	2,88	44,5	715

KS	10,5g	RWS	
Patronenlänge 76,0 mm			
R 903	Gramm	Grain	Vo m/s
maximal	2,59	40,0	735
minimal	2,40	37,0	675

KS	10,5g	RWS	
Patronenlänge 76,0 mm			
R 904	Gramm	Grain	Vo m/s
maximal	3,05	47,0	760
minimal	2,92	45,0	700

ST	10,0g	RWS	
Patronenlänge 77,5 mm			
R 903	Gramm	Grain	Vo m/s
maximal	2,59	40,0	735
minimal	2,40	37,0	675

ST	10,0g	RWS	
Patronenlänge 77,5 mm			
R 904	Gramm	Grain	Vo m/s
maximal	3,05	47,0	760
minimal	2,92	45,0	700

HMK	11,2g	RWS	
Patronenlänge 78,0 mm			
R 907	Gramm	Grain	Vo m/s
maximal	2,75	42,5	730
minimal	2,62	40,5	700

HMK	11,2g	RWS	
Patronenlänge 78,0 mm			
R 905	Gramm	Grain	Vo m/s
maximal	3,14	48,5	745
minimal	3,01	46,5	700

TIG	11,5g	RWS	
Patronenlänge 75,0 mm			
R 903	Gramm	Grain	Vo m/s
maximal	2,46	38,0	690
minimal	2,33	36,0	660

TIG	11,5g	RWS	
Patronenlänge 75,0 mm			
R 905	Gramm	Grain	Vo m/s
maximal	3,11	48,0	725
minimal	2,98	46,0	685

**7 X 64**

**Kaliber :** *7 mm ( .284'' Dia. )*

**Hülse :** *RWS*





KS	8,0g	RWS	
Patronenlänge 80,4 mm			
R 903*	Gramm	Grain	Vo m/s
maximal	3,40	52,5	950
minimal	3,24	50,0	880

KS	8,0g	RWS	
Patronenlänge 80,4 mm			
R 904*	Gramm	Grain	Vo m/s
maximal	3,86	59,5	975
minimal	3,69	57,0	890

SG	9,0g	RWS	
Patronenlänge 82,5 mm			
R 907	Gramm	Grain	Vo m/s
maximal	3,37	52,0	880
minimal	3,18	49,0	850

SG	9,0g	RWS	
Patronenlänge 82,5 mm			
R 905	Gramm	Grain	Vo m/s
maximal	3,86	59,5	900
minimal	3,69	57,0	855

DK	10,0g	RWS	
Patronenlänge 83,0 mm			
R 907	Gramm	Grain	Vo m/s
maximal	3,24	50,0	860
minimal	3,11	48,0	825

DK	10,0g	RWS	
Patronenlänge 83,0 mm			
R 905	Gramm	Grain	Vo m/s
maximal	3,73	57,5	875
minimal	3,56	55,0	860

KS	10,5g	RWS	
Patronenlänge 82,7 mm			
R 907	Gramm	Grain	Vo m/s
maximal	3,18	49,0	800
minimal	3,05	47,0	780

KS	10,5g	RWS	
Patronenlänge 82,7 mm			
R 905	Gramm	Grain	Vo m/s
maximal	3,76	58,0	850
minimal	3,56	55,0	800

HMK	11,2g	RWS	
Patronenlänge 83,2 mm			
R 907	Gramm	Grain	Vo m/s
maximal	3,14	48,5	780
minimal	2,98	46,0	750

HMK	11,2g	RWS	
Patronenlänge 83,2 mm			
R 905	Gramm	Grain	Vo m/s
maximal	3,63	56,0	830
minimal	3,50	54,0	810

TIG	11,5g	RWS	
Patronenlänge 81,7 mm			
R 907	Gramm	Grain	Vo m/s
maximal	3,18	49,0	825
minimal	3,50	54,0	800

TIG	11,5g	RWS	
Patronenlänge 81,7 mm			
R 905	Gramm	Grain	Vo m/s
maximal	3,63	56,0	825
minimal	3,50	54,0	800

# 7 X 65 R

*Kaliber :* 7 mm ( .284'' Dia. )

*Hülse :* Gehmann



KS	8,0g	RWS	
Patronenlänge 80,9 mm			
R 903	Gramm	Grain	V o m/s
maximal	3,37	52,0	915
minim al	3,31	51,0	880

KS	8,0g	RWS	
Patronenlänge 80,9 mm			
R 904	Gramm	Grain	V o m/s
maximal	3,69	57,0	930
minim al	3,50	54,0	870

SG	9,0g	RWS	
Patronenlänge 82,5 mm			
R 907	Gramm	Grain	V o m/s
maximal	3,18	49,0	820
minim al	2,98	46,0	770

SG	9,0g	RWS	
Patronenlänge 82,5 mm			
R 905*	Gramm	Grain	V o m/s
maximal	3,63	56,0	830
minim al	3,50	54,0	775

DK	10,0g	RWS	
Patronenlänge 83,0 mm			
R 907	Gramm	Grain	V o m/s
maximal	3,24	50,0	840
minim al	3,11	48,0	805

DK	10,0g	RWS	
Patronenlänge 83,0 mm			
R 905	Gramm	Grain	V o m/s
maximal	3,66	56,5	845
minim al	3,56	55,0	820

KS	10,5g	RWS	
Patronenlänge 82,0 mm			
R 907	Gramm	Grain	V o m/s
maximal	3,11	48,0	780
minim al	2,92	45,0	735

KS	10,5g	RWS	
Patronenlänge 82,0 mm			
R 905*	Gramm	Grain	V o m/s
maximal	3,47	53,5	800
minim al	3,24	50,0	765

HMK	11,2g	RWS	
Patronenlänge 83,4 mm			
R 907	Gramm	Grain	V o m/s
maximal	3,11	48,0	785
minim al	2,92	45,0	730

HMK	11,2g	RWS	
Patronenlänge 83,4 mm			
R 905*	Gramm	Grain	V o m/s
maximal	3,47	53,5	790
minim al	3,24	50,0	740

TIG	11,5g	RWS	
Patronenlänge 81,7 mm			
R 907	Gramm	Grain	V o m/s
maximal	3,14	48,5	760
minim al	2,92	45,0	710

TIG	11,5g	RWS	
Patronenlänge 81,7 mm			
R 905*	Gramm	Grain	V o m/s
maximal	3,40	52,5	795
minim al	3,18	49,0	730

**7 x 72 R**



**Kaliber :** *7 mm (.284'' Dia. )*

**Hülse :** *umgeformt aus RWS 9,3 x 72 R*

KS	8,0g	RWS	
Patronenlänge 88,0 mm			
R 902	Gramm	Grain	V o m/s
maximal	2,33	36,0	750
minim al	2,20	34,0	705

KS	8,0g	RWS	
Patronenlänge 88,0 mm			
R 907	Gramm	Grain	V o m/s
maximal	2,66	41,0	790
minim al	2,46	38,0	720

KS	10,5g	RWS	
Patronenlänge 90,0 mm			
R 903	Gramm	Grain	V o m/s
maximal	2,24	34,5	650
minim al	2,01	31,0	600

KS	10,5g	RWS	
Patronenlänge 90,0 mm			
R 904	Gramm	Grain	V o m/s
maximal	2,59	40,0	680
minim al	2,33	36,0	600

TMR	9,0g	RWS	
Patronenlänge 87,0 mm			
R 902	Gramm	Grain	V o m/s
maximal	2,11	32,5	700
minim al	1,98	30,5	650

TMR	9,0g	RWS	
Patronenlänge 87,0 mm			
R 907	Gramm	Grain	V o m/s
maximal	2,56	39,5	740
minim al	2,37	36,5	670

# 8 mm Remington Magnum

*Kaliber :*            *8 mm S (.323'' Dia. )*

*Hülse :*              *R-P*



KS	11,7 g	RWS	
Patronenlänge 87,5 mm			
R 907	Gramm	Grain	V o m/s
maximal	4,67	72,0	905
minim al	4,47	69,0	850

KS	11,7 g	RWS	
Patronenlänge 87,5 mm			
R 905	Gramm	Grain	V o m/s
maximal	5,25	81,0	920
minim al	4,99	77,0	840

HMK	12,1 g	RWS	
Patronenlänge 92,0 mm			
R 907	Gramm	Grain	V o m/s
maximal	4,63	71,5	900
minim al	4,41	68,0	850

HMK	12,1 g	RWS	
Patronenlänge 92,0 mm			
R 905	Gramm	Grain	V o m/s
maximal	5,25	81,0	910
minim al	5,06	78,0	835


KS	14,5 g	RWS	
Patronenlänge 88,5 mm			
R 907	Gramm	Grain	V o m/s
maximal	4,28	66,0	800
minim al	3,89	60,0	730

KS	14,5 g	RWS	
Patronenlänge 88,5 mm			
R 905	Gramm	Grain	V o m/s
maximal	4,93	76,0	830
minim al	4,73	73,0	770

# 8 x 56 Mannlicher Schönauer

*Kaliber :*            *8 mm ( .323'' Dia. )*

*Hülse :*                *umgeformt aus RWS 8x57IS*





TMR 12,7 g RWS

Patronenlänge 75,5 mm

R 902 Gramm Grain V o m/s

maximal 2,53 39,0 650

minimal 2,40 37,0 615

TMR 12,7 g RWS

Patronenlänge 75,5 mm

R 903 Gramm Grain V o m/s

maximal 2,79 43,0 655

minimal 2,66 41,0 615

# 8 x 57 IR

*Kaliber :*            *8 mm ( .318'' Dia. )*

*Hülse :*              *RWS*



TMR 12,7 g RWS

Patronenlänge 76,3 mm

R 902 Gramm Grain V o m/s

maximal 2,75 42,5 690

minimal 2,56 39,5 650

TMR 12,7 g RWS

Patronenlänge 76,3 mm

R 907 Gramm Grain V o m/s

maximal 3,18 49,0 710

minimal 3,05 47,0 665

# 8 x57 IRS

*Kaliber :*            *8 mm S ( .323'' Dia. )*

*Hülse :*                *RWS*



TMF	9,8g	RWS	
Patronenlänge 67,7 mm			
R 901	Gramm	Grain	Vo m/s
maximal	2,72	42,0	785
minimal	2,33	36,0	675

TMF	9,8g	RWS	
Patronenlänge 67,7 mm			
R 907	Gramm	Grain	Vo m/s
maximal	3,05	47,0	750
minimal	2,92	45,0	700

KS	11,7g	RWS	
Patronenlänge 73,5 mm			
R 903	Gramm	Grain	Vo m/s
maximal	3,18	49,0	760
minimal	2,98	46,0	715

KS	11,7g	RWS	
Patronenlänge 73,5 mm			
R 904	Gramm	Grain	Vo m/s
maximal	3,40	52,5	730
minimal	3,24	50,0	700

SG	12,1g	RWS	
Patronenlänge 76,0 mm			
R 901	Gramm	Grain	Vo m/s
maximal	2,59	40,0	700
minimal	2,33	36,0	620

SG	12,1g	RWS	
Patronenlänge 76,0 mm			
R 903	Gramm	Grain	Vo m/s
maximal	2,95	45,5	705
minimal	2,85	44,0	670

DK	11,7g	RWS	
Patronenlänge 73,5 mm			
R 903	Gramm	Grain	Vo m/s
maximal	3,21	49,5	760
minimal	3,11	48,0	735

DK	11,7g	RWS	
Patronenlänge 73,5 mm			
R 904	Gramm	Grain	Vo m/s
maximal	3,43	53,0	745
minimal	3,30	51,0	705

TMR	12,0g	Geco	
Patronenlänge 74,4 mm			
R 903	Gramm	Grain	Vo m/s
maximal	3,30	51,0	760
minimal	3,18	49,0	720

TMR	12,0g	Geco	
Patronenlänge 74,4 mm			
R 904	Gramm	Grain	Vo m/s
maximal	3,56	55,0	750
minimal	3,43	53,0	720

HMK	12,1g	RWS	
Patronenlänge 77,2 mm			
R 903	Gramm	Grain	Vo m/s
maximal	3,14	48,5	750
minimal	2,98	46,0	715

HMK	12,1g	RWS	
Patronenlänge 77,2 mm			
R 904	Gramm	Grain	Vo m/s
maximal	3,40	52,5	735
minimal	3,24	50,0	700

TMR	12,7g	RWS	
Patronenlänge 76,2 mm			
R 903	Gramm	Grain	Vo m/s
maximal	2,98	46,0	700
minimal	2,79	43,0	650

TMR	12,7g	RWS	
Patronenlänge 76,2 mm			
R 904	Gramm	Grain	Vo m/s
maximal	3,34	51,5	705
minimal	3,18	49,0	660

KS	14,5g	RWS	
Patronenlänge 75,0 mm			
R 903	Gramm	Grain	Vo m/s
maximal	2,82	43,5	655
minimal	2,69	41,5	600

KS	14,5g	RWS	
Patronenlänge 75,0 mm			
R 904	Gramm	Grain	Vo m/s
maximal	3,21	49,5	670
minimal	3,01	46,5	600

# 8 x 57 IS

*Kaliber :*            *8 mm S ( .323'' Dia. )*

*Hülse :*                *RWS*



TMF	9,8g	RWS	
Patronenlänge 67,7 mm			
R 902	Gramm	Grain	Vo m/s
maximal	3,11	48,0	830
minimal	2,85	44,0	725

TMF	9,8g	RWS	
Patronenlänge 67,7 mm			
R 907	Gramm	Grain	Vo m/s
maximal	3,37	52,0	830
minimal	3,24	50,0	740

KS	11,7g	RWS	
Patronenlänge 72,2 mm			
R 903	Gramm	Grain	Vo m/s
maximal	3,37	52,0	810
minimal	3,11	48,0	765

KS	11,7g	RWS	
Patronenlänge 72,2 mm			
R 904	Gramm	Grain	Vo m/s
maximal	3,69	57,0	800
minimal	3,43	53,0	760

SG	12,1g	RWS	
Patronenlänge 76,0 mm			
R 901	Gramm	Grain	Vo m/s
maximal	2,66	41,0	730
minimal	2,40	37,0	650

SG	12,1g	RWS	
Patronenlänge 76,0 mm			
R 903	Gramm	Grain	Vo m/s
maximal	3,27	50,5	780
minimal	2,92	45,0	680

DK	11,7g	RWS	
Patronenlänge 73,5 mm			
R 903	Gramm	Grain	Vo m/s
maximal	3,40	52,5	795
minimal	3,24	50,0	760

DK	11,7g	RWS	
Patronenlänge 73,5 mm			
R 904	Gramm	Grain	Vo m/s
maximal	3,73	57,5	800
minimal	3,56	55,0	770

TMR	12,0g	Geco	
Patronenlänge 74,4 mm			
R 907	Gramm	Grain	Vo m/s
maximal	3,50	54,0	800
minimal	3,40	52,5	770

TMR	12,0g	Geco	
Patronenlänge 74,4 mm			
R 905	Gramm	Grain	Vo m/s
maximal	3,89	60,0	780
minimal	3,76	58,0	750

HMK	12,1g	RWS	
Patronenlänge 75,6 mm			
R 903	Gramm	Grain	Vo m/s
maximal	3,34	51,5	810
minimal	3,05	47,0	760

HMK	12,1g	RWS	
Patronenlänge 75,6 mm			
R 904	Gramm	Grain	Vo m/s
maximal	3,63	56,0	800
minimal	3,37	52,0	755

TMR	12,7g	RWS	
Patronenlänge 76,6 mm			
R 903	Gramm	Grain	Vo m/s
maximal	3,31	51,0	770
minimal	2,98	46,0	740

TMR	12,7g	RWS	
Patronenlänge 76,6 mm			
R 904	Gramm	Grain	Vo m/s
maximal	3,63	56,0	755
minimal	3,50	54,0	720

KS	14,5g	RWS	
Patronenlänge 75,0 mm			
R 903	Gramm	Grain	Vo m/s
maximal	3,05	47,0	700
minimal	2,79	43,0	650

KS	14,5g	RWS	
Patronenlänge 75,0 mm			
R 904	Gramm	Grain	Vo m/s
maximal	3,43	53,0	705
minimal	3,24	50,0	650

# 8 x 57 R 360

*Kaliber :* 8 mm ( .318'' Dia. )

*Hülse :* RWS





TMR 12,7 g RWS

Patronenlänge 75,2 mm

R 903 Gramm Grain V o m/s

maximal 2,07 32,0 570

minimal 1,94 30,0 540

TMR 12,7 g RWS

Patronenlänge 75,2 mm

R 904 Gramm Grain V o m/s

maximal 2,43 37,5 580

minimal 2,27 35,0 530

**8 x 57 I**

*Kaliber :*      *8 mm ( .318'' Dia. )*

*Hülse :*        *RWS / Norma*



TMR	12,7 g	RWS	
R 902	Gramm	Grain	V o m/s
maximal	2,98	46,0	680
minimal	2,72	42,0	650

TMR	12,7 g	RWS	
R 907	Gramm	Grain	V o m/s
maximal	3,31	51,0	695
minimal	3,18	49,0	655

**8 x 58 R**



*Kaliber :*            *8 mm ( .318'' Dia. )*

*Hülse :*              *umgeformt aus RWS 9,3 x 72R*

TMR 12,7 g RWS

Patronenlänge 77,0 mm

R 902 Gramm Grain V o m/s

maximal 2,14 33,0 560

minimal 2,01 31,0 520

TMR 12,7 g RWS

Patronenlänge 77,0 mm

R 904 Gramm Grain V o m/s

maximal 2,56 39,5 575

minimal 2,40 37,0 525

# 8 x 60 RS



*Kaliber :*

*8 mm S ( .323'' Dia. )*

*Hülse :*

*umgeformt aus RWS 7 x 65 R*

HMK	12,1 g	RWS	
Patronenlänge 76,5 mm			
R 903	Gramm	Grain	V o m/s
maximal	3,21	49,5	770
minim al	3,05	47,0	720

HMK	12,1 g	RWS	
Patronenlänge 76,5 mm			
R 904	Gramm	Grain	V o m/s
maximal	3,53	54,5	755
minim al	3,37	52,0	705

TIG	12,8 g	RWS	
Patronenlänge 79,2 mm			
R 903	Gramm	Grain	V o m/s
maximal	3,18	49,0	740
minim al	3,05	47,0	700

TIG	12,8 g	RWS	
Patronenlänge 79,2 mm			
R 904	Gramm	Grain	V o m/s
maximal	3,47	53,5	720
minim al	3,31	51,0	690

KS	14,5 g	RWS	
Patronenlänge 78,0 mm			
R 903	Gramm	Grain	V o m/s
maximal	2,92	45,0	655
minim al	2,79	43,0	615

KS	14,5 g	RWS	
Patronenlänge 78,0 mm			
R 904	Gramm	Grain	V o m/s
maximal	3,24	50,0	655
minim al	3,08	47,5	605

# **8 x 60 S**

*Kaliber :*            *8 mm ( .323'' Dia. )*

*Hülse :*                *RWS*





KS	11,7g	RWS	
Patronenlänge 76,5 mm			
R 903	Gramm	Grain	V o m/s
maximal	3,53	54,5	830
minim al	3,31	51,0	760

KS	11,7g	RWS	
Patronenlänge 76,5 mm			
R 904	Gramm	Grain	V o m/s
maximal	3,79	58,5	810
minim al	3,56	55,0	760

HMK	12,1g	RWS	
Patronenlänge 79,2 mm			
R 903	Gramm	Grain	V o m/s
maximal	3,53	54,5	830
minim al	3,31	51,0	755

HMK	12,1g	RWS	
Patronenlänge 79,2 mm			
R 904	Gramm	Grain	V o m/s
maximal	3,79	58,5	810
minim al	3,56	55,0	760

TMR	12,7g	RWS	
Patronenlänge 77,3 mm			
R 903	Gramm	Grain	V o m/s
maximal	3,37	52,0	780
minim al	3,18	49,0	720

TMR	12,7g	RWS	
Patronenlänge 77,3 mm			
R 904	Gramm	Grain	V o m/s
maximal	3,69	57,0	780
minim al	3,50	54,0	710

V MR	12,7g	RWS	
Patronenlänge 77,1 mm			
R 903	Gramm	Grain	V o m/s
maximal	3,34	51,5	770
minim al	3,18	49,0	725

V MR	12,7g	RWS	
Patronenlänge 77,1 mm			
R 904	Gramm	Grain	V o m/s
maximal	3,66	56,5	780
minim al	3,53	54,5	730

TIG	12,8g	RWS	
Patronenlänge 79,2 mm			
R 903	Gramm	Grain	V o m/s
maximal	3,43	53,0	790
minim al	3,24	50,0	735

TIG	12,8g	RWS	
Patronenlänge 79,2 mm			
R 904	Gramm	Grain	V o m/s
maximal	3,69	57,0	780
minim al	3,53	54,5	730

KS	14,5g	RWS	
Patronenlänge 78,0 mm			
R 903	Gramm	Grain	V o m/s
maximal	3,27	50,5	725
minim al	3,05	47,0	655

KS	14,5g	RWS	
Patronenlänge 78,0 mm			
R 904	Gramm	Grain	V o m/s
maximal	3,50	54,0	715
minim al	3,24	50,0	655

**8 x 60**



*Kaliber :*

*8 mm ( .318'' Dia. )*

*Hülse :*

*umgeformt aus RWS 8 x 60S*

TMR 12,7 g RWS

Patronenlänge 77,7 mm

R 903 Gramm Grain V o m/s

maximal 3,37 52,0 785

minimal 3,18 49,0 730

TMR 12,7 g RWS

Patronenlänge 77,7 mm

R 904 Gramm Grain V o m/s

maximal 3,69 57,0 780

minimal 3,50 54,0 730

**8 x 60 R**



*Kaliber :*            *8 mm ( .318'' Dia. )*

*Hülse :*                *umgeformt aus RWS 7 x 65R*

TMR	12,7 g	RWS	
-----	--------	-----	--

Patronenlänge 77,7 mm

R 903	Gramm	Grain	V o m/s
-------	-------	-------	---------

maximal	3,18	49,0	740
---------	------	------	-----

minimal	3,05	47,0	690
---------	------	------	-----

TMR	12,7 g	RWS	
-----	--------	-----	--

Patronenlänge 77,7 mm

R 904	Gramm	Grain	V o m/s
-------	-------	-------	---------

maximal	3,53	54,5	745
---------	------	------	-----

minimal	3.43	53,0	715
---------	------	------	-----

**8 x 64 S**



*Kaliber :*

*8 mm S ( .323'' Dia. )*

*Hülse :*

*umgeformt aus RWS .280 Rem.*

KS	11,7g	RWS	
Patronenlänge 82,0 mm			
R 903	Gramm	Grain	V o m/s
maximal	3,56	55,0	835
minim al	3,34	51,5	785

KS	11,7g	RWS	
Patronenlänge 82,0 mm			
R 904	Gramm	Grain	V o m/s
maximal	4,02	62,0	850
minim al	3,82	59,0	785

HMK	12,1g	RWS	
Patronenlänge 84,0 mm			
R 903	Gramm	Grain	V o m/s
maximal	3,56	55,0	840
minim al	3,37	52,0	780

HMK	12,1g	RWS	
Patronenlänge 84,0 mm			
R 904	Gramm	Grain	V o m/s
maximal	4,02	62,0	850
minim al	3,82	59,0	780

TMR	12,7g	RWS	
Patronenlänge 84,0 mm			
R 903	Gramm	Grain	V o m/s
maximal	3,63	56,0	810
minim al	3,43	53,0	765

TMR	12,7g	RWS	
Patronenlänge 84,0 mm			
R 904	Gramm	Grain	V o m/s
maximal	4,08	63,0	830
minim al	3,89	60,0	780

V MR	12,7g	RWS	
Patronenlänge 84,0 mm			
R 903	Gramm	Grain	V o m/s
maximal	3,60	55,5	810
minim al	3,43	51,5	765

V MR	12,7g	RWS	
Patronenlänge 84,0 mm			
R 904	Gramm	Grain	V o m/s
maximal	4,05	62,5	825
minim al	3,89	60,0	780

TIG	12,8g	RWS	
Patronenlänge 83,0 mm			
R 903	Gramm	Grain	V o m/s
maximal	3,53	54,5	810
minim al	3,31	51,0	750

TIG	12,8g	RWS	
Patronenlänge 83,0 mm			
R 904	Gramm	Grain	V o m/s
maximal	3,99	61,5	825
minim al	3,79	58,5	790

KS	14,5g	RWS	
Patronenlänge 83,0 mm			
R 907	Gramm	Grain	V o m/s
maximal	3,31	51,0	735
minim al	3,18	49,0	705

KS	14,5g	RWS	
Patronenlänge 83,0 mm			
R 905	Gramm	Grain	V o m/s
maximal	3,86	59,5	745
minim al	3,63	56,0	700

**8 x 64**



*Kaliber :*

*8 mm ( .318'' Dia. )*

*Hülse :*

*umgeformt aus RWS .280 Rem.*



TMR 12,7 g RWS

Patronenlänge 82,4 mm

R 907 Gramm Grain V o m/s

maximal 3,73 57,5 845

minimal 3,56 55,0 800

TMR 12,7 g RWS

Patronenlänge 82,4 mm

R 905 Gramm Grain V o m/s

maximal 4,21 65,0 825

minimal 4,08 63,0 800

# 8 x 65 RS



*Kaliber :*

*8 mm S ( .323'' Dia. )*

*Hülse :*

*umgeformt aus RWS 7 x 65 R*

HMK	12,1 g	RWS	
Patronenlänge 84,0 mm			
R 903	Gramm	Grain	V o m/s
maximal	3,50	54,0	830
minim al	3,31	51,0	780

HMK	12,1 g	RWS	
Patronenlänge 84,0 mm			
R 904	Gramm	Grain	V o m/s
maximal	3,95	61,0	855
minim al	3,76	58,0	785

TIG	12,8 g	RWS	
Patronenlänge 83,0 mm			
R 903	Gramm	Grain	V o m/s
maximal	3,43	53,0	800
minim al	3,24	50,0	755

TIG	12,8 g	RWS	
Patronenlänge 83,0 mm			
R 904	Gramm	Grain	V o m/s
maximal	3,89	60,0	835
minim al	3,76	58,0	795

KS	14,5 g	RWS	
Patronenlänge 83,0 mm			
R 907	Gramm	Grain	V o m/s
maximal	3,24	50,0	720
minim al	3,18	49,0	710

KS	14,5 g	RWS	
Patronenlänge 83,0 mm			
R 905	Gramm	Grain	V o m/s
maximal	3,82	59,0	740
minim al	3,56	55,0	700

**8 x 65 R**



*Kaliber :*            *8 mm ( .318'' Dia. )*

*Hülse :*              *umgeformt aus RWS 9,3 x 74R*

TMR 12,7 g RWS

Patronenlänge 82,4 mm

R 903 Gramm Grain V o m/s

maximal 3,43 53,0 795

minimal 3,31 51,0 760

TMR 12,7 g RWS

Patronenlänge 82,4 mm

R 904 Gramm Grain V o m/s

maximal 3,92 60,5 805

minimal 3,73 57,5 755

**8 X 68 S**

*Kaliber :*            *8 mm S ( .323'' Dia. )*

*Hülse :*                *RWS*



TMF	9,8g	RWS	
Patronenlänge 77,0 mm			
R 903	Gramm	Grain	Vo m/s
maximal	4,54	70,0	970
minimal	2,59	40,0	525

TMF	9,8g	RWS	
Patronenlänge 77,0 mm			
R 904	Gramm	Grain	Vo m/s
maximal	4,93	76,0	970
minimal	4,21	65,0	730

KS	11,7g	RWS	
Patronenlänge 83,7 mm			
R 907	Gramm	Grain	Vo m/s
maximal	4,41	68,0	920
minimal	4,15	64,0	860

KS	11,7g	RWS	
Patronenlänge 83,7 mm			
R 905	Gramm	Grain	Vo m/s
maximal	5,02	77,5	950
minimal	4,86	75,0	870

SG	12,1g	RWS	
Patronenlänge 86,0 mm			
R 901	Gramm	Grain	Vo m/s
maximal	3,56	55,0	820
minimal	2,92	45,0	650

SG	12,1g	RWS	
Patronenlänge 86,0 mm			
R 903	Gramm	Grain	Vo m/s
maximal	4,34	67,0	855
minimal	3,95	61,0	780

DK	11,7g	RWS	
Patronenlänge 84,0 mm			
R 907	Gramm	Grain	Vo m/s
maximal	4,44	68,5	920
minimal	4,28	66,0	880

DK	11,7g	RWS	
Patronenlänge 84,0 mm			
R 905	Gramm	Grain	Vo m/s
maximal	5,06	78,0	935
minimal	4,93	76,0	900

TMR	12,0g	Geco	
Patronenlänge 86,2 mm			
R 907	Gramm	Grain	Vo m/s
maximal	4,47	69,0	905
minimal	4,34	67,0	880

TMR	12,0g	Geco	
Patronenlänge 86,2 mm			
R 905	Gramm	Grain	Vo m/s
maximal	5,12	79,0	930
minimal	4,99	77,0	890

SG	12,1g	RWS	
Patronenlänge 86,0 mm			
R 901	Gramm	Grain	Vo m/s
maximal	3,56	55,0	820
minimal	2,92	45,0	650

SG	12,1g	RWS	
Patronenlänge 86,0 mm			
R 905	Gramm	Grain	Vo m/s
maximal	5,09	78,5	920
minimal	4,86	75,0	840

TMR	12,7g	RWS	
Patronenlänge 86,4 mm			
R 907	Gramm	Grain	Vo m/s
maximal	4,28	66,0	875
minimal	3,95	61,0	800

TMR	12,7g	RWS	
Patronenlänge 86,4 mm			
R 905	Gramm	Grain	Vo m/s
maximal	5,06	78,0	910
minimal	4,73	73,0	800

KS	14,5g	RWS	
Patronenlänge 85,1 mm			
R 907	Gramm	Grain	Vo m/s
maximal	4,08	63,0	800
minimal	3,89	60,0	755

KS	14,5g	RWS	
Patronenlänge 85,1 mm			
R 905	Gramm	Grain	Vo m/s
maximal	4,70	72,5	855
minimal	4,54	70,0	815

**8 x 72 R**



*Kaliber :*

*8 mm ( .318'' Dia. )*

*Hülse :*

*umgeformt aus RWS 9,3 x 74R*



TMR	12,7g	RWS	
Patronenlänge 90,4 mm			
R 902	Gramm	Grain	Vo m/s
maximal	2,59	40,0	655
minimal	2,40	37,0	600

TMR	12,7g	RWS	
Patronenlänge 90,4 mm			
R 907	Gramm	Grain	Vo m/s
maximal	2,85	44,0	670
minimal	2,66	41,0	600

# 8 x 75 RS



*Kaliber:*            *8 mm S (.323'' Dia.)*

*Hülse:*              *umgeformt aus RWS 9,3 x 75R*

KS	11,7g	RWS	
Patronenlänge 91,0 mm			
R 907	Gramm	Grain	V o m/s
maximal	3,85	59,4	820
minim al	3,70	57,1	765

KS	11,7g	RWS	
Patronenlänge 91,0 mm			
R 905	Gramm	Grain	V o m/s
maximal	4,65	71,8	870
minim al	4,50	69,4	810

DK	11,7g	RWS	
Patronenlänge 91,0 mm			
R 907	Gramm	Grain	V o m/s
maximal	3,96	61,1	845
minim al	3,86	59,5	810

DK	11,7g	RWS	
Patronenlänge 91,0 mm			
R 905	Gramm	Grain	V o m/s
maximal	4,67	72,0	830
minim al	4,50	69,4	800

HMK	12,1g	RWS	
Patronenlänge 95,7 mm			
R 907	Gramm	Grain	V o m/s
maximal	3,80	58,6	815
minim al	3,65	56,3	780

HMK	12,1g	RWS	
Patronenlänge 95,7 mm			
R 905	Gramm	Grain	V o m/s
maximal	4,55	70,2	850
minim al	4,40	67,9	825

TMR	12,7g	RWS	
Patronenlänge 94,0 mm			
R 904	Gramm	Grain	V o m/s
maximal	4,25	65,6	790
minim al	4,20	64,8	765

TMR	12,7g	RWS	
Patronenlänge 94,0 mm			
R 905	Gramm	Grain	V o m/s
maximal	4,50	69,4	805
minim al	4,40	67,9	750

TIG	12,8g	RWS	
Patronenlänge 94,0 mm			
R 907	Gramm	Grain	V o m/s
maximal	3,70	57,1	790
minim al	3,60	55,6	770

TIG	12,8g	RWS	
Patronenlänge 94,0 mm			
R 905	Gramm	Grain	V o m/s
maximal	4,50	69,4	830
minim al	4,40	67,9	780

KS	14,5g	RWS	
Patronenlänge 91,5 mm			
R 907	Gramm	Grain	V o m/s
maximal	3,55	54,8	730
minim al	3,40	52,5	700

KS	14,5g	RWS	
Patronenlänge 91,5 mm			
R 905	Gramm	Grain	V o m/s
maximal	4,40	67,9	790
minim al	4,20	64,8	730

**8,5 x 63 R**



*Kaliber :*

*8,5 mm ( .338'' Dia. )*

*Hülse :*

*Neuhülse beim Fachhandel*

"X"	11,3 g	Barnes	
Patronenlänge 84,0 mm			
R 903	Gramm	Grain	V o m/s
maximal	4,10	63,3	935
minim al	3,80	58,6	800

"X"	11,3 g	Barnes	
Patronenlänge 84,0 mm			
R 904	Gramm	Grain	V o m/s
maximal	4,50	69,4	920
minim al	4,30	66,4	825

TMS	13,0 g	Hornady	
Patronenlänge 84,0 mm			
R 903	Gramm	Grain	V o m/s
maximal	3,85	59,4	850
minim al	3,50	54,0	750

TMS	13,0 g	Hornady	
Patronenlänge 84,0 mm			
R 904	Gramm	Grain	V o m/s
maximal	4,15	64,0	835
minim al	3,90	60,2	770

TMS	14,6 g	Hornady	
Patronenlänge 84,0 mm			
R 903	Gramm	Grain	V o m/s
maximal	3,80	58,6	805
minim al	3,70	57,1	770

TMS	14,6 g	Hornady	
Patronenlänge 84,0 mm			
R 905	Gramm	Grain	V o m/s
maximal	4,25	65,6	790
minim al	4,00	61,7	740

TMR	16,2 g	Hornady	
Patronenlänge 84,0 mm			
R 907	Gramm	Grain	V o m/s
maximal	3,55	54,8	735
minim al	3,35	51,7	685

TMR	16,2 g	Hornady	
Patronenlänge 84,0 mm			
R 905	Gramm	Grain	V o m/s
maximal	4,15	64,0	770
minim al	3,95	61,0	720

TMS	17,8 g	Speer	
Patronenlänge 84,0 mm			
R 907	Gramm	Grain	V o m/s
maximal	3,40	52,5	700
minim al	3,20	49,4	665

TMS	17,8 g	Speer	
Patronenlänge 84,0 mm			
R 905	Gramm	Grain	V o m/s
maximal	4,05	62,5	725
minim al	3,95	61,0	695

TMR	19,4 g	Barnes	
Patronenlänge 83,5 mm			
R 907	Gramm	Grain	V o m/s
maximal	3,20	49,4	660
minim al	3,00	46,3	625

TMR	19,4 g	Barnes	
Patronenlänge 83,5 mm			
R 905	Gramm	Grain	V o m/s
maximal	3,90	60,2	700
minim al	3,80	58,6	675

# 8,15 X 46 R

*Kaliber :*            *8,15 mm ( .324'' Dia. )*

*Hülse :*                *RWS*



BF	9,6g	H&N	
Patronenlänge 60,0 mm			
P 806	Gramm	Grain	V o m/s
maximal	0,84	13,0	460
minim al	0,75	11,5	400

BF	9,6g	H&N	
Patronenlänge 60,0 mm			
R 901	Gramm	Grain	V o m/s
maximal	1,49	23,0	520
minim al	1,30	20,0	440

BF	9,6g	H&N	
Patronenlänge 60,0 mm			
R 902	Gramm	Grain	V o m/s
maximal	1,62	25,0	515
minim al	1,43	22,0	400

BF	9,6g	H&N	
Patronenlänge 60,0 mm			
R 907	Gramm	Grain	V o m/s
maximal	1,81	28,0	535
minim al	1,69	26,0	400

TMF	9,8g	RWS	
Patronenlänge 60,0 mm			
R 902	Gramm	Grain	V o m/s
maximal	1,69	26,0	550
minim al	1,49	23,0	435

TMF	9,8g	RWS	
Patronenlänge 60,0 mm			
R 907	Gramm	Grain	V o m/s
maximal	1,88	29,0	520
minim al	1,81	28,0	405

# 9,3 X 62

*Kaliber :* 9,3 mm ( .366 '' Dia. )

*Hülse :* RWS





TMF	12,5g	RWS	
Patronenlänge 74,6 mm			
R 901	Gramm	Grain	Vo m/s
maximal	3,31	51,0	720
minimal	3,05	47,0	630

TMF	12,5g	RWS	
Patronenlänge 74,6 mm			
R 907	Gramm	Grain	Vo m/s
maximal	4,21	65,0	810
minimal	4,08	63,0	760

KS	16,0g	RWS	
Patronenlänge 80,5 mm			
R 902	Gramm	Grain	Vo m/s
maximal	3,66	56,5	765
minimal	3,56	55,0	725

KS	16,0g	RWS	
Patronenlänge 80,5 mm			
R 907	Gramm	Grain	Vo m/s
maximal	3,95	61,0	750
minimal	3,82	59,0	700

TMR	16,5g	Geco	
Patronenlänge 79,4 mm			
R 902	Gramm	Grain	Vo m/s
maximal	3,76	58,0	755
minimal	3,60	55,5	710

TMR	16,5g	RWS	
Patronenlänge 79,4 mm			
R 907	Gramm	Grain	Vo m/s
maximal	4,05	62,5	755
minimal	3,89	60,0	710

HMK	16,7g	RWS	
Patronenlänge 81,7 mm			
R 902	Gramm	Grain	Vo m/s
maximal	3,63	56,0	735
minimal	3,43	53,0	650

HMK	16,7g	RWS	
Patronenlänge 81,7 mm			
R 907	Gramm	Grain	Vo m/s
maximal	3,95	61,0	745
minimal	3,76	58,0	675

TUG	19,0g	RWS	
Patronenlänge 82,0 mm			
R 902	Gramm	Grain	Vo m/s
maximal	3,53	54,5	695
minimal	3,43	53,0	680

TUG	19,0g	RWS	
Patronenlänge 82,0 mm			
R 907	Gramm	Grain	Vo m/s
maximal	3,82	59,0	705
minimal	3,63	56,0	650

TMR	18,5g	RWS	
Patronenlänge 82,1 mm			
R 902	Gramm	Grain	Vo m/s
maximal	3,53	54,5	700
minimal	3,31	51,0	630

TMR	18,5g	RWS	
Patronenlänge 82,1 mm			
R 907	Gramm	Grain	Vo m/s
maximal	3,86	59,5	700
minimal	3,69	57,0	645

**9,3 X 64**

*Kaliber :*            *9,3 mm ( .366'' Dia. )*

*Hülse :*              *RWS*



TMF	12,5g	RWS	
Patronenlänge 76,4 mm			
R 901	Gramm	Grain	Vo m/s
maximal	3,76	58,0	780
minimal			

TMF	12,5g	RWS	
Patronenlänge 76,4 mm			
R 903	Gramm	Grain	Vo m/s
maximal	4,73	73,0	855
minimal			

KS	16,0g	RWS	
Patronenlänge 83,0 mm			
R 903	Gramm	Grain	Vo m/s
maximal	4,57	70,5	825
minimal	4,41	68,0	780

KS	16,0g	RWS	
Patronenlänge 83,0 mm			
R 904	Gramm	Grain	Vo m/s
maximal	4,89	75,5	835
minimal	4,80	74,0	785

TMR	16,5g	RWS	
Patronenlänge 82,0 mm			
R 903	Gramm	Grain	Vo m/s
maximal	4,70	72,5	820
minimal	4,41	68,0	765

TMR	16,5g	RWS	
Patronenlänge 82,0 mm			
R 904	Gramm	Grain	Vo m/s
maximal	4,99	77,0	815
minimal	4,80	74,0	760

HMK	16,7g	RWS	
Patronenlänge 85,5 mm			
R 903	Gramm	Grain	Vo m/s
maximal	4,50	69,5	820
minimal	4,21	65,0	750

HMK	16,7g	RWS	
Patronenlänge 85,5 mm			
R 904	Gramm	Grain	Vo m/s
maximal	4,93	76,0	815
minimal	4,80	74,0	760

TUG	19,0g	RWS	
Patronenlänge 85,5 mm			
R 903	Gramm	Grain	Vo m/s
maximal	4,31	66,5	765
minimal	4,08	63,0	710

TUG	19,0g	RWS	
Patronenlänge 85,5 mm			
R 904	Gramm	Grain	Vo m/s
maximal	4,86	75,0	785
minimal	4,67	72,0	740

TMR	18,5g	RWS	
Patronenlänge 84,5 mm			
R 907	Gramm	Grain	Vo m/s
maximal	4,41	68,0	780
minimal	4,08	63,0	700

TMR	18,5g	RWS	
Patronenlänge 84,5 mm			
R 905	Gramm	Grain	Vo m/s
maximal	4,99	77,0	775
minimal	4,86	75,0	720

# 9,3 X 72 R

*Kaliber :* 9,3 mm ( .364'' Dia. )

*Hülse :* RWS



TMF	12,5 g	RWS	
Patronenlänge 85,3 mm			
R 902	Gramm	Grain	V o m/s
maximal	2,92	45,0	660
minimal	2,66	41,0	570

TMF	12,5 g	RWS	
Patronenlänge 85,3 mm			
R 907	Gramm	Grain	V o m/s
maximal	3,31	51,0	660
minimal	3,24	50,0	615

# 9,3 X 74 R

*Kaliber :* 9,3 mm ( .366'' Dia. )

*Hülse :* RWS



TMR	16,5g	RWS	
Patronenlänge 93,0 mm			
R 902	Gramm	Grain	Vo m/s
maximal	3,76	58,0	720
minimal	3,56	55,0	670

TMR	16,5g	RWS	
Patronenlänge 93,0 mm			
R 907	Gramm	Grain	Vo m/s
maximal	4,11	63,5	730
minimal	3,95	61,0	705

KS	16,0g	RWS	
Patronenlänge 92,5 mm			
R 902	Gramm	Grain	Vo m/s
maximal	3,53	54,5	720
minimal	3,37	52,0	675

KS	16,0g	RWS	
Patronenlänge 92,5 mm			
R 907	Gramm	Grain	Vo m/s
maximal	3,99	61,5	750
minimal	3,89	60,0	700

HMK	16,7g	RWS	
Patronenlänge 94,5 mm			
R 902	Gramm	Grain	Vo m/s
maximal	3,50	54,0	700
minimal	3,31	51,0	650

HMK	16,7g	RWS	
Patronenlänge 94,5 mm			
R 907	Gramm	Grain	Vo m/s
maximal	3,86	59,5	720
minimal	3,76	58,0	650

TMR	18,5g	RWS	
Patronenlänge 94,0 mm			
R 902	Gramm	Grain	Vo m/s
maximal	3,56	55,0	690
minimal	3,50	54,0	670

TMR	18,5g	RWS	
Patronenlänge 94,0 mm			
R 907	Gramm	Grain	Vo m/s
maximal	3,82	59,0	685
minimal	3,76	58,0	675

VMR	18,5g	RWS	
Patronenlänge 94,0 mm			
R 902	Gramm	Grain	Vo m/s
maximal	3,53	54,5	690
minimal	3,43	53,0	670

VMR	18,5g	RWS	
Patronenlänge 94,0 mm			
R 907	Gramm	Grain	Vo m/s
maximal	3,79	58,5	680
minimal	3,76	58,0	670

TUG	19,0g	RWS	
Patronenlänge 95,8 mm			
R 902	Gramm	Grain	Vo m/s
maximal	3,43	53,0	670
minimal	3,24	50,0	630

TUG	19,0g	RWS	
Patronenlänge 95,8 mm			
R 907	Gramm	Grain	Vo m/s
maximal	3,69	57,0	650
minimal	3,63	56,0	635

**9 x 57 R**



*Kaliber :*            *9 mm ( .358'' Dia. )*

*Hülse :*                *umgeformt aus RWS 8 x 57 IS*



TMS	13,0g	Hornady	
Patronenlänge 77,0 mm			
R 901	Gramm	Grain	V o m/s
maximal	2,75	42,5	670
minimal	2,59	40,0	630

TMS	13,0g	Hornady	
Patronenlänge 77,0 mm			
R 903	Gramm	Grain	V o m/s
maximal	3,24	50,0	660
minimal	3,11	48,0	635

TMS	16,2g	Hornady	
Patronenlänge 79,0 mm			
R 902	Gramm	Grain	V o m/s
maximal	2,79	43,0	620
minimal	2,66	41,0	590

TMS	16,2g	Hornady	
Patronenlänge 79,0 mm			
R 903	Gramm	Grain	V o m/s
maximal	3,05	47,0	620
minimal	2,92	45,0	595

# 10,3 X 60 R

*Kaliber :* 10,5 mm ( .413'' Dia. )

*Hülse :* RWS



KS	16,4g	RWS	
Patronenlänge 79,0 mm			
R 902	Gramm	Grain	V o m/s
maximal	4,28	66,0	745
minim al	4,08	63,0	690

KS	16,4g	RWS	
Patronenlänge 79,0 mm			
R 907	Gramm	Grain	V o m/s
maximal	4,67	72,0	750
minim al	4,41	68,0	680

SG	16,4g	RWS	
Patronenlänge 79,0 mm			
R 902	Gramm	Grain	V o m/s
maximal	4,31	66,5	745
minim al	4,08	63,0	685

SG	16,4g	RWS	
Patronenlänge 79,0 mm			
R 907	Gramm	Grain	V o m/s
maximal	4,67	72,0	750
minim al	4,41	68,0	685

VMS	16,4g	RWS	
Patronenlänge 79,0 mm			
R 902	Gramm	Grain	V o m/s
maximal	4,28	66,0	745
minim al	4,08	63,0	685

VMS	16,4g	RWS	
Patronenlänge 79,0 mm			
R 907	Gramm	Grain	V o m/s
maximal	4,67	72,0	745
minim al	4,41	68,0	680

**10,75 X 68**

*Kaliber :*            *10,75 mm ( .423'' Dia. )*

*Hülse :*              *RWS*



V MR	22,5g	RWS	
Patronenlänge 80,8 mm			
R 902	Gramm	Grain	V o m/s
maximal	4,47	69,0	700
minimal	4,08	63,0	605

V MR	22,5g	RWS	
Patronenlänge 80,8 mm			
R 907	Gramm	Grain	V o m/s
maximal	4,80	74,0	700
minimal	4,60	71,0	600

V MR	26,0g	RWS	
Patronenlänge 81,0 mm			
R 902	Gramm	Grain	V o m/s
maximal	3,95	61,0	605
minimal	3,69	57,0	550

	Gramm	Grain	V o m/s
maximal			
minimal			