

aggiornato 2003

WARNING

The Rex data on this page was developed in the HP White Laboratories (H.P. White Laboratories * 314 Scarboro Rd. * Street, MD 21154) under controlled conditions. No data shown in the ensuing lead data section should be used with steel or Bismuth shot. NEVER substitute components when loading shotshells using this data. Substitution of different components could cause excessive or dangerous pressures, which could damage or destroy your firearm or cause serious person injury or even death to the user and/or bystanders.

Graf & Sons, Inc. has no control over variations in components, reloading tools or reloader's procedures. The individual is solely responsible for any changes in ballistics that may occur using this data.

NEVER EXCEED THE LOADS LISTED BELOW



Produced by NITROKEMIA Hungary

9mm

| Bullet | Primer | Powder | Grain | Velocity | CUP |
|-------------|----------|--------|-------|----------|-------|
| 115 gr FMJ | RM 1 1/2 | Rex II | 4.3 | 1103 | 31120 |
| 125 gr Lead | RM 1 1/2 | Rex II | 4.3 | 1059 | 31670 |

38 Super

| Bullet | Primer | Powder | Grain | Velocity | CUP |
|------------|---------|---------|-------|----------|-------|
| 115 gr JHP | CCI 500 | Rex II | 5.6 | 1169 | 31380 |
| 130 gr FMJ | CCI 500 | Rex II | 4.6 | 1043 | 30680 |
| 147 gr JHP | CCI 500 | Rex II | 4.0 | 910 | 30250 |
| 115 gr JHP | CCI 500 | Rex III | 6.3 | 1223 | 32300 |
| 130 gr FMJ | CCI 500 | Rex III | 5.6 | 1095 | 30660 |
| 147 gr JHP | CCI 500 | Rex III | 4.8 | 976 | 31800 |

38 Spl + P

| Bullet | Primer | Powder | Grain | Velocity | CUP |
|-----------------|---------------|---------------|--------------|-----------------|------------|
| 125 gr JHP | WINWSP | Rex II | 5.0 | 1043 | 19400 |
| 148 gr Lead WC | WINWSP | Rex II | 4.1 | 1021 | 19990 |
| 158 gr Lead SWC | WINWSP | Rex II | 4.0 | 923 | 18660 |

40 S & W

| Bullet | Primer | Powder | Grain | Velocity | CUP |
|---------------|---------------|---------------|--------------|-----------------|------------|
| 155 gr JHP | WINWSP | Rex II | 5.9 | 1075 | 34570 |
| 175 gr Lead | WINWSP | Rex II | 4.2 | 930 | 32970 |

45 ACP

| Bullet | Primer | Powder | Grain | Velocity | CUP |
|-----------------|---------------|---------------|--------------|-----------------|------------|
| 185 gr JHP | WINWLP | Rex II | 5.7 | 901 | 17900 |
| 200 gr Lead SWC | WINWLP | Rex II | 5.3 | 949 | 17440 |
| 230 gr Lead RN | WINWLP | Rex II | 4.8 | 857 | 17780 |