



RELOADING MANUAL DATA CARTRIDGE PISTOL



## Handgun Data

.25 A.C.P.

REM. CASE; CCI 500 PR

HORNADY 50 GR. FMJ; .251" DIA.;

2.0" PISTOL BBL.; .900" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	1.1	740	14400
PB	1.1	740	17700
SR 7625	1.2	755	17900
SR 4756	1.4	770	16900
"Hi-Skor" 800-X	1.8	815	17800



## Handgun Data

.380 A.C.P.

REM. CASE; REM. 1 1/2 PR.

HORNADY 90 GR. HP; .355" DIA.;

3.75" PISTOL BBL.; .970" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	2.9	985	15900
PB	3.0	890	15700
SR 7625	3.2	880	14700
SR 4756	3.6	880	15500
"Hi-Skor" 800-X	4.1	870	15500



## Handgun Data

.380 A.C.P.

REM. NICKEL CASE; CCI 500 PR.

HORNADY 115 GR. HP; .357" DIA.;

5.0" PISTOL BBL.; 1.265" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	4.0	955	22900
PB	4.0	955	22500
SR 7625	4.5	955	21800
SR 4756	5.2	965	21800
"Hi-Skor" 800-X	5.9	1015	21900



## Handgun Data

.380 A.C.P.

REM. CASE; CCI 500 PR.

HORNADY 100 GR. FMJ; .355" DIA.;

3.75" PISTOL BBL.; .980" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	2.7	840	15200
PB	2.8	835	15400
SR 7625	3.0	855	15500
SR 4756	3.5	875	15900
"Hi-Skor" 800-X	4.0	840	14700



## Handgun Data

9 MM LUGER

REM. CASE; REM. 1 1/2 P.

REM. 115 GR. JHP; .354" DIA.;

4.0" PISTOL BBL.; 1.110" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	4.7	1130	32600
PB	4.8	1075	32500
SR 7625	5.1	1095	32400
SR 4756	6.3C	1175	30600
"Hi-Skor" 800-X	6.5	1150	30300
IMR 4227	8.8C	820	14500



## Handgun Data

9 MM LUGER

REM. CASE; CCI 500 P.

REM. 124 GR. MC; .354" DIA.;

4.0" PISTOL BBL.; 1.125" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	4.8	1110	32600
PB	4.9C	1050	32500
SR 7625	4.9	1040	32300
SR 4756	6.3C	1160	32400
"Hi-Skor" 800-X	6.5C	1115	28600
IMR 4227	8.8C	790	13200



## Handgun Data

9 MM LUGER

REM. CASE; FED. 100 PR

HORNADY 147 GR. BTHP/XPT

.355" DIA.; 4.0" PISTOL BBL.; 1.130" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	3.7	935	32100
PB	4.0	950	32800
SR 7625	4.3	950	32900
SR 4756	4.4	950	32700
"Hi-Skor" 800-X	5.3	1025	32900



## Handgun Data

.38 SPECIAL  
 REM. CASE; REM. 1 1/2 PR  
 REM. 95 GR. SJHP; .357" DIA.;  
 6.0" REVOLVER BBL.; 1.470" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	4.6	1025	15600
PB	5.1	1055	15600
SR 7625	5.6	1065	15700
SR 4756	6.5	1080	15900
"Hi-Skor" 800-X	7.8	1195	15700
IMR 4227	11.9	1090	15900



## Handgun Data

.38 SPECIAL  
 REM. CASE; REM. 1 1/2 PR  
 HORNADY 110 GR. HP; .357" DIA.;  
 6.0" REVOLVER BBL.; 1.460" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	4.2	970	15400
PB	4.8	990	15200
SR 7625	5.5	1060	15400
SR 4756	6.2	1040	15600
"Hi-Skor" 800-X	7.2	1095	15800
IMR 4227	11.1	1020	15800



## Handgun Data

.38 SPECIAL  
 REM. CASE; REM. 1 1/2 PR  
 REM. 125 GR. SJHP; .357" DIA.;  
 6.0" REVOLVER BBL.; 1.525" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	4.1	840	15600
PB	4.6	865	15500
SR 7625	5.3	935	15900
SR 4756	6.1	925	15900
"Hi-Skor" 800-X	6.9	980	15500
IMR 4227	10.8	930	16000



## Handgun Data

.38 SPECIAL  
 REM. CASE; REM. 1 1/2 PR  
 SPEER 140 GR. JHP; .357" DIA.;  
 6.0" REVOLVER BBL.; 1.455" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	3.7	730	15900
PB	4.2	735	15700
SR 7625	4.6	480	15800
SR 4756	5.6	765	16000
"Hi-Skor" 800-X	6.0	830	15700
IMR 4227	10.3	800	15600





## Handgun Data

.38 SPECIAL  
 REM. CASE; REM. 1 1/2 PR  
 SPEER 146 GR. JHP; .357" DIA.;  
 6.0" REVOLVER BBL.; 1.395" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	3.5	725	15900
PB	3.9	725	15700
SR 7625	4.2	740	15600
SR 4756	5.2	840	15600
"Hi-Skor" 800-X	5.8	805	15400
IMR 4227	10.3	880	15700



## Handgun Data

.38 SPECIAL  
 REM. CASE; REM. 1 1/2 PR  
 SPEER 148 GR. LEAD BBWC;  
 .358" DIA.; 6.0" REVOLVER BBL.; 1.295" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	2.6	710	87000
"Hi-Skor" 700-X	3.5	850	16000
PB	2.8	705	8400
PB	3.8	855	15800
SR 7625	3.2	715	8200
SR 7625	4.2	845	16000
"Hi-Skor" 800-X	4.3	710	8600
"Hi-Skor" 800-X	5.5	905	15900
SR 4756	5.2	905	16000

IMR 4227	11.4	945	16000
----------	------	-----	-------



## Handgun Data

.38 SPECIAL

REM. CASE; REM. 1 1/2 PR

REM. 148 GR. LEAD WC; .358" DIA.;  
6.0" REVOLVER BBL.; 1.225" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	2.4	715	8800
PB	2.7	710	7900
SR 7625	2.9	700	6900
"Hi-Skor" 800-X	4.0	705	9400



## Handgun Data

.38 SPECIAL

REM. CASE; REM. 1 1/2 PR

SIERRA 150 GR. JHC; .357" DIA.;  
6.0" REVOLVER BBL.; 1.445" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	3.5	755	15900
PB	4.0	765	15900
SR 7625	4.3	770	15700
SR 4756	5.4	765	16000
"Hi-Skor" 800-X	5.7	795	15600
IMR 4227	10.0	770	15900



## Handgun Data

.38 SPECIAL  
 REM. CASE; REM. 1 1/2 PR  
 HORNADY 158 GR. JFP; .357" DIA.;  
 6.0" REVOLVER BBL.; 1.465" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	3.4	585	15300
PB	3.9	620	16000
SR 7625	4.3	660	15700
SR 4756	5.2	705	15300
"Hi-Skor" 800-X	5.5	695	15400
IMR 4227	9.7	705	15900



## Handgun Data

.38 SPECIAL  
 REM. CASE; REM. 1 1/2 PR  
 REM. 158 GR. LEAD RN; .358" DIA.;  
 6.0" REVOLVER BBL.; 1.520" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	3.0	740	11700
"Hi-Skor" 700-X	3.6	790	15800
PB	3.4	745	11700
PB	4.0	775	15500
SR 7625	3.7	745	10000
SR 7625	4.3	790	15200
"Hi-Skor" 800-X	4.8	750	11500

"Hi-Skor" 800-X	5.7	875	16000
SR 4756	5.2	825	15800
IMR 4227	9.5	825	15700



## Handgun Data

.38 SPECIAL  
 REM. CASE; REM. 1 1/2 PR  
 REM. 158 GR. LEAD SWC; .358" DIA.;  
 6.0: REVOLVER BBL.; 1.550" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	3.2	745	13100
"Hi-Skor" 700-X	3.5	790	15400
PB	3.6	750	12200
PB	4.0	800	15800
SR 7625	3.8	750	11000
SR 7625	4.5	790	16000
"Hi-Skor" 800-X	5.0	750	11600
"Hi-Skor" 800-X	5.9	880	16000
SR 4756	5.4	840	15900
IMR 4227	9.7	825	15700



## Handgun Data

.38 SPECIAL  
 REM. CASE; REM. 1 1/2 PR  
 REM. 200 GR. LEAD RN; .358" DIA.;  
 6.0" REVOLVER BBL.; 1.500" C.O.L.

## IMR Handgun Data

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	3.0	725	15000
PB	3.4	760	15800
SR 7625	3.5	755	15800
SR 4756	4.3	740	15700
"Hi-Skor" 800-X	4.6	725	15500
IMR 4227	9.2	870	15900



## Handgun Data

.357 MAGNUM  
 REM. CASE; REM. 5 1/2 DIA.;  
 HORNADY 110 GR. JHP; 357" DIA.;  
 6.0" REVOLVER BBL.; 1.590" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	6.6	1165	35600
PB	7.6	1195	36000
SR 7625	7.9	1230	35600
SR 4756	9.5	1330	35800
"Hi-Skor" 800-X	10.9	1475	33600
IMR 4227	21.0C	1510	35600



## Handgun Data

.357 MAGNUM  
 REM. CASE; REM. 5 1/2 PR  
 REM. 125 GR. SJHP; .357" DIA.;  
 6.0" REVOLVER BBL.; 1.580" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	6.2	1075	36000
PB	6.8	1060	35800
SR 7625	7.4	1100	35800
SR 4756	8.6	1180	35800
"Hi-Skor" 800-X	10.2	1360	35300
IMR 4227	18.5C	1325	34500



## Handgun Data

.357 MAGNUM

REM. CASE; REM. 5 1/2 PR

SPEER 146 GR. JHP; .357" DIA.;

6.0" REVOLVER BBL.; 1.500" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	5.2	915	35600
PB	5.6	885	36000
SR 7625	6.2	945	35600
SR 4756	7.9	1060	36000
"Hi-Skor" 800-X	9.2	1215	36000
IMR 4227	14.9	1100	34500



## Handgun Data

.357 MAGNUM

REM. CASE; REM. 5 1/2 PR

REM. 148 GR. LEAD WC; .358" DIA.;

6.0" REVOLVER BBL.; 1.325" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	3.0	705	14900
PB	3.3	705	10500
SR 7625	3.5	705	9100
"Hi-Skor" 800-X	4.5	715	14100



## Handgun Data

.357 MAGNUM

REM. CASE; REM. 5 1/2 PR

SPEER 148 GR. LEAD WC; .358" DIA.;  
6.0" REVOLVER BBL.; 1.420" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	3.0	720	13100
"Hi-Skor" 700-X	5.1	980	34800
PB	3.3	720	12300
PB	5.7	1010	35400
"Hi-Skor" 800-X	4.5	710	13500
"Hi-Skor" 800-X	8.3	1215	35500
SR 7625	6.0	1030	35600
SR 4756	8.5	1215	35600
IMR 4227	15.0C	1185	32700



## Handgun Data

.357 MAGNUM

REM. CASE; REM. 5 1/2 PR

SIERRA 150 GR. HC; .357" DIA.;  
6.0" REVOLVER BBL.; 1.590" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	5.6	905	35900
PB	5.9	875	35700
SR 7625	6.4	925	35600
SR 4756	7.8	975	35800
"Hi-Skor" 800-X	9.0	1135	35300
IMR 4227	15.9	1130	35600





## Handgun Data

.357 MAGNUM

REM. CASE; REM. 5 1/2 PR

REM. 158 GR. LEAD SWC; .358" DIA.;  
6.0" REVOLVER BBL.; 1.580" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	5.5	980	35600
PB	5.9	985	35700
SR 7625	6.5	1020	35800
SR 4756	7.7	1110	35800
"Hi-Skor" 800-X	8.9	1215	36000
IMR 4227	15.8	1205	35800



## Handgun Data

.357 MAGNUM

REM. CASE; REM. 5 1/2 PR

REM. 158 GR. SJHP; .357" DIA.;  
6.0" REVOLVER BBL.; 1.580" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	5.2	885	35800
PB	5.7	875	36000
IMR 7625	6.2	855	35700
SR 4756	7.5	940	35700
"Hi-Skor" 800-X	8.6	1080	35400
IMR 4227	15.3C	1075	36000



## Handgun Data

.357 MAGNUM  
 REM. CASE; REM 5 1/2 PR  
 SIERRA 170 GR. SILHOUETTE FMJ;  
 .357" DIA.; 6.0" REVOLVER BBL.;  
 1.580" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	4.8	795	35600
PB	5.1	785	35600
SR 7625	5.6	815	35600
SR 4756	7.1	885	35600
"Hi-Skor" 800-X	8.3	1030	35500
IMR 4227	13.7	985	35500



## Handgun Data

.357 MAGNUM  
 REM. CASE; REM. 5 1/2 PR  
 REM. 200 GR. LEAD RN; .358" DIA.;  
 6.0" REVOLVER BBL.; 1.590" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	4.3	795	35800
PB	4.6	780	35700
SR 7625	5.1	795	35700
SR 4756	6.2	885	35900
"Hi-Skor" 800-X	7.5	995	36000
IMR 4227	12.5	955	35500



## Handgun Data

10 MM AUTO  
 REM. CASE; REM. 2 1/2 PR  
 REM. 155 GR. JHP; .400" DIA.  
 5.0" BBL.; 1.250" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (psi)
"Hi-Skor" 700-X	6.4	1220	34300
PB	7.2	1235	35000
SR 7625	7.8	1275	34300
SR 4756	8.5	1310	34400
"Hi-Skor" 800-X	9.8	1350	30000



## Handgun Data

10 MM AUTO  
 REM. CASE; REM. 2 1/2 PR  
 HORNADY 200 GR. HP/XTP; .400 DIA.  
 5.0" BBL.; 1.250" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (psi)
"Hi-Skor" 700-X	5.2	975	33000
PB	5.5	970	34300
SR 7625	6.2	1040	35700
SR 4756	6.6	1045	35800
"Hi-Skor" 800-X	7.8	1130	32500



## Handgun Data

10 MM AUTO  
 REM. CASE; REM. 2 1/2 PR  
 WIN. 180 GR. JHP; .400 DIA.  
 5.0" BBL.; 1.250" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (psi)
"Hi-Skor" 700-X	6.0	1105	34400
PB	6.4	1105	34900
SR 7625	7.0	1140	35100
SR 4756	7.6	1155	34400
"Hi-Skor" 800-X	8.7	1210	30000



## Handgun Data

.40 S & W  
 WIN. CASE; WIN WSP PR  
 NOSLER 135 GR. HP; .400" DIA.  
 4.0" PISTOL BBL.; 1.125" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (psi)
"Hi-Skor" 700-X	6.2	1210	32900
PB	7.5	1230	31000
SR 7625	7.8	1250	30200
SR 4756	9.0	1285	30000
"Hi-Skor" 800-X	10.5	1305	24000



## Handgun Data

.40 S & W  
 WIN. CASE; WIN WSP PR  
 SIERRA 150 FR. JHP; .400" DIA.  
 4.0" PISTOL BBL.; 1.125" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (psi)
"Hi-Skor" 700-X	5.5	1120	34000
PB	6.5	1135	33500
SR 7625	7.2	1165	32500
SR 4756	7.8	1195	32700
"Hi-Skor" 800-X	8.8	1205	25000



## Handgun Data

.40 S & W  
 WIN. CASE; WIN WSP PR  
 HORNADY 180 GR. HP/XTP; .400" DIA.  
 4.0" PISTOL BBL.; 1.125" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (psi)
"Hi-Skor" 700-X	4.6	970	34600
PB	5.1	975	34400
SR 7625	5.7	990	33300
SR 4756	6.0	1000	33100
"Hi-Skor" 800-X	7.2	1030	26000



## Handgun Data

.40 S & W  
 WIN. CASE; WIN WSP PR  
 SPEER 200 GR. TMJ; .400" DIA.  
 4.0" PISTOL BBL.; 1.125" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (psi)
"Hi-Skor" 700-X	4.3	840	33800
PB	4.5	845	33900
SR 7625	5.2	885	34100
SR 4756	5.6	905	34200
"Hi-Skor" 800-X	6.3	925	26100



## Handgun Data

.41 REMINGTON MAGNUM  
 REM. CASE; REM. 2 1/2 PR  
 SIERRA 170 GR. JHC; .410" DIA.;  
 10" PISTOL BBL.; 1.575" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	8.4	1375	39800
SR 7625	10.8	1485	39400
PB	11.3	1460	40000
SR 4756	14.6	1650	39600
"Hi-Skor" 800-X	14.6	1760	39200



## Handgun Data

.41 REMINGTON MAGNUM  
 REM. CASE; REM. 2 1/2 PR  
 REM. 210 GR. JSP; .410" DIA.;  
 10" PISTOL BBL.; 1.590" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	7.6	1185	39000
SR 7625	9.1	1245	3970
PB	9.7	1265	40000
"Hi-Skor" 800-X	12.0	1480	39900
SR 4756	12.8	1455	39700



## Handgun Data

.41 REMINGTON MAGNUM  
 REM. CASE; REM. 2 1/2 PR  
 REM. 210 GR. LEAD SWC; .411" DIA.;  
 10" PISTOL BBL.; 1.590" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	7.4	1180	39100
SR 7625	9.0	1255	39500
PB	9.0	1250	39300
"Hi-Skor" 800-X	11.5	1475	38700
SR 4756	11.7	1420	40000





**SMOKELESS POWDERS**

## Handgun Data

.44 S & W SPECIAL  
 REM. CASE; REM. 2 1/2 PR  
 HORNADY 240 GR. LEAD SWC;  
 .430" DIA.; 6.5" REVOLVER BBL.; 1.470" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	4.9	740	13900
PB	5.7	750	14000
SR 7625	6.2	770	13800
"Hi-Skor" 800-X	6.9	695	13900
SR 4756	7.5	760	13600
IMR 4227	14.3	7.90	13700



**SMOKELESS POWDERS**

## Handgun Data

.44 S & W SPECIAL  
 REM. CASE; REM. 2 1/2 PR  
 REM. 246 GR. LEAD RN; .431" DIA.;  
 6.5" REVOLVER BBL.; 1.570" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	4.8	740	13600
PB	5.6	745	13600
SR 7625	6.2	780	14000
"Hi-Skor" 800-X	7.2	730	13900
SR 4756	7.7	775	13800
IMR 4227	14.2	815	14000



## Handgun Data

.44 REMINGTON MAGNUM  
 REM. CASE; REM. 2 1/2 PR  
 SPEER 200 GR. J MAG. HP;  
 .429" DIA.; 8.25" PISTOL BBL.; 1.610" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	10.1	1300	40000
PB	12.0	1340	39800
SR 7625	12.1	1350	39700
SR 4756	14.6	1475	39800
"Hi-Skor" 800-X	15.5	1600	39800
IMR 4227	27.0C	1520	33800



## Handgun Data

.44 REMINGTON MAGNUM  
 REM. CASE; REM. 2 1/2 PR  
 SPEER 225 GR. JHP; .429" DIA.  
 8.25" PISTOL BBL.; 1.585" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	9.8	1235	40000
PB	11.2	1245	39900
SR 7625	11.7	1260	39900
SR 4756	14.5	1390	39600
"Hi-Skor" 800-X	15.4	1525	39800
IMR 4227	23.0C	1295	30700



## Handgun Data

.44 REMINGTON MAGNUM  
 REM. CASE; REM. 2 1/2 PR  
 SIERRA 240 GR. JHC; .4295" DIA.;  
 8.25" PISTOL BBL.; 1.590" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	10.3	1200	39400
PB	11.1	1185	39800
SR 7625	11.6	1190	39900
SR 4756	13.3	1260	39800
"Hi-Skor" 800-X	14.2	1415	39600
IMR 4227	22.0C	1275	32600



## Handgun Data

.44 REMINGTON MAGNUM  
 REM. CASE; REM. 2 1/2 PR  
 REM. 240 GR. JSP; .430" DIA.;  
 8.25" PISTOL BBL.; 1.610" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	10.3	1205	39400
PB	11.4	1230	39600
SR 7625	11.5	1225	39800
SR 4756	13.6	1315	39900
"Hi-Skor" 800-X	14.3	1415	40000
IMR 4227	24.0C	1370	34900



## Handgun Data

.44 REMINGTON MAGNUM  
 REM. CASE; REM. 2 1/2 PR  
 REM. 240 GR. LEAD GC; .432" DIA.;  
 8.25" PISTOL BBL.; 1.610" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	9.5	1205	39600
PB	11.0	1240	39700
SR 7625	11.3	1260	39700
"Hi-Skor" 800-X	13.5	1400	39600
SR 4756	13.9	1385	39800
IMR 4227	24.0C	1420	35200



## Handgun Data

.44 REMINGTON MAGNUM  
 REM. CASE; REM. 2 1/2 PR  
 HORNADY 240 GR. LEAD SWC;  
 .430" DIA.; 8.25" PISTOL BBL.; 1.585" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	9.5	1185	40000
PB	10.3	1195	39600
SR 7625	10.7	1190	39700
SR 4756	13.3	1320	39700
"Hi-Skor" 800-X	13.4	1395	39600
IMR 4227	22.0C	1310	33300



## Handgun Data

.45 A.C.P.

REM. CASE; REM. 2 1/2 PR

REM. 185 GR. MC HP; .451" DIA.;

5.0" PISTOL BBL.; 1.210" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	5.3	845	17500
PB	6.1	855	17900
SR 7625	6.9	890	18000
"Hi-Skor" 800-X	8.6	975	18000
SR 4756	8.7	920	17900



## Handgun Data

.45 A.C.P.

REM. CASE; REM. 2 1/2 PR

REM. 185 GR MC SWC MATCH;

.451" DIA.; 5.0" PISTOL BBL.;

1.150" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	4.4	760	14300
"Hi-Skor" 700-X	5.5	950	17900
PB	5.1	755	13600
PB	5.9	890	17900
SR 7625	5.7	760	13100
SR 7625	6.5	895	17700
"Hi-Skor" 800-X	6.8	785	12400
"Hi-Skor" 800-X	8.2	980	17700
SR 4756	8.4	940	17900



## Handgun Data

.45 A.C.P.  
 REM. CASE; REM. 2 1/2 PR  
 SPEER 200 GR. JHP; .451" DIA.;  
 5.0" PISTOL BBL.; 1.170" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	5.1	815	17500
PB	6.0	825	17200
SR 7625	6.4	825	17200
SR 4756	8.1	880	17700
"Hi-Skor" 800-X	8.3	840	18000



## Handgun Data

.45 A.C.P.  
 REM. CASE; REM. 2 1/2 PR  
 HORNADY 200 GR. LEAD SWC;  
 .452" DIA.; 5.0" PISTOL BBL.;  
 1.170" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	4.4	775	12000
"Hi-Skor" 700-X	5.5	930	17700
PB	5.1	770	11900
PB	5.9	885	17900
SR 7625	5.6	770	12600
"Hi-Skor" 800-X	6.4	775	12700
"Hi-Skor" 800-X	7.9	950	18000
SR 7625	6.5	900	18000
SR 4756	7.0	765	12000

SR 4756	8.2	930	17900
---------	-----	-----	-------



## Handgun Data

.45 A.C.P.  
 REM. CASE; REM. 2 1/2 PR  
 REM. 230 GR. LEAD; .451" DIA.;  
 5.0" PISTOL BBL.; 1.270" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	4.7	775	17700
PB	5.2	765	15500
PB	5.5	810	17900
SR 7625	5.8	775	13600
SR 7625	6.2	825	17700
"Hi-Skor" 800-X	6.2	760	13800
"Hi-Skor" 800-X	7.2	860	18000
SR 4756	6.9	770	14000
SR 4756	7.5	960	17800



## Handgun Data

.45 A.C.P.  
 REM. CASE; REM. 2 1/2 PR  
 REM. 230 GR. MC; .450" DIA.;  
 5.0" PISTOL BBL.; 1.260" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	5.0	770	17700
PB	5.5	750	17900

## IMR Handgun Data

SR 7625	6.0	745	17400
"Hi-Skor" 800-X	7.3	840	17800
SR 4756	7.4	795	17600





## Handgun Data

.45 COLT

REM. CASE; REM. 2 1/2 PR

REM. 250 GR. LEAD; .454" DIA.;

7.25" PISTOL BBL.; 1.600" C.O.L.

IMR Powder	Charge (grains)	Velocity (ft/sec)	Chamber Press (cup)
"Hi-Skor" 700-X	6.3	815	13710
PB	7.2	830	13600
SR 7625	8.7	895	13900
"Hi-Skor" 800-X	9.5	915	13700
SR 4756	10.0	885	13500
IMR 4227	17.7	890	14000