



TABELLE PER PISTOLA E REVOLVER

Calibro	Proiettile		Innesco	Polvere		
	Tipo	Peso		Tipo	Dose/Grani(grs.)	
		Grani(grs)			Min.	Max.
6,35 Browing	FMJ RN	50	SP	PEFL 26	1,1	1,2
	HP	35	SP	PEFL 26	1,2	1,4
	LEAD RN	50	SP	PEFL 26	1,0	1,1
7,65 Browing	FMJ RN	73	SP	PEFL 26	2,2	2,5
	HP	60	SP	PEFL 26	2,4	2,8
	LEAD RN	75	SP	PEFL 26	2,0	2,3
7,65 Parabellum	FMJ RN	93	SP	PEFL 26	3,9	4,4
	LEAD RN	93	SP	PEFL 26	3,7	4,2
	FMJ RN	93	SP	PEFL 28	5,0	5,8
	LEAD RN	93	SP	PEFL 28	5,0	5,6
	LEAD RN	110	SP	PEFL 28	4,7	5,2
9 Corto	FMJ RN	95	SP	PEFL 26	2,7	3,0

	LEAD RN	95	SP	PEFL 26	2,6	2,9
	FMJ TC	100	SP	PEFL 26	2,5	2,8
9 x 21 e 9 Luger	FMJ TC	100	SP	PEFL 26	4,5	5,0
	FMJ	115	SP	PEFL 26	4,4	4,7
	FMJ TC	123	SP	PEFL 26	4,0	4,4
	LEAD RN TC	124	SP	PEFL 26	3,9	4,3
	CAST TC	124	SP	PEFL 26	4,0	4,3
	FMJ TC	123	SP	PEFL 28	5,4	6,4
	LEAD RN TC	124	SP	PEFL 28	5,3	6,1
38 Special	LEAD RN	158	SP	PEFL 26	4,0	4,5
	CAST SWC	158	SP	PEFL 26	3,8	4,4
	HB Wadcutter	148	SP	PEFL 26	3,0	3,4
	FMJ FP	110	SP	PEFL 26	4,6	5,0
	SJSP HP	125	SP	PEFL 26	4,4	4,8
	SJSP FMJ	158	SP	PEFL 26	4,0	4,4
357 Magnum	HB Wadcutter	148	SP	PEFL 26	3,3	3,8
	SJSP HP	158	SP	PEFL 26	5,8	6,5
	LEAD SWC	158	SP	PEFL 26	4,6	5,4
	SJSP HP	125	SP	PEFL 28	10,0	11,0
	SJSP HP	158	SP	PEFL 28	8,5	9,2
	LEAD SWCgc	158	SP	PEFL 28	8,3	8,8
	SJSP HP	125	SPM	M410	17,0	18,5
	FMJ-TC	142	SPM	M410	16,0	17,5
	SJSP HP	158	SPM	M410	15,0	16,0

40 S & W	LEAD RN CN	145	SP	PEFL 26	4,4	5,1
	FMJ JHP	155	SP	PEFL 26	4,4	5,0
	FMJ TC	170	SP	PEFL 26	4,3	4,8
	LEAD TC TFL	180	SP	PEFL 26	4,2	4,7
	JHP	145	SP	PEFL 26	4,5	5,2
	LEAD RN CN	170	SP	PEFL 26	4,2	4,8
	LEAD RN CN	170	SP	PEFL 28	5,0	5,7
	LEAD TC TFL	180	SP	PEFL 28	5,0	5,6
	FMJ TC	170	SP	PEFL 28	5,8	6,5
44 Magnum	LEAD SWC	200	LPM	PEFL 26	7,5	9,0
	LEAD SWC	220	LPM	PEFL 26	7,2	8,7
	LEAD SWC	240	LPM	PEFL 26	6,8	8,5
	SJSP HP	240	LPM	PEFL 26	7,6	8,8
	SJSP SIL	220	LPM	PEFL 26	8,0	9,2
	LEAD SWC gc	240	LPM	PEFL 28	11,5	12,8
	SJSP HP	240	LPM	PEFL 28	12,0	13,2
	SJSP HP	240	LPM	M410	20,5	22,0
	LEAD SWC gc	300	LPM	M410	16,5	18,0
45 ACP	LEAD SWC	200	LPM	PEFL 26	4,5	5,1
	FMJ SWC	185	LPM	PEFL 26	4,8	5,5
	FMJ SWC	200	LPM	PEFL 26	4,7	5,3
	FMJ RN	230	LPM	PEFL 26	4,5	4,9
	LEAD RN	230	LPM	PEFL 26	4,3	4,8
	FMJ RN	230	LPM	PEFL 28	6,2	7,0
	LEAD RN	230	LPM	PEFL 28	6,0	6,6

454 Casull	Lead SWC	255	SR	M410	22,0	26,5
	SJSP-HP	300	SR	M410	23,0	26,0