



TROPATICO



**ROTTWEILL**

22-250 Rem.	.300 Weatherby Mag.
.222 Rem.	.300 H.H.Mag.
.223 Rem.	.338 Win.Mag.
.243 Win.	.375 H.H.Mag.
.270 Win.	.378 Weatherby Mag.
.280 Rem.	.416 Rem. Mag.
.30M1	.444 Marlin
30-30 Win.	45-70
.303 British	.460 Weatherby Mag.
.308 Win.	.470 Nitro Ex.
30-06	
.300 Win.Mag.	

# **.22 - 250 Remington**

*Kaliber :*            *5,6 mm ( .224'' Dia. )*

*Hülse :*              *R-P*



TMS	3,0g	RWS	
Patronenlänge 56,7 mm			
R 907	Gramm	Grain	Vo m/s
maximal	2,40	37,0	1080
minimal	2,27	35,0	965

TMS	3,0g	RWS	
Patronenlänge 56,7 mm			
R 902	Gramm	Grain	Vo m/s
maximal	2,20	34,0	1110
minimal	2,00	31,0	970

TMS	3,2g	RWS	
Patronenlänge 57,6 mm			
R 907	Gramm	Grain	Vo m/s
maximal	2,40	37,0	1100
minimal	2,30	35,5	1000

TMS	3,2g	RWS	
Patronenlänge 57,6 mm			
R 904	Gramm	Grain	Vo m/s
maximal	2,62	40,5	1115
minimal	2,43	37,5	1005

KS	4,8g	RWS	
Patronenlänge 58,8 mm			
R 907	Gramm	Grain	Vo m/s
maximal	2,17	33,5	960
minimal	2,04	31,5	920

KS	4,8g	RWS	
Patronenlänge 58,8 mm			
R 905	Gramm	Grain	Vo m/s
maximal	2,53	39,0	970
minimal	2,40	37,0	925

# **.222 Remington**

*Kaliber :*            *5,6 mm ( .224'' Dia. )*

*Hülse :*                *RWS*



VMF	2,6g	RWS	
Patronenlänge 50,0 mm			
R 901	Gramm	Grain	Vo m/s
maximal	1,49	23,0	1030
minimal	1,30	20,0	905

VMF	2,6g	RWS	
Patronenlänge 50,0 mm			
R 902	Gramm	Grain	Vo m/s
maximal	1,56	24,0	1015
minimal	1,36	21,0	900

TMS	3,0g	RWS	
Patronenlänge 00,0 mm			
R 901	Gramm	Grain	Vo m/s
maximal	1,36	21,0	960
minimal	1,23	19,0	855

TMS	3,0g	RWS	
Patronenlänge 00,0 mm			
R 902	Gramm	Grain	Vo m/s
maximal	1,49	23,0	980
minimal	1,36	21,0	880

MJ/SG	3,0g	RWS	
Patronenlänge 00,0 mm			
R 901	Gramm	Grain	Vo m/s
maximal	1,39	21,5	935
minimal	1,26	19,5	850

MJ/SG	3,0g	RWS	
Patronenlänge 00,0 mm			
R 902	Gramm	Grain	Vo m/s
maximal	1,56	24,0	965
minimal	1,43	22,0	900

TMS	3,2g	RWS	
Patronenlänge 00,0 mm			
R 901	Gramm	Grain	Vo m/s
maximal	1,36	21,0	940
minimal	1,23	19,0	850

TMS	3,2g	RWS	
Patronenlänge 00,0 mm			
R 902	Gramm	Grain	Vo m/s
maximal	1,49	23,0	965
minimal	1,43	22,0	900

MJ/SG	3,2g	RWS	
Patronenlänge 00,0 mm			
R 901	Gramm	Grain	Vo m/s
maximal	1,36	21,0	880
minimal	1,23	19,0	780

MJ/SG	3,2g	RWS	
Patronenlänge 00,0 mm			
R 902	Gramm	Grain	Vo m/s
maximal	1,49	23,0	915
minimal	1,36	21,0	800

VMS	3,2g	RWS	
Patronenlänge 00,0 mm			
R 901	Gramm	Grain	Vo m/s
maximal	1,36	21,0	940
minimal	1,23	19,0	850

VMS	3,2g	RWS	
Patronenlänge 00,0 mm			
R 902	Gramm	Grain	Vo m/s
maximal	1,49	23,0	970
minimal	1,43	22,0	900

TMS	3,6g	RWS	
Patronenlänge 00,0 mm			
R 901	Gramm	Grain	Vo m/s
maximal	1,33	20,5	845
minimal	1,23	19,0	800

TMS	3,6g	RWS	
Patronenlänge 00,0 mm			
R 902	Gramm	Grain	Vo m/s
maximal	1,43	22,0	875
minimal	1,36	21,0	820

# **.223 Remington**

*Kaliber :*            *5,6 mm ( .224'' Dia. )*

*Hülse :*              *RWS*



TMH	2,6 g	RWS	
Patronenlänge 52,0 mm			
R 910	Gramm	Grain	Vo m/s
maximal	1,10	17,0	960
minimal	0,65	10,0	630

TMH	2,6 g	RWS	
Patronenlänge 52,0 mm			
R 901	Gramm	Grain	Vo m/s
maximal	1,62	25,0	1015
minimal	1,56	24,0	970

TMS	3,0g	RWS	
Patronenlänge 53,8 mm			
R 901	Gramm	Grain	Vo m/s
maximal	1,49	23,0	940
minimal	1,43	22,0	900

TMS	3,0g	RWS	
Patronenlänge 53,8 mm			
R 902	Gramm	Grain	Vo m/s
maximal	1,69	26,0	990
minimal	1,59	24,5	935

MJ/SG	3,0g	RWS	
Patronenlänge 53,5 mm			
R 901	Gramm	Grain	Vo m/s
maximal	1,49	23,0	945
minimal	1,43	22,0	900

MJ/SG	3,0g	RWS	
Patronenlänge 53,5 mm			
R 902	Gramm	Grain	Vo m/s
maximal	1,69	26,0	990
minimal	1,59	24,5	935

TMS	3,2g	RWS	
Patronenlänge 53,8 mm			
R 901	Gramm	Grain	Vo m/s
maximal	1,52	23,5	970
minimal	1,43	22,0	930

VMS	3,2g	RWS	
Patronenlänge 54,8 mm			
R 902	Gramm	Grain	Vo m/s
maximal	1,65	25,5	975
minimal	1,56	24,0	925

VMS	3,2g	RWS	
Patronenlänge 54,8 mm			
R 901	Gramm	Grain	Vo m/s
maximal	1,52	23,5	970
minimal	1,43	22,0	930

TMS	3,6g	RWS	
Patronenlänge 55,6 mm			
R 902	Gramm	Grain	Vo m/s
maximal	1,62	25,0	970
minimal	1,56	24,0	915

TMS	3,6g	RWS	
Patronenlänge 55,6 mm			
R 901	Gramm	Grain	Vo m/s
maximal	1,81	28,0	965
minimal	1,75	27,0	880

MJ/SG	3,5g	RWS	
Patronenlänge 53,8 mm			
R 902	Gramm	Grain	Vo m/s
maximal	1,56	24,0	990
minimal	1,49	23,0	920

MJ/SG	3,6g	RWS	
Patronenlänge 53,8 mm			
R 901	Gramm	Grain	Vo m/s
maximal	1,78	27,5	970
minimal	1,69	26,0	860

# **.243 Winchester**

*Kaliber :*            *6 mm (.243'' Dia.)*

*Hülse :*              *W-W*





6 mm TNT 70 Grain Speer			
IMR	Gramm	Grain	Mzl. Vel.
4064			
maximal		41,0	3286
minimal		37,0	2988

6 mm TNT 70 Grain Speer			
N 160	Gramm	Grain	Mzl. Vel.
maximal		49,0 C*	3441
minimal		45,0	3136

6 mm Spitz SP 80 Grain Speer			
IMR	Gramm	Grain	Mzl. Vel.
4350			
maximal		45,0	3226
minimal		41,0	2929

6 mm Spitz SP 80 Grain Speer			
N 160	Gramm	Grain	Mzl. Vel.
maximal		44,0	3118
minimal		40,0	2884

6 mm Spitz-SP 90 Grain Speer			
IMR	Gramm	Grain	Mzl. Vel.
4064			
maximal		36,0	2882
minimal		32,0	2628

6 mm Spitz-SP 90 Grain Speer			
N 160	Gramm	Grain	Mzl. Vel.
maximal		42,0	2959
minimal		38,0	2671

6 mm Spitz SP 100 Grain Speer			
IMR	Gramm	Grain	Mzl. Vel.
4320			
maximal		35,0	2723
minimal		31,0	2504

6 mm Spitz SP 100 Grain Speer			
Re 19	Gramm	Grain	Mzl. Vel.
maximal		39,0	2718
minimal		35,0	2493

**C\*: Compressed Load**

# **.270 Winchester**

*Kaliber :*            **.270 ( .277' ' Dia. )**

*Hülse :*              **RWS**



TMS	8,4g	RWS	
Patronenlänge 81,5 mm			
R 907	Gramm	Grain	Vo m/s
maximal	3,24	50,0	890
minimal	3,18	49,0	850

TMS	8,4g	RWS	
Patronenlänge 81,4 mm			
R 905	Gramm	Grain	Vo m/s
maximal	3,76	58,0	905
minimal	3,56	55,0	845

SG	8,4g	RWS	
Patronenlänge 81,0 mm			
R 907	Gramm	Grain	Vo m/s
maximal	3,14	48,5	875
minimal	2,98	46,0	830

SG	8,4g	RWS	
Patronenlänge 81,0 mm			
R 905	Gramm	Grain	Vo m/s
maximal	3,69	57,0	880
minimal	3,56	55,0	830

KS	9,7g	RWS	
Patronenlänge 81,2 mm			
R 907	Gramm	Grain	Vo m/s
maximal	3,08	47,5	830
minimal	2,98	46,0	810

KS	9,7g	RWS	
Patronenlänge 81,2 mm			
R 905	Gramm	Grain	Vo m/s
maximal	3,47	53,5	860
minimal	3,37	52,0	835

# **.280 Remington (7 mm Express)**

***Kaliber :***            ***7 mm (.284'' Dia. )***

***Hülse :***                ***RWS***



KS	8,0g	RWS	
Patronenlänge 76,6 mm			
R 903	Gramm	Grain	V o m/s
maximal	3,40	52,5	930
minim al	3,11	48,0	850

KS	8,0g	RWS	
Patronenlänge 76,6 mm			
R 904	Gramm	Grain	V o m/s
maximal	3,82	59,0	960
minim al	3,50	54,0	895

ST	10,0g	RWS	
Patronenlänge 78,0 mm			
R 907	Gramm	Grain	V o m/s
maximal	3,24	50,0	820
minim al	2,92	45,0	740

ST	10,0g	RWS	
Patronenlänge 77,6 mm			
R 905	Gramm	Grain	V o m/s
maximal	3,66	56,5	835
minim al	3,34	51,5	750

KS	10,5g	RWS	
Patronenlänge 77,6 mm			
R 907	Gramm	Grain	V o m/s
maximal	3,18	49,0	830
minim al	2,85	44,0	750

KS	10,5g	RWS	
Patronenlänge 77,6 mm			
R 905	Gramm	Grain	V o m/s
maximal	3,60	55,5	835
minim al	3,31	51,0	755

HMK	11,2g	RWS	
Patronenlänge 82,0 mm			
R 907	Gramm	Grain	V o m/s
maximal	3,21	49,5	795
minim al	2,85	44,0	700

HMK	11,2g	RWS	
Patronenlänge 82,0 mm			
R 905	Gramm	Grain	V o m/s
maximal	3,63	56,0	810
minim al	3,24	50,0	720

TIG	11,5g	RWS	
Patronenlänge 79,2 mm			
R 907	Gramm	Grain	V o m/s
maximal	3,11	48,0	760
minim al	2,82	43,5	700

TIG	11,5g	RWS	
Patronenlänge 79,2 mm			
R 905	Gramm	Grain	V o m/s
maximal	3,60	55,5	810
minim al	3,21	49,5	700

# **.30 M 1 Carbine**

*Kaliber :* .30 ( .308'' Dia. )

*Hülse :* DAG



VMR	4,7g	Geco	
Patronenlänge 40,6 mm			
R 806	Gramm	Grain	Vo m/s
maximal	0,87	13,5	660
minimal	0,81	12,5	625

VMR	4,7g	Geco	
Patronenlänge 40,6 mm			
R 910	Gramm	Grain	Vo m/s
maximal	1,04	16,0	685
minimal	0,97	15,0	600

VMR	6,0g	Geco	
Patronenlänge 40,7 mm			
R 806	Gramm	Grain	Vo m/s
maximal	0,75	11,5	565
minimal	0,68	10,5	520

VMR	6,0g	Geco	
Patronenlänge 40,7 mm			
R 910	Gramm	Grain	Vo m/s
maximal	1,00	15,5	670
minimal	0,97	10,5	520

TMR	7,1g	RWS	
Patronenlänge 42,4 mm			
R 806	Gramm	Grain	Vo m/s
maximal	0,71	11,0	535
minimal	0,65	10,0	500

TMR	7,1g	RWS	
Patronenlänge 42,4 mm			
R 910	Gramm	Grain	Vo m/s
maximal	0,91	14,0	590
minimal	0,87	13,5	580

# **.30-30 Winchester**

*Kaliber:* .30 ( .308'' Dia. )

*Hülse:* *Norma*





TMR	7,1g	RWS	
Patronenlänge 62,2 mm			
R 901	Gramm	Grain	Vo m/s
maximal	2,07	32,0	745
minimal	1,88	29,0	685

TMR	7,1g	RWS	
Patronenlänge 62,2 mm			
R 903	Gramm	Grain	Vo m/s
maximal	2,46	38,0	750
minimal	2,30	35,5	700

TMR	9,7g	Hornady	
Patronenlänge 64,4 mm			
R 901	Gramm	Grain	Vo m/s
maximal	1,94	30,0	665
minimal	1,68	26,0	600

TMR	9,7g	Hornady	
Patronenlänge 64,4 mm			
R 903	Gramm	Grain	Vo m/s
maximal	2,33	36,0	690
minimal	2,20	34,0	650

TMF	11,0g	Hornady	
Patronenlänge 64,7 mm			
R 901	Gramm	Grain	Vo m/s
maximal	1,81	28,0	620
minimal	1,68	26,0	590

TMF	11,0g	Hornady	
Patronenlänge 64,7 mm			
R 903	Gramm	Grain	Vo m/s
maximal	2,24	34,5	680
minimal	2,04	31,5	600

# **.303 British**

*Kaliber:*            *.303 ( .312'' Dia. )*

*Hülse:*             *R-P*



TMS	9,7 g	Hornady	
Patronenlänge 76,1 mm			
R 902	Gramm	Grain	V o m/s
maximal	2,79	43,0	810
minimal	2,59	40,0	750

TMS	9,7 g	Hornady	
Patronenlänge 76,1 mm			
R 907	Gramm	Grain	V o m/s
maximal	2,98	46,0	790
minimal	2,79	43,0	735

TMR	11,3 g	Hornady	
Patronenlänge 74,6 mm			
R 902	Gramm	Grain	V o m/s
maximal	2,59	40,0	730
minimal	2,40	37,0	680

TMR	11,3 g	Hornady	
Patronenlänge 74,6 mm			
R 907	Gramm	Grain	V o m/s
maximal	2,88	44,5	750
minimal	2,69	41,5	700

# **.308 Winchester**

*Kaliber :*            *.30 ( .308'' Dia. )*

*Hülse :*              *RWS - Match*



TMR	7,1g	RWS	
Patronenlänge 62,5 mm			
R 901	Gramm	Grain	Vo m/s
maximal	2,92	45,0	965
minimal	2,72	42,0	900

TMR	7,1g	RWS	
Patronenlänge 62,5 mm			
R 903	Gramm	Grain	Vo m/s
maximal	3,37	52,0	965
minimal	3,18	49,0	880

KS	9,7g	RWS	
Patronenlänge 68,5 mm			
R 902	Gramm	Grain	Vo m/s
maximal	2,85	44,0	840
minimal	2,59	40,0	730

KS	9,7g	RWS	
Patronenlänge 68,5 mm			
R 907	Gramm	Grain	Vo m/s
maximal	3,11	48,0	850
minimal	2,92	45,0	720

SG	9,5g	RWS	
Patronenlänge 68,0 mm			
R 902	Gramm	Grain	Vo m/s
maximal	2,88	44,5	840
minimal	2,66	41,0	740

SG	9,5g	RWS	
Patronenlänge 68,0 mm			
R 907	Gramm	Grain	Vo m/s
maximal	3,11	48,0	840
minimal	2,92	45,0	770

DK	10,7g	RWS	
Patronenlänge 68,8 mm			
R 902	Gramm	Grain	Vo m/s
maximal	2,79	43,0	810
minimal	2,66	41,0	775

DK	10,7g	RWS	
Patronenlänge 68,8 mm			
R 907	Gramm	Grain	Vo m/s
maximal	3,08	47,5	820
minimal	2,92	45,0	770

KS	10,7g	RWS	
Patronenlänge 69,3 mm			
R 902	Gramm	Grain	Vo m/s
maximal	2,79	43,0	810
minimal	2,59	40,0	740

KS	10,7g	RWS	
Patronenlänge 69,3 mm			
R 907	Gramm	Grain	Vo m/s
maximal	3,05	47,0	820
minimal	2,92	45,0	760

MS	10,9g	Sierra	
Patronenlänge 71,0 mm			
R 902	Gramm	Grain	Vo m/s
maximal	2,75	42,5	790
minimal	2,59	40,0	720

MS	10,9g	Sierra	
Patronenlänge 71,0 mm			
R 907	Gramm	Grain	Vo m/s
maximal	2,98	46,0	780
minimal	2,85	44,0	725

TMR	11,0g	Geco	
Patronenlänge 71,0 mm			
R 902	Gramm	Grain	Vo m/s
maximal	2,85	44,0	810
minimal	2,75	42,5	775

TMR	11,0g	Geco	
Patronenlänge 71,0 mm			
R 907	Gramm	Grain	Vo m/s
maximal	3,05	47,0	790
minimal	2,92	45,0	750

MS	12,3g	RWS	
Patronenlänge 71,0 mm			
R 902	Gramm	Grain	Vo m/s
maximal	2,46	38,0	730
minimal	2,33	36,0	710

MS	12,3g	RWS	
Patronenlänge 71,0 mm			
R 907	Gramm	Grain	Vo m/s
maximal	2,79	43,0	745
minimal	2,59	40,0	680

# **.30 - 06 Springfield**

*Kaliber :* .30 ( .308'' Dia. )

*Hülse :* *RWS*



TMR	7,1g	RWS	
Patronenlänge 73,0 mm			
R. 901	Gramm	Grain	Vo m/s
maximal	3,37	52,0	990
minimal	3,24	50,0	940

TMR	7,1g	RWS	
Patronenlänge 73,0 mm			
R. 903	Gramm	Grain	Vo m/s
maximal	3,79	58,5	1010
minimal	3,63	56,0	930

KS	9,7g	RWS	
Patronenlänge 78,0 mm			
R. 903	Gramm	Grain	Vo m/s
maximal	3,53	54,5	910
minimal	3,24	50,0	780

KS	9,7g	RWS	
Patronenlänge 78,0 mm			
R. 904	Gramm	Grain	Vo m/s
maximal	3,95	61,0	910
minimal	3,82	59,0	870

SG	9,5g	RWS	
Patronenlänge 80,0 mm			
R. 903	Gramm	Grain	Vo m/s
maximal	3,53	54,5	875
minimal	3,31	51,0	800

SG	9,5g	RWS	
Patronenlänge 80,0 mm			
R. 904	Gramm	Grain	Vo m/s
maximal	3,92	60,5	885
minimal	3,69	57,0	820

DK	10,7g	RWS	
Patronenlänge 78,3 mm			
R. 903	Gramm	Grain	Vo m/s
maximal	3,40	52,5	845
minimal	3,27	50,0	815

DK	10,7g	RWS	
Patronenlänge 78,3 mm			
R. 905	Gramm	Grain	Vo m/s
maximal	4,02	62,0	845
minimal	3,92	60,5	820

KS	10,7g	RWS	
Patronenlänge 78,8 mm			
R. 903	Gramm	Grain	Vo m/s
maximal	3,40	52,5	850
minimal	3,27	50,5	820

KS	10,7g	RWS	
Patronenlänge 78,8 mm			
R. 905	Gramm	Grain	Vo m/s
maximal	4,05	62,5	870
minimal	3,89	60,0	830

MS	10,9g	RWS	
Patronenlänge 82,0 mm			
R. 903	Gramm	Grain	Vo m/s
maximal	3,31	51,0	800
minimal	3,18	49,0	740

MS	10,9g	RWS	
Patronenlänge 82,0 mm			
R. 905	Gramm	Grain	Vo m/s
maximal	4,02	62,0	840
minimal	3,89	60,0	780

MS	12,3g	RWS	
Patronenlänge 82,0 mm			
R. 903	Gramm	Grain	Vo m/s
maximal	3,21	49,5	780
minimal	3,11	48,0	745

MS	12,3g	RWS	
Patronenlänge 82,0 mm			
R. 904	Gramm	Grain	Vo m/s
maximal	3,56	55,0	800
minimal	3,43	53,0	750

KS	13,0g	RWS	
Patronenlänge 79,0 mm			
R. 903	Gramm	Grain	Vo m/s
maximal	3,05	47,0	745
minimal	2,92	45,0	710

KS	13,0g	RWS	
Patronenlänge 79,0 mm			
R. 904	Gramm	Grain	Vo m/s
maximal	3,50	54,0	785
minimal	3,37	52,0	760

# **.300 Winchester Magnum**

*Kaliber :*            *.30 ( .308'' Dia. )*

*Hülse :*             *RWS*





TMR	7,1g	RWS	
Patronenlänge 77,7 mm			
R 903	Gramm	Grain	Vo m/s
maximal	4,80	74,0	1095
minimal	4,60	71,0	1005

TMR	7,1g	RWS	
Patronenlänge 77,7 mm			
R 904	Gramm	Grain	Vo m/s
maximal	5,22	80,5	1105
minimal	5,09	78,5	1050

KS	9,7g	RWS	
Patronenlänge 82,0 mm			
R 907	Gramm	Grain	Vo m/s
maximal	4,67	72,0	1020
minimal	4,54	70,0	970

KS	9,7g	RWS	
Patronenlänge 82,0 mm			
R 905	Gramm	Grain	Vo m/s
maximal	5,25	81,0	1030
minimal	5,06	78,0	945

SG	9,5g	RWS	
Patronenlänge 84,5 mm			
R 907	Gramm	Grain	Vo m/s
maximal	4,67	72,0	1000
minimal	4,41	68,0	950

SG	9,5g	RWS	
Patronenlänge 84,5 mm			
R 905	Gramm	Grain	Vo m/s
maximal	5,25	81,0	1030
minimal	4,99	77,0	925

DK	10,7g	RWS	
Patronenlänge 84,0 mm			
R 907	Gramm	Grain	Vo m/s
maximal	4,47	69,0	960
minimal	4,34	67,0	940

DK	10,7g	RWS	
Patronenlänge 84,0 mm			
R 905	Gramm	Grain	Vo m/s
maximal	5,00	78,0	985
minimal	4,86	75,0	935

KS	10,7g	RWS	
Patronenlänge 84,5 mm			
R 907	Gramm	Grain	Vo m/s
maximal	4,47	69,0	960
minimal	4,34	67,0	940

KS	10,7g	RWS	
Patronenlänge 84,5 mm			
R 905	Gramm	Grain	Vo m/s
maximal	5,06	78,0	980
minimal	4,86	75,0	910

MS	10,9g	RWS	
Patronenlänge 82,0 mm			
R 907	Gramm	Grain	Vo m/s
maximal	4,34	67,0	935
minimal	4,15	64,0	880

MS	10,9g	RWS	
Patronenlänge 82,0 mm			
R 905	Gramm	Grain	Vo m/s
maximal	4,92	76,0	950
minimal	4,80	74,0	905

MS	12,3g	RWS	
Patronenlänge 83,0 mm			
R 907	Gramm	Grain	Vo m/s
maximal	4,21	65,0	900
minimal	3,95	61,0	830

MS	12,3g	RWS	
Patronenlänge 83,0 mm			
R 905	Gramm	Grain	Vo m/s
maximal	4,80	74,0	900
minimal	4,47	69,0	800

KS	13,0g	RWS	
Patronenlänge 84,5 mm			
R 907	Gramm	Grain	Vo m/s
maximal	4,15	64,0	840
minimal	3,89	60,0	800

KS	13,0g	RWS	
Patronenlänge 84,5 mm			
R 905	Gramm	Grain	Vo m/s
maximal	4,60	71,0	900
minimal	4,34	67,0	845

# **.300 Weatherby Magnum**

*Kaliber :*            *.30 ( .308'' Dia. )*

*Hülse :*             *RWS*



KS	9,7g	RWS	
Patronenlänge 89,1 mm			
R 903	Gramm	Grain	Vo m/s
maximal	4,67	72,0	1125
minimal	4,41	68,0	905

KS	9,7g	RWS	
Patronenlänge 89,1 mm			
R 905	Gramm	Grain	Vo m/s
maximal	5,44	84,0	1030
minimal	5,31	82,0	910

HMK	11,7g	RWS	
Patronenlänge 90,3 mm			
R 907	Gramm	Grain	Vo m/s
maximal	4,60	71,0	935
minimal	4,34	67,0	865

HMK	11,7g	RWS	
Patronenlänge 90,3 mm			
R 905	Gramm	Grain	Vo m/s
maximal	5,18	80,0	950
minimal	5,06	78,0	880

TUG	11,7g	RWS	
Patronenlänge 89,5 mm			
R 907	Gramm	Grain	Vo m/s
maximal	4,60	71,0	930
minimal	4,34	67,0	870

TUG	11,7g	RWS	
Patronenlänge 89,5 mm			
R 905	Gramm	Grain	Vo m/s
maximal	5,18	80,0	945
minimal	5,06	78,0	880

MS	12,3g	RWS	
Patronenlänge 91,2 mm			
R 907	Gramm	Grain	Vo m/s
maximal	4,47	69,0	910
minimal	4,28	66,0	840

MS	12,3g	RWS	
Patronenlänge 91,2 mm			
R 905	Gramm	Grain	Vo m/s
maximal	5,06	78,0	915
minimal	4,93	76,0	845

KS	13,0g	RWS	
Patronenlänge 90,1 mm			
R 907	Gramm	Grain	Vo m/s
maximal	4,54	70,0	860
minimal	4,41	68,0	840

KS	13,0g	RWS	
Patronenlänge 90,1 mm			
R 905	Gramm	Grain	Vo m/s
maximal	5,12	79,0	895
minimal	4,99	77,0	850

TMR	14,3g	Geco	
Patronenlänge 90,1 mm			
R 907	Gramm	Grain	Vo m/s
maximal	4,41	68,0	825
minimal	4,21	65,0	785

TMR	14,3g	Geco	
Patronenlänge 90,1 mm			
R 905	Gramm	Grain	Vo m/s
maximal	4,99	77,0	830
minimal	4,80	74,0	790

# **.300 Holland & Holland Magnum**

*Kaliber :*            *.30 ( .308'' Dia. )*

*Hülse :*            *Remington*



KS	10,7g	RWS	
Patronenlänge 90,5 mm			
R 907	Gramm	Grain	Vo m/s
maximal	4,21	65,0	920
minimal	3,95	61,0	850

DK	10,7g	RWS	
Patronenlänge 90,0 mm			
R 907	Gramm	Grain	Vo m/s
maximal	4,21	65,0	910
minimal	3,95	61,0	860

MS	10,9g	Sierra	
Patronenlänge 93,5 mm			
R 907	Gramm	Grain	Vo m/s
maximal	4,15	64,0	900
minimal	3,95	61,0	850

TMR	11,0g	Geco	
Patronenlänge 92,5 mm			
R 907	Gramm	Grain	Vo m/s
maximal	4,15	64,0	880
minimal	4,05	62,5	860

TUG	11,7g	RWS	
Patronenlänge 91,0 mm			
R 907	Gramm	Grain	Vo m/s
maximal	4,15	64,0	900
minimal	4,02	62,0	870

KS	13,0g	RWS	
Patronenlänge 90,5 mm			
R 907	Gramm	Grain	Vo m/s
maximal	3,95	61,0	820
minimal	3,82	59,0	795

KS	10,7g	RWS	
Patronenlänge 90,5 mm			
R 905	Gramm	Grain	Vo m/s
maximal	4,80	74,0	930
minimal	4,60	71,0	900

DK	10,7g	RWS	
Patronenlänge 90,0 mm			
R 905	Gramm	Grain	Vo m/s
maximal	4,80	74,0	930
minimal	4,60	71,0	890

MS	10,9g	Sierra	
Patronenlänge 93,5 mm			
R 905	Gramm	Grain	Vo m/s
maximal	4,73	73,0	910
minimal	4,54	70,0	850

TMR	11,0g	Geco	
Patronenlänge 92,5 mm			
R 905	Gramm	Grain	Vo m/s
maximal	4,80	74,0	910
minimal	4,54	70,0	830

TUG	11,7g	RWS	
Patronenlänge 91,0 mm			
R 905	Gramm	Grain	Vo m/s
maximal	4,73	73,0	900
minimal	4,54	70,0	850

KS	13,0g	RWS	
Patronenlänge 90,5 mm			
R 905	Gramm	Grain	Vo m/s
maximal	4,41	68,0	830
minimal	4,21	65,0	785

# **.338 Winchester Magnum**

*Kaliber :*            *8,5 mm ( .338'' Dia. )*

*Hülse :*              *Sako*



“X”	13,0g	Barnes	
Patronenlänge 84,0 mm			
R 907	Gramm	Grain	Vo m/s
maximal	4,50	69,4	860
minimal	4,30	66,4	820

TMS	13,0g	Hornady	
Patronenlänge 84,0 mm			
R 907	Gramm	Grain	Vo m/s
maximal	4,50	69,4	865
minimal	4,30	66,4	815

TMS	14,6g	Hornady	
Patronenlänge 84,0 mm			
R 907	Gramm	Grain	Vo m/s
maximal	4,20	64,8	825
minimal	4,05	62,5	780

TMR	16,2g	Sierra	
Patronenlänge 84,0 mm			
R 907	Gramm	Grain	Vo m/s
maximal	3,95	61,0	770
minimal	3,70	57,1	745

TMS	16,2g	Hornady	
Patronenlänge 84,0 mm			
R 907	Gramm	Grain	Vo m/s
maximal	4,10	63,3	780
minimal	3,90	60,2	755

TMR	17,8g	Barnes	
Patronenlänge 84,0 mm			
R 907	Gramm	Grain	Vo m/s
maximal	3,90	60,2	735
minimal	3,70	57,1	700

“X”	13,0g	Barnes	
Patronenlänge 84,0 mm			
R 905	Gramm	Grain	Vo m/s
maximal	5,15	79,5	905
minimal	4,90	75,6	860

TMS	13,0g	Hornady	
Patronenlänge 84,0 mm			
R 905	Gramm	Grain	Vo m/s
maximal	5,10	78,7	890
minimal	4,90	75,6	865

TMS	14,6g	Hornady	
Patronenlänge 84,0 mm			
R 905	Gramm	Grain	Vo m/s
maximal	4,85	74,8	840
minimal	4,70	72,5	800

TMR	16,2g	Sierra	
Patronenlänge 84,0 mm			
R 905	Gramm	Grain	Vo m/s
maximal	4,65	71,8	805
minimal	4,50	69,4	775

TMS	16,2g	Hornady	
Patronenlänge 84,0 mm			
R 905	Gramm	Grain	Vo m/s
maximal	4,85	74,8	810
minimal	4,65	71,8	780

TMR	17,8g	Barnes	
Patronenlänge 84,0 mm			
R 905	Gramm	Grain	Vo m/s
maximal	4,60	71,0	740
minimal	4,40	67,9	700

# **.375 Holland & Holland Magnum**

*Kaliber :*            *.375 ( .375' ' Dia. )*

*Hülse :*              *RWS*





KS	19,4g	RWS	
Patronenlänge 89,0 mm			
R 903	Gramm	Grain	Vo m/s
maximal	4,54	70,0	770
minimal	4,21	65,0	715

KS	19,4g	RWS	
Patronenlänge 89,0 mm			
R 904	Gramm	Grain	Vo m/s
maximal	4,86	75,0	760
minimal	4,60	71,0	700

VMR	19,4g	RWS	
Patronenlänge 88,8 mm			
R 903	Gramm	Grain	Vo m/s
maximal	4,41	68,0	750
minimal	4,08	63,0	700

VMR	19,4g	RWS	
Patronenlänge 88,8 mm			
R 904	Gramm	Grain	Vo m/s
maximal	4,80	74,0	750
minimal	4,60	71,0	700

TUG	19,5g	RWS	
Patronenlänge 91,4 mm			
R 903	Gramm	Grain	Vo m/s
maximal	4,76	72,5	770
minimal	4,60	71,0	740

TUG	19,5g	RWS	
Patronenlänge 91,4 mm			
R 904	Gramm	Grain	Vo m/s
maximal	4,89	75,5	730
minimal	4,73	73,0	690

# **.378 Weatherby Magnum**

*Kaliber :* .375 ( .375' ' Dia. )

*Hülse :* Weatherby



KS	19,4g	RWS	
Patronenlänge 92,4 mm			
R 907	Gramm	Grain	V o m/s
maximal	6,16	95,0	840
minimal	5,83	90,0	800

KS	19,4g	RWS	
Patronenlänge 92,4 mm			
R 905	Gramm	Grain	V o m/s
maximal	7,13	110,0	880
minimal	6,48	100,0	785

V MR	19,4g	RWS	
Patronenlänge 89,4 mm			
R 907	Gramm	Grain	V o m/s
maximal	5,96	92,0	810
minimal	5,77	89,0	780

V MR	19,4g	RWS	
Patronenlänge 89,4 mm			
R 905	Gramm	Grain	V o m/s
maximal	6,80	105,0	840
minimal	6,48	100,0	780

# **.416 Remington Magnum**

*Kaliber :*            *10,57 mm ( .416 '' Dia. )*

*Hülse :*              *Remington*



“X”	19,4g	Barnes	
Patronenlänge 91,5 mm			
R 903	Gramm	Grain	V o m/s
maximal	5,95	91,8	860
minim al	5,70	88,0	820

	Gramm	Grain	V o m/s
maximal			
minim al			

TMS	22,0g	Woodl	
Patronenlänge 91,5 mm			
R 903	Gramm	Grain	V o m/s
maximal	5,90	91,0	820
minim al	5,15	79,5	720

	Gramm	Grain	V o m/s
maximal			
minim al			

“X”	22,7g	Barnes	
Patronenlänge 91,5 mm			
R 903	Gramm	Grain	V o m/s
maximal	5,50	84,9	785
minim al	5,30	81,8	750

	Gramm	Grain	V o m/s
maximal			
minim al			

“X”	25,9g	Barnes	
Patronenlänge 91,5 mm			
R 903	Gramm	Grain	V o m/s
maximal	4,95	76,4	725
minim al	4,55	70,2	670

“X”	25,9g	Barnes	
Patronenlänge 91,5 mm			
R 904	Gramm	Grain	V o m/s
maximal	5,60	86,4	735
minim al	5,20	80,2	660

TMR	25,9g	Hornady	
Patronenlänge 90,5 mm			
R 903	Gramm	Grain	V o m/s
maximal	5,15	79,5	720
minim al	4,80	74,0	660

TMR	25,9g	Hornady	
Patronenlänge 90,5 mm			
R 904	Gramm	Grain	V o m/s
maximal	5,80	89,5	745
minim al	5,25	81,0	670

V MR	25,9g	Hornady	
Patronenlänge 90,5 mm			
R 903	Gramm	Grain	V o m/s
maximal	5,15	79,5	730
minim al	4,80	74,0	670

V MR	25,9g	Hornady	
Patronenlänge 90,5 mm			
R 904	Gramm	Grain	V o m/s
maximal	5,50	84,9	710
minim al	5,15	79,5	650

# **.444 Marlin**

*Kaliber :* .44 ( .430'' Dia. )

*Hülse :* R-P



TMF	14,3g	Sierra	
Patronenlänge 64,0 mm			
R 901	Gramm	Grain	Vo m/s
maximal	3,50	54,0	745
minimal	3,37	52,0	700

BF	13,0g	H&N	
Patronenlänge 39,0 mm			
R 902	Gramm	Grain	Vo m/s
maximal	3,76	58,0	730
minimal	3,63	56,0	690

TMF	15,6g	Speer	
Patronenlänge 64,5 mm			
R 901	Gramm	Grain	Vo m/s
maximal	3,24	50,0	680
minimal	3,11	48,0	655

TMF	15,6g	Speer	
Patronenlänge 64,5 mm			
R 903	Gramm	Grain	Vo m/s
maximal	3,69	57,0	585
minimal	3,56	55,0	555

TMF	17,2g	Hornady	
Patronenlänge 65,5 mm			
R 901	Gramm	Grain	Vo m/s
maximal	2,92	45,0	625
minimal	2,72	42,0	575

TMF	17,2g	Hornady	
Patronenlänge 65,5 mm			
R 903	Gramm	Grain	Vo m/s
maximal	3,56	55,0	580
minimal	3,50	54,0	550

**.45-70**

*Kaliber :* .45 ( .458'' Dia. )

*Hülse :* W-W





TMH	19,4g	Hornady	
Patronenlänge 65,0 mm			
R 901	Gramm	Grain	Vo m/s
maximal	3,31	51,0	640
minimal	2,85	44,0	560

TMH	19,4g	Hornady	
Patronenlänge 65,0 mm			
R 903	Gramm	Grain	Vo m/s
maximal	4,02	62,0	610
minimal	3,63	56,0	570

TMR	22,7g	Hornady	
Patronenlänge 65,0 mm			
R 901	Gramm	Grain	Vo m/s
maximal	3,18	49,0	600
minimal	2,72	42,0	510

TMR	22,7g	Hornady	
Patronenlänge 65,0 mm			
R 903	Gramm	Grain	Vo m/s
maximal	3,95	61,0	600
minimal	3,50	54,0	495

# **.460 Weatherby Magnum**

*Kaliber :*            *.458 ( .458' ' Dia. )*

*Hülse :*             *Weatherby*



TMR	22,7g	Hornady	
Patronenlänge 86,7 mm			
R 902	Gramm	Grain	V o m/s
maximal	6,68	103,0	775
minim al	6,48	100,0	760

TMR	22,7g	Hornady	
Patronenlänge 86,7 mm			
R 907	Gramm	Grain	V o m/s
maximal	7,32	113,0	845
minim al	6,80	105,0	780

TMR	32,4g	Hornady	
Patronenlänge 94,8 mm			
R 903	Gramm	Grain	V o m/s
maximal	6,68	103,0	715
minim al	6,16	95,0	650

TMR	32,4g	Hornady	
Patronenlänge 94,8 mm			
R 904	Gramm	Grain	V o m/s
maximal	7,78	120,0	775
minim al	7,45	115,0	720

V MR	32,4g	Hornady	
Patronenlänge 95,1 mm			
R 903	Gramm	Grain	V o m/s
maximal	6,48	100,0	700
minim al	6,16	95,0	650

V MR	32,4g	Hornady	
Patronenlänge 95,1 mm			
R 904	Gramm	Grain	V o m/s
maximal	7,78	120,0	775
minim al	7,45	115,0	720

# **.470 Nitro Express**

*Kaliber :*            *.470 ( 12,07 mm/.475'' Dia. )*

*Hülse :*              *Federal*



TMR	32,4g	Woodl.	
Patronenlänge 98,0 mm			
R 904	Gramm	Grain	V o m/s
maximal	7,00	108,0	665
minim al	6,50	100,0	605

TMR	32,4g	Woodl.	
Patronenlänge 98,0 mm			
R 905	Gramm	Grain	V o m/s
maximal	7,45	115,0	665
minim al	7,15	110,0	620

TMR	32,4g	Woodl.	
Patronenlänge 98,0 mm			
R 904	Gramm	Grain	V o m/s
maximal	6,80	105,0	660
minim al	6,50	100,0	625

TMR	32,4g	Woodl.	
Patronenlänge 98,0 mm			
R 905	Gramm	Grain	V o m/s
maximal	7,15	110,0	635
minim al	7,00	108,0	620