

| | Gramm | grains | | | | Gramm | grains | m/s | f/s | bars | psi | Maxi Etui mm | Maxi bars |
|------------------------|-------|--------|-------|----------|------|----------|--------|-------|-------|-------|---------|-----------------|-----------|
| Lyman coulé 313-492 | 6.0 | 93 | LAPUA | RWS 4031 | Ba10 | 08.00E-2 | 1.2 | 205.0 | 672.0 | 800.0 | 11600.0 | 23.27 | 1000 |
| Lyman coulé 313-226 | 6.16 | 95 | LAPUA | CCI 500 | AS | 00.14 | 2.29 | 220.0 | 721.0 | 500.0 | 7250.0 | 23.27 | 1000 |
| Lyman coulé 313-226 | 6.16 | 95 | LAPUA | CCI 500 | Ba9 | 00.23 | 3.5 | 200.0 | 656.0 | 450.0 | 6525.0 | 23.27 | 1000 |

7,65 long (Français)

| BULLET | | | CASE | PRIMER | POWER | | | VELOCITY | | PRESSURE | | NORMES CIP | |
|----------------------|--------------|--------|-------|-----------|-----------|--------|--------|----------|--------|----------|-----|------------|---------------------|
| TYPE | POIDS/weight | | | | TYPE | CHARGE | | m/s | f/s | bars | psi | LONGUEUR | PRESSION Crusher |
| | Gramm | grains | | | | Gramm | grains | | | | | | |
| SAKO FMJ n° 101 C | 6.0 | 93 | LAPUA | Winch. SP | NEW - SP2 | 00.34 | 5.40 | 300.0 | 984.0 | | | 19,80 | 2600 |
| SAKO FMJ n° 101 C | 6.0 | 93 | LAPUA | Winch. SP | NEW - SP2 | 00.37 | 5.70 | 365.0 | 1197.0 | | | 19.80 | 2600 |

| TYPE | POIDS/weight | | CASE | PRIMER | TYPE | CHARGE | | m/s | f/s | bars | psi | LONGUEUR | PRESSION Crusher |
|------------------------------|--------------|--------|--------------|----------|------|--------|--------|-------|--------|--------|---------|-----------------|---------------------|
| | Gramm | grains | | | | Gramm | grains | | | | | Maxi Etui mm | Maxi bars |
| SPEER JHP n° 4000 | 5.70 | 88 | Hirtenberger | CCI 500 | AS | 00.27 | 4.09 | 390.0 | 1279.0 | 2200.0 | 31900.0 | 19.15 | 2600 |
| SPEER JHP n° 4000 | 5.70 | 88 | Hirtenberger | CCI 500 | A1 | 00.34 | 5.40 | 440.0 | 1443.0 | 2500.0 | 36200.0 | 19.15 | 2600 |
| SPEER JHP n° 4000 | 5.70 | 88 | Hirtenberger | CCI 500 | Ba9 | 00.32 | 5.0 | 390.0 | 1279.0 | 1900.0 | 27500.0 | 19.15 | 2600 |
| SPEER JRP | 6.48 | 100 | Hirtenberger | CCI 500 | Ba9 | 00.29 | 4.59 | 370.0 | 1213.0 | 2200.0 | 31900.0 | 19.15 | 2600 |
| Winchester FMJ Nouveau | 7.45 | 115 | Federal | CCI 500 | Ba9 | 00.35 | 5.59 | 356.0 | 1170.0 | 2500.0 | 36200.0 | 19.15 | 2600 |
| Winchester FMJ Nouveau | 7.45 | 115 | Federal | CCI 500 | Sp8 | 00.44 | 6.79 | 360.0 | 1180.0 | 2200.0 | 31900.0 | 19.15 | 2600 |
| Norma 1/2 Blindé FN | 7.5 | 116 | Hirtenberger | CCI 500 | Ba9 | 00.38 | 5.798 | 350.0 | 1148.0 | 1700.0 | 24650.0 | 19.15 | 2600 |
| SPEER TMJ 4004 | 8.039 | 124 | Winchester | Winch.SP | Ba9 | 00.32 | | 310.0 | 1017.0 | 1690.0 | 24500.0 | 19.15 | 2600 |

| | | | | | | | | | | | | | |
|------------------------------|------|-----|--------------|--------------|--------------|-------|------|-------|--------|--------|---------|-------|------|
| Lyman coulé 356402 | 8.09 | 125 | Remington | CCI 500 | Ba10 | 00.14 | 2.29 | 270.0 | 885.0 | 2000.0 | 29000.0 | 19.15 | 2600 |
| Lyman coulé 356402 | 8.09 | 125 | Remington | CCI 500 | AS | 00.20 | 3.0 | 300.0 | 984.0 | 2400.0 | 34800.0 | 19.15 | 2600 |
| Lyman coulé 356402 | 8.09 | 125 | Remington | CCI 500 | A1 | 00.22 | 3.39 | 310.0 | 1017.0 | 2000.0 | 29000.0 | 19.15 | 2600 |
| Lyman coulé 356402 | 8.09 | 125 | Remington | CCI 500 | Ba9 | 00.28 | 4.29 | 330.0 | 1082.0 | 2300.0 | 33300.0 | 19.15 | 2600 |
| SPEER RN.PB 4601 | 8.09 | 125 | Remington | Winch. SP | Ba9 | 00.31 | | 314.0 | 1030.0 | 1845.0 | 26750.0 | 19.15 | 2600 |
| SPEER RN.PB 4601 | 8.09 | 125 | Remington | Winch.SP | SP8 | 00.38 | | 299.0 | 981.0 | 1655.0 | 24000.0 | 19.15 | 2600 |
| SIERRA FMJ | 8.09 | 125 | Hirtenberger | CCI 500 | SP8 | 00.42 | 6.59 | 370.0 | 1213.0 | 1850.0 | 26825.0 | 19.15 | 2600 |
| Lynx HR coulé n° P 900 | 8.09 | 125 | Hirtenberger | CCI 500 | AS | 00.25 | 3.79 | 320.0 | 1049.0 | 1700.0 | 24650.0 | 19.15 | 2600 |
| SPEER TMJ n° 4004 | 8.0 | 124 | Remington | Winch. SP | NEW - SP2 | 00.5 | 7.70 | 350.0 | 1148.0 | 2100.0 | 30450.0 | 19,15 | 2600 |

| | | | | | | | | | | | | | |
|-------------------------|-------|-----|-----------|--------------|-----------------|-------|------|-------|--------|--------|---------|-------|------|
| SPEER TMJ n° 4004 | 8.0 | 124 | Remington | Winch. SP | NEW - SP2 | 00.52 | 8.0 | 365.0 | 1200.0 | 2200.0 | 31900.0 | 19,15 | 2600 |
| SPEER TMJ n° 4006 | 9.51 | 147 | Remington | Winch. SP | NEW - SP2 | 00.41 | 6.5 | 330.0 | 1198.0 | 2500.0 | 36250.0 | 19,15 | 2600 |
| SAMSON blindée | 10.24 | 158 | Remington | Winch. SP | NEW - SP2 | 00.32 | 4.90 | 280.0 | 920.0 | 2300.0 | 33350.0 | 19,15 | 2600 |

.38 Super Auto Chargement IPSC

| BULLET | | | CASE | PRIMER | POWER | | | VELOCITY | | PRESSURE | | NORMES CIP | |
|-------------------------|--------------|--------|-----------|-----------|--------------|--------|--------|----------|--------|----------|---------|------------|----------|
| TYPE | POIDS/weight | | | | TYPE | CHARGE | | m/s | f/s | bars | psi | LONGUEUR | PRESSION |
| | Gramm | grains | | | | Gramm | grains | | | | | | Crusher |
| SPEER FMJ n° 3995 | 7.45 | 115 | Remington | Winch. SP | NEW - SP2 | 00.71 | 11.0 | 475.0 | 1560.0 | 2500.0 | 36250.0 | 22,86 | 2500 |

| | | | | | | | | | | | | | |
|-------------------------|------|-----|-----------|-----------|--------------|-------|------|-------|--------|--------|---------|-------|------|
| SPEER TMJ n° 4004 | 8.0 | 124 | Remington | Winch. SP | NEW - SP2 | 00.62 | 9.59 | 440.0 | 1444.0 | 2600.0 | 37700.0 | 22,86 | 2500 |
| Rem FMJ FN | 9.51 | 147 | Remington | Winch. SP | NEW - SP2 | 00.52 | 8.0 | 382.0 | 1253.0 | 2400.0 | 34800.0 | 22,86 | 2500 |

.38 Special

| BULLET | | | CASE | PRIMER | POWER | | | VELOCITY | | PRESSURE | | NORMES CIP | |
|-----------------------------------|--------------|--------|-----------|---------|-------|--------|--------|----------|--------|----------|---------|-----------------------------|----------------------------------|
| TYPE | POIDS/weight | | | | TYPE | CHARGE | | m/s | f/s | bars | psi | LONGUEUR Maxi Etui mm | PRESSION Crusher Maxi bars |
| | Gramm | grains | | | | Gramm | grains | | | | | | |
| Speer JSP- FN | 8.09 | 125 | Norma | CCI 500 | Ba9 | 00.41 | 6.5 | 325.0 | 1066.0 | 1200.0 | 17400.0 | 29.34 | 1500 |
| Lynx coulé HR P-915- SWC | 9.30 | 144 | Remington | CCI 500 | Ba10 | 00.23 | 3.70 | 275.0 | 902.0 | 1200.0 | 17400.0 | 29.34 | 1500 |

| | | | | | | | | | | | | | |
|----------------------------|-------|-----|--------------|---------|------|-------|------|-------|--------|--------|---------|-------|------|
| Lynx coulé HR P-915-SWC | 9.30 | 144 | Remington | CCI 500 | AS | 00.23 | 3.70 | 255.0 | 836.0 | 750.0 | 10900.0 | 29.34 | 1500 |
| Lynx coulé HR P-915-SWC | 9.30 | 144 | Remington | CCI 500 | A1 | 00.32 | 5.0 | 270.0 | 885.0 | 700.0 | 10100.0 | 29.34 | 1500 |
| Lynx coulé HR P-915-SWC | 9.30 | 144 | Remington | CCI 500 | Ba9 | 00.44 | 6.79 | 320.0 | 1049.0 | 1000.0 | 14500.0 | 29.34 | 1500 |
| Norma LRN 69112 | 10.19 | 158 | Norma | CCI 500 | Ba10 | 00.25 | 3.89 | 272.0 | 892.0 | 1230.0 | 17800.0 | 29.34 | 1500 |
| Norma Plomb RB-Base pleine | 10.19 | 158 | Hirtenberger | CCI 500 | Ba10 | 00.25 | 3.79 | 270.0 | 885.0 | 1200.0 | 17400.0 | 29.34 | 1500 |
| Norma Plomb RB-Base pleine | 10.19 | 158 | Hirtenberger | CCI 500 | Ba9 | 00.38 | 5.79 | 300.0 | 984.0 | 1000.0 | 14500.0 | 29.34 | 1500 |
| Norma Plomb RB-Base pleine | 10.19 | 158 | Hirtenberger | CCI 500 | A1 | 00.32 | 5.0 | 280.0 | 918.0 | 800.0 | 11600.0 | 29.34 | 1500 |
| SPEER HP 4211 | 10.19 | 158 | Federal | CCI 500 | Ba9 | 00.34 | 5.20 | 270.0 | 885.0 | 1000.0 | 14500.0 | 29.34 | 1500 |

| | | | | | | | | | | | | | |
|------------------------------|-------|-----|-----------|----------|------|-------|------|-------|--------|--------|---------|-------|------|
| SIERRA HP 8360 | 10.19 | 158 | Norma | CCI 500 | A1 | 00.34 | 5.40 | 270.0 | 885.0 | 960.0 | 13900.0 | 29.34 | 1500 |
| SIERRA HP 8360 | 10.19 | 158 | Norma | CCI 500 | AS | 00.32 | 4.90 | 260.0 | 853.0 | 1000.0 | 14500.0 | 29.34 | 1500 |
| Norma RN Plomb | 10.19 | 158 | Norma | CCI 500 | Ba9 | 00.40 | 6.0 | 290.0 | 951.0 | 850.0 | 13300.0 | 29.34 | 1500 |
| Norma RN Plomb | 10.19 | 158 | Norma | CCI 500 | A1 | 00.38 | 5.79 | 290.0 | 951.0 | 810.0 | 11700.0 | 29.34 | 1500 |
| SFM- Plomb | 10.19 | 158 | SFM | NCS 1113 | Ba10 | 00.25 | 3.89 | 245.0 | 803.0 | 850.0 | 13300.0 | 29.34 | 1500 |
| Lynx coulé HR n° P 917 | 10.19 | 158 | Remington | CCI 500 | AS | 00.22 | 3.39 | 250.0 | 820.0 | 720.0 | 10400.0 | 29.34 | 1500 |
| Lynx coulé HR n°P. 917 | 10.19 | 158 | Remington | CCI 500 | Ba9 | 00.37 | 5.70 | 310.0 | 1017.0 | 1100.0 | 15900.0 | 29.34 | 1500 |
| SFM 1/2 blindé | 10.35 | 160 | SFM | NCS 1113 | Ba9 | 00.40 | 6.29 | 230.0 | 754.0 | 810.0 | 11700.0 | 29.34 | 1500 |
| SPEER 4211 | 10.19 | 158 | Norma | CCI 500 | AO | 00.40 | 6.20 | 307.0 | 1007.0 | 1007.0 | 14600.0 | 29.34 | 1500 |

.38 Special Wad Cutter

| | | | | | | |
|--------|--|--|-------|----------|----------|------------|
| BULLET | | | POWER | VELOCITY | PRESSURE | NORMES CIP |
|--------|--|--|-------|----------|----------|------------|

| TYPE | POIDS/weight | | CASE | PRIMER | TYPE | CHARGE | | m/s | f/s | bars | psi | LONGUEUR | PRESSION Crusher |
|--------------------------------|--------------|--------|-----------|----------|------|--------|--------|-------|-------|--------|---------|-----------------|---------------------|
| | Gramm | grains | | | | Gramm | grains | | | | | Maxi Etui mm | Maxi bars |
| Lyman coulé 35-84-95 | 9.40 | 145 | Remington | RWS 4031 | Ba10 | 00.14 | 2.29 | 220.0 | 721.0 | 950.0 | 13800.0 | 29.34 | 1300 |
| HN Plastifié BC dia. 357 | 9.40 | 145 | Remington | RWS 4031 | Ba10 | 00.14 | 2.29 | 220.0 | 721.0 | 900.0 | 13000.0 | 29.34 | 1300 |
| HN Plastifié BP dia. 355 | 9.51 | 147 | Remington | RWS 4031 | Ba10 | 00.14 | 2.29 | 210.0 | 689.0 | 750.0 | 10900.0 | 29.34 | 1300 |
| Speer Bevel Base n° 4605 | 9.59 | 148 | Remington | RWS 4031 | Ba10 | 00.16 | 2.5 | 225.0 | 738.0 | 860.0 | 12500.0 | 29.34 | 1300 |
| Norma WC- BC | 9.59 | 148 | Norma | CCI 500 | Ba10 | 00.14 | 2.29 | 220.0 | 721.0 | 1050.0 | 15200.0 | 29.34 | 1300 |
| Norma WC- BC | 9.59 | 148 | Norma | CCI 500 | AS | 00.16 | 2.5 | 220.0 | 721.0 | 900.0 | 13000.0 | 29.34 | 1300 |
| Lynx coulé HR -P.916 | 10.1 | 156 | Remington | RWS 4031 | Ba10 | 00.14 | 2.29 | 215.0 | 705.0 | 960.0 | 13900.0 | 29.34 | 1300 |

.357 SIG

| BULLET | | | CASE | PRIMER | POWER | | | VELOCITY | | PRESSURE | | NORMES CIP | |
|---------------------|--------------|--------|------|-----------|--------------|--------|--------|----------|--------|----------|-----|------------|---------------------|
| TYPE | POIDS/weight | | | | TYPE | CHARGE | | m/s | f/s | bars | psi | LONGUEUR | PRESSION Crusher |
| | Gramm | grains | | | | Gramm | grains | | | | | | |
| Remington FMJ FN | 8.09 | 125 | RP | Winch. SP | NEW - SP2 | 00.63 | 9.69 | 402.0 | 1319.0 | | | | |
| Remington FMJ FN | 8.09 | 125 | RP | Winch. SP | NEW - SP2 | 00.65 | 10.0 | 424.0 | 1390.0 | | | | |

.357 Magnum

| BULLET | | | CASE | PRIMER | POWER | | | VELOCITY | | PRESSURE | | NORMES CIP | |
|--------|--------------|--------|------|--------|-------|--------|--------|----------|-----|----------|-----|------------|---------------------|
| TYPE | POIDS/weight | | | | TYPE | CHARGE | | m/s | f/s | bars | psi | LONGUEUR | PRESSION Crusher |
| | Gramm | grains | | | | Gramm | grains | | | | | | |

| | | | | | | | | | | | | | |
|-------------------------|-------|-----|--------------|-------------|-----|-------|-------|-------|--------|--------|---------|-------|------|
| SPEER JHP n° 4007 | 7.12 | 110 | Norma | CCI 500 | Ba9 | 00.68 | 10.5 | 505.0 | 1656.0 | 2900.0 | 42000.0 | 32.77 | 3200 |
| SPEER JHP n° 4007 | 7.12 | 110 | Norma | CCI 500 | SP3 | 1.25 | 19.19 | 450.0 | 1476.0 | 1700.0 | 24600.0 | 32.77 | 3200 |
| SPEER JHP n° 4013 | 8.09 | 125 | Norma | CCI 500 | Ba9 | 00.65 | 10.0 | 460.0 | 1509.0 | 2700.0 | 39100.0 | 32.77 | 3200 |
| SPEER JHP n° 4013 | 8.09 | 125 | Norma | CCI 500 | SP3 | 1.25 | 19.19 | 460.0 | 1509.0 | 2000.0 | 29000.0 | 32.77 | 3200 |
| SPEER JHP n° 4013 | 8.09 | 125 | Norma | CCI 500 | A1 | 00.56 | 8.59 | 430.0 | 1410.0 | 2500.0 | 36200.0 | 32.77 | 3200 |
| SPEER JHP n° 4013 | 9.07 | 140 | Hirtenberger | CCI 500 | Ba9 | 00.59 | 9.19 | 420.0 | 1378.0 | 2800.0 | 40600.0 | 32.77 | 3200 |
| SPEER JHP n° 4013 | 9.07 | 140 | Hirtenberger | CCI 500 | SP3 | 1.14 | 17.69 | 430.0 | 1410.0 | 2000.0 | 29000.0 | 32.77 | 3200 |
| SFM Blindé | 9.59 | 148 | SFM | RWS 4031 | SP3 | 1.26 | 19.39 | 470.0 | 1542.0 | 2100.0 | 30450.0 | 32.77 | 3200 |
| SIERRA n° 8360 | 10.19 | 158 | Norma | CCI 500 | SP3 | 1.05 | 16.19 | 435.0 | 1427.0 | 1850.0 | 26800.0 | 32.77 | 3200 |

| | | | | | | | | | | | | | |
|------------------|-------|-----|---------|---------|--------|------|------|-------|--------|--------|---------|-------|------|
| SPEER n° 4231 | 12.96 | 200 | Federal | CCI 550 | Tu2000 | 1.39 | 22.0 | 460.0 | 1510.0 | 2100.0 | 30450.0 | 40.77 | 3445 |
| SPEER n° 4231 | 12.96 | 200 | Federal | CCI 600 | SP3 | 1.3 | 20.0 | 455.0 | 1493.0 | 2150.0 | 31175.0 | 40.77 | 3445 |

10 mm Auto

| BULLET | | | CASE | PRIMER | POWER | | | VELOCITY | | PRESSURE | | NORMES CIP | |
|--------------------------------|--------------|--------|-------|----------|-------|--------|--------|----------|--------|----------|---------|------------|----------|
| TYPE | POIDS/weight | | | | TYPE | CHARGE | | m/s | f/s | bars | psi | LONGUEUR | PRESSION |
| | Gramm | grains | | | | Gramm | grains | | | | | | Crusher |
| FMC Norma n° 61001 | 13.0 | 200 | Norma | Winch.LP | Ba9 | 00.34 | 5.40 | 280.0 | 919.0 | 2300.0 | 33350.0 | 25.2 | 2500 |
| Coulé RCBS n° 40- 170 | 11.0 | 170 | Norma | Winch.LP | A1 | 00.34 | 5.20 | 320.0 | 1050.0 | 2500.0 | 36250.0 | 25.2 | 2500 |

| | Gramm | grains | | | | Gramm | grains | m/s | f/s | bars | psi | Maxi Etui mm | Maxi bars |
|---------------------------|-------|--------|-----|----------|-----|-------|--------|-------|-------|--------|---------|-----------------|-----------|
| IMI | 13.0 | 200 | IMI | Winch.SP | Ba9 | 00.34 | 5.40 | 300.0 | 984.0 | 2500.0 | 36250.0 | 22 | 2500 |
| Coulée Lee n° 410-195 SWC | 12.64 | 195 | IMI | Winch.SP | Ba9 | 00.29 | 4.59 | 300.0 | 984.0 | 2500.0 | 36250.0 | 22 | 2500 |

.44 Remington Magnum

| BULLET | | | CASE | PRIMER | POWER | | | VELOCITY | | PRESSURE | | NORMES CIP | |
|---------------------------|--------------|--------|---------|---------|-------|--------|--------|----------|--------|----------|---------|------------|---------------------|
| TYPE | POIDS/weight | | | | TYPE | CHARGE | | m/s | f/s | bars | psi | LONGUEUR | PRESSION Crusher |
| | Gramm | grains | | | | Gramm | grains | | | | | | Maxi Etui mm |
| SPEER J-MAG HP n° 4425 | 12.96 | 200 | Federal | CCI 300 | Ba9 | 00.80 | 12.30 | 420.0 | 1378.0 | 2400.0 | 34800.0 | 32.64 | 2800 |
| SPEER J-MAG HP n° 4425 | 12.96 | 200 | Federal | CCI 300 | Ba6 | 1.60 | 24.60 | 440.0 | 1443.0 | 2500.0 | 36200.0 | 32.64 | 2800 |

| | | | | | | | | | | | | | |
|--------------------------|-------|-----|------------|---------|-----------|-------|-------|-------|--------|--------|---------|-------|-------|
| SPEER J-MAG HP n° 4425 | 12.96 | 200 | Federal | CCI 300 | SP3 | 1.7 | 26.19 | 445.0 | 1460.0 | 2150.0 | 31200.0 | 32.64 | 2800 |
| SPEER JHP n° 4435 | 14.58 | 225 | Federal | CCI 300 | Ba9 | 00.67 | 10.30 | 370.0 | 1213.0 | 2300.0 | 33300.0 | 32.64 | 2800 |
| SPEER JHP HP n° 4425 | 14.58 | 225 | Federal | CCI 300 | SP3 | 1.64 | 25.39 | 430.0 | 1410.0 | 2600.0 | 37700.0 | 32.64 | 2800 |
| SPEER J-MAG HP | 15.55 | 240 | Winchester | CCI 300 | SP3 | 1.60 | 24.60 | 415.0 | 1361.0 | 2400.0 | 34800.0 | 32.64 | 2800 |
| Lyman Coulé 429421 | 16.5 | 255 | Remington | CCI 300 | Ba9 | 00.71 | 11.0 | 370.0 | 1213.0 | 2200.0 | 31900.0 | 32.64 | 2800 |
| Lyman Coulé 429421 | 16.5 | 255 | Remington | CCI 300 | SP3 | 1.60 | 24.60 | 430.0 | 1410.0 | 2450.0 | 35500.0 | 32.64 | 2800 |
| Lyman coulé GC n° 429244 | 17.37 | 268 | Remington | CCI 350 | SP3 | 1.5 | 23.0 | 405.0 | 1328.0 | 2600.0 | 37700.0 | 32.64 | 28000 |
| SPEER HP | 12.96 | 200 | RP | CCI 300 | NEW - SP2 | 1.3 | 20.0 | 516.0 | 1593.0 | 2400.0 | 34800.0 | 32.64 | 2800 |
| SPEER JHP | 14.58 | 225 | RP | CCI 300 | NEW - SP2 | 1.2 | 18.5 | 481.0 | 1578.0 | 2475.0 | 35890.0 | 32.64 | 2800 |
| Hornady | 15.55 | 240 | WWSuper | CCI 350 | NEW - SP2 | 1.22 | 18.80 | 477.0 | 1565.0 | 2600.0 | 37700.0 | 32.64 | 2800 |
| SPEER | 15.55 | 240 | RP | CCI 300 | NEW - SP2 | 1.15 | 17.89 | 461.0 | 1512.0 | 2340.0 | 33900.0 | 32.64 | 2800 |

.45 ACP (45 Auto)

| BULLET | | | CASE | PRIMER | POWER | | | VELOCITY | | PRESSURE | | NORMES CIP | |
|---------------------------------|--------------|--------|---------|---------|-------|--------|--------|----------|-------|----------|---------|-----------------|---------------------|
| TYPE | POIDS/weight | | | | TYPE | CHARGE | | m/s | f/s | bars | psi | LONGUEUR | PRESSION Crusher |
| | Gramm | grains | | | | Gramm | grains | | | | | Maxi Etui mm | Maxi bars |
| Hornady HP | 12.0 | 185 | Federal | CCI 300 | Ba10 | 00.27 | 4.20 | 255.0 | 836.0 | 900.0 | 13000.0 | 22.81 | 1400 |
| Lyman coulé 452- 389 | 12.0 | 185 | Federal | CCI 300 | Ba10 | 00.209 | 3.20 | 240.0 | 787.0 | 900.0 | 13000.0 | 22.81 | 1400 |
| Lyman coulé 452- 389 | 12.0 | 185 | Federal | CCI 300 | AS | 00.27 | 4.20 | 270.0 | 885.0 | 1000.0 | 14500.0 | 22.81 | 1400 |
| Lynx coulé HR-1158 Ogival | 12.5 | 193 | Federal | CCI 300 | Ba10 | 00.27 | 4.20 | 265.0 | 869.0 | 1000.0 | 14500.0 | 22.81 | 1400 |
| Lynx coulé HR-1158 Ogival | 12.5 | 193 | Federal | CCI 300 | A1 | 00.41 | 6.5 | 300.0 | 984.0 | 1100.0 | 15900.0 | 22.81 | 1400 |

| | | | | | | | | | | | | | |
|---------------------------------|-------|-----|---------|-----------|--------------|-------|------|-------|--------|--------|---------|-------|------|
| Lynx coulé HR-1158 Ogival | 12.5 | 193 | Federal | CCI 300 | Ba9 | 00.47 | 7.40 | 270.0 | 885.0 | 800.0 | 11600.0 | 22.81 | 1400 |
| SPEER JHP | 12.96 | 200 | Federal | CCI 300 | A1 | 00.39 | 6.0 | 290.0 | 951.0 | 1100.0 | 15900.0 | 22.81 | 1400 |
| SPEER JHP | 12.96 | 200 | Federal | CCI 300 | Ba9 | 00.42 | 6.59 | 270.0 | 885.0 | 1000.0 | 14500.0 | 22.81 | 1400 |
| Hard CL SWC | 12.96 | 200 | Federal | CCI 300 | Ba9 | 00.40 | 6.29 | 280.0 | 918.0 | 1200.0 | 17400.0 | 22.81 | 1400 |
| Lyman coulé 452460 SWC | 13.1 | 200 | Federal | CCI 300 | Ba10 | 00.25 | 3.79 | 250.0 | 820.0 | 1200.0 | 17400.0 | 22.81 | 1400 |
| Lyman coulé 452460 SWC | 13.1 | 200 | Federal | CCI 300 | AS | 00.28 | 4.29 | 250.0 | 820.0 | 900.0 | 13000.0 | 22.81 | 1400 |
| Lyman coulé 452460 SWC | 13.1 | 200 | Federal | CCI 300 | A1 | 00.34 | 5.40 | 260.0 | 853.0 | 900.0 | 13000.0 | 22.81 | 1400 |
| HP SPEER J-MAG | 14.58 | 225 | Federal | CCI 300 | A1 | 00.37 | 5.70 | 260.0 | 853.0 | 1050.0 | 15200.0 | 22.81 | 1400 |
| Hornady FP- FMJ | 14.9 | 230 | Federal | CCI 300 | Ba10 | 00.26 | 4.0 | 230.0 | 754.0 | 1100.0 | 15900.0 | 22.81 | 1400 |
| Hornady FP- FMJ | 14.9 | 230 | Federal | CCI 300 | Ba9 | 00.40 | 6.0 | 260.0 | 853.0 | 1000.0 | 14500.0 | 22.81 | 1400 |
| SPEER SHP n° 4477 | 12.96 | 200 | RP | Winch. LP | NEW - SP2 | 00.71 | 11.0 | 338.0 | 1109.0 | 1235.0 | 17907.0 | 22.81 | 1400 |

| | | | | | | | | | | | | | |
|----------------------|-------|-----|----|-----------|-----------|-------|-------|-------|--------|--------|---------|-------|------|
| SPEER HP | 14.58 | 225 | RP | CCI 300 | NEW - SP2 | 00.69 | 10.80 | 311.0 | 1020.0 | 1130.0 | 16385.0 | 22.81 | 1400 |
| SPEER FMJ n° 4480 | 14.9 | 230 | RP | Winch. LP | NEW - SP2 | 00.65 | 10.0 | 290.0 | 951.0 | 1020.0 | 14790.0 | 22.81 | 1400 |

.45 Colt (45 long colt)

| BULLET | | | CASE | PRIMER | POWER | | | VELOCITY | | PRESSURE | | NORMES CIP | |
|------------------------|--------------|--------|---------|---------|-------|--------|--------|----------|--------|----------|---------|-----------------------------|----------------------------------|
| TYPE | POIDS/weight | | | | TYPE | CHARGE | | m/s | f/s | bars | psi | LONGUEUR Maxi Etui mm | PRESSION Crusher Maxi bars |
| | Gramm | grains | | | | Gramm | grains | | | | | | |
| SPEER Semi WC | 16.19 | 250 | Federal | CCI 300 | A1 | 00.55 | 8.5 | 270.0 | 885.0 | 600.0 | 8700.0 | 32.64 | 1100 |
| SPEER Semi WC | 16.19 | 250 | Federal | CCI 300 | Ba9 | 00.65 | 10.0 | 320.0 | 1049.0 | 950.0 | 13800.0 | 32.64 | 1100 |
| Coulé RCBS n° 45255 | 16.52 | 256 | Federal | CCI 300 | Ba10 | 00.38 | 5.79 | 260.0 | 853.0 | 900.0 | 13000.0 | 32.64 | 1100 |
| Coulé RCBS n° 45255 | 16.52 | 256 | Federal | CCI 300 | AS | 00.41 | 6.5 | 260.0 | 853.0 | 800.0 | 11600.0 | 32.64 | 1100 |
| Coulé RCBS n° 45255 | 16.52 | 256 | Federal | CCI 300 | Ba9 | 00.57 | 9.0 | 250.0 | 820.0 | 600.0 | 8700.0 | 32.64 | 1100 |

.50 AE

| BULLET | | | CASE | PRIMER | POWER | | | VELOCITY | | PRESSURE | | NORMES CIP | |
|--------------------------|--------------|--------|------|----------|-------|--------|--------|----------|--------|----------|---------|-----------------|---------------------|
| TYPE | POIDS/weight | | | | TYPE | CHARGE | | m/s | f/s | bars | psi | LONGUEUR | PRESSION Crusher |
| | Gramm | grains | | | | Gramm | grains | | | | | Maxi Etui mm | Maxi bars |
| I.M.I. F.S.P. Nouveau | 19.5 | 300 | IMI | Winch.LP | SP3 | 2.14 | 33.0 | 426.0 | 1400.0 | 1800.0 | 26100.0 | 32.5 | 2300 |
| I.M.I. F.S.P. Nouveau | 19.5 | 300 | IMI | Winch.LP | SP3 | 2.20 | 34.0 | 446.0 | 1460.0 | 2075.0 | 30085.0 | 32.5 | 2300 |